NATIONAL OBSERVATORY OF ATHENS
METEOROLOGICAL INSTITUTE

CLIMATOLOGICAL BULLETIN

1941 - 1945

Compiled under the direction of
Prof. ELIAS G. MARIOLOPOULOS
Director
of the Meteorological Institute

ATHENS, GREECE
1962

YEAR 1941

Year : 1941 Month : Jan

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (1)	Wind (5)	Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12.5	15.3	8.4	10.6	5			74	8.2	750.4	SSW	1.9	2.2
2	14.5	17.7	9.2	12.4	3			78	9.3	50.9	S	4.8	3.3
3	13.9	16.3	13.7	11.6	4			78	8.8	51.2	SSE	4.8	3.1
4	13.7	15.4	12.0	11.5	4			74	8.7	49.7	S	8.5	4.2
5	12.0	14.6	11.9	8.8	6			66	6.9	51.8	S	3.2	4.3
6	10.6	16.3	7.6	8.2	7			71	6.4	56.4	C	0.0	1.9
7	9.6	12.9	6.3	7.9	8	- -	- -	75	6.7	56.8	NNE	2.5	1.5
8	9.3	14.6	5.7	7.0	9	0.0	0.05	72	6.0	55.1	C	0.0	1.5
9	10.0	12.7	7.5	9.3	8	7.5	9.50	89	8.1	52.0	C	0.0	0.4
10	11.0	14.7	8.0	9.5	7	0.2	0.50	83	7.9	51.3	C	0.0	0.8
11	11.6	14.7	8.6	10.3	6	0.0	-	84	8.4	47.8	SSE	0.4	1.1
12	11.1	14.4	9.5	9.4	7	3.0	3.08	84	7.9	44.0	NW	0.6	1.1
13	5.9	7.9	5.5	4.1	12	7.1	5.50	79	5.3	49.6	NNW	3.7	0.0
14	6.1	7.3	3.2	4.6	12			74	5.4	54.0	NNE	1.0	1.1
15	14.0	18.0	7.8	13.3	4	0.4	1.51	78	9.8	43.4	SSE	3.6	2.4
16	15.2	18.5	12.6	12.3	3			72	8.9	43.2	S	4.1	4.9
17	12.5	16.4	10.9	11.4	5	0.5	-	73	8.5	41.5	S	4.7	3.7
18	8.5	10.3	6.3	6.5	9	1.3	1.17	70	5.9	42.0	WSW	2,6	3.1
19	8.2	12.2	4.0	5.1	10			58	4.6	53.7	WSW	1.5	2.7
20	11.3	15.2	4.2	9.2	7			68	7.0	55.0	WSW	1.5	2.6
21	13.1	16.3	8,7	10.1	5			69	7.4	55.1	SW	2.4	3.3
22	12.3	15.6	8.2	10.3	6			76	8.2	54.2	SSW	3.9	2.2
23	14.1	16.2	13.2	12.6	4			81	9.6	50.1	S	4.9	4.3
24	13.6	16.6	11.3	12.1	4	0.0	-	81	9.6	47,8	C	0.0	1.1
25	15.3	19.4	11.5	13.1	3	1.2	1.00	75	9.6	44.7	WSW	1.5	2.8
26	14.8	18.9	11.9	11.9	3	1.9	2.50	70	8,4	45.7	WSW	0.4	3.3
27	11.9	14.7	9.7	8.9	6			66	6.7	47.7	N	1.3	2.1
28	5.4	11.5	5.3	2.7	13			72	4.6	53,6	NNE	8,7	1.9
29	4.8	6.7	3.7	3,4	13	2.6	2.25	74	5.0	58.4	NE	3,5	1.6
30	5.8	6.9	3.3	5.2	12	5.6	5.83	86	6.1	54.6	NNE	3.8	0.7
31	7.5	11.0	5.0	6.0	10			76	6.0	56.4	NNE	3.9	1.3
Sum					215	31.3	-				S		71.4
Avg.	11.0	14,2	8.2	9.0				75	7.4	750.6	(6)	2.7	2.3

: 1941 Month : January

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)					
		Toward sea	Towrad land	Green	Bare	30	60	90	120		
2.5	6.3	8	7	9.0	9.0	9.9	10.6	11.7	12.9	☊⁰	1
5.0	8.0	7	8	12.0	13.8	11.0	11.1	11.8	12.9		2
1.3	5.0	7	7	11.7	12.9	11.9	11.8	12.1	12.9		3
3.3	5.0	6	6	11.9	11.6	12.1	12.0	12.2	13.0		4
3.9	4.0	8	8	9.9	10.8	12.0	12.1	12.6	13.2		5
7.5	2.0	8	8	8.8	14.4	11.2	11.6	12.3	13.0	☊⁰	6
1.4	9.7	7	8	8.3	9.5	10.5	11.4	12.1	12.9	☊¹	7
4.5	6.7	8	8	6.9	9.1	10.5	10.5	12.1	12.8	☊², ◔⁰	8
0.2	10.0	5	5	9.2	10.0	10.8	11.4	12.0	12.8	●¹	9
2.2	9.3	5	5	9.2	9.9	11.0	11.5	12.1	12.8	●⁰, ⊖⁰	10
0.4	10.0	8	7	10.1	10.1	11.4	11.6	12.2	12.8	◔¹	11
3.4	6.3	8	8	9.8	10.2	11.4	11.8	12.2	12.9	●	12
2.6	8.0	7	7	5.5	5.3	10.8	11.6	12.4	12.7	●⁰	13
0.1	10.0	5	6	5.8	5.0	9.5	10.8	11.7	12.7		14
2.3	9.3	4	6	12.5	12.8	10.0	10.9	11.8	12.6	●⁰	15
6.1	5.0	5	6	12.3	12.5	11.3	11.4	11.9	12.6		16
4.5	5.3	6	6	10.1	11.2	11.7	11.7	12.0	12.8	●⁰, ◔²	17
5.7	7.3	8	8	7.8	8.5	10.7	11.4	12.0	12.7	●⁰, ◔¹⁻²	18
8.5	1.7	7	8	5.9	8.2	9.9	10.8	11.8	12.6		19
4.7	6.0	6	8	8.8	9.7	9.9	10.7	11.7	12.7		20
8.7	2.0	7	8	10.5	12.3	10.8	11.1	11.8	12.7		21
1.8	8.7	7	7	10.0	10.1	11.0	11.3	11.8	12.6	☊	22
2.8	9.7	5	6	12.4	11.6	11.8	11.7	12.0	12.7	∩	23
0.9	10.0	7	7	11.4	12.4	12.1	12.0	12.1	12.7	◔	24
5.2	6.3	7	9	12.4	14.6	12.4	12.2	12.3	12.8	●	25
8.8	2.7	7	9	12.1	14.2	12.9	12.5	12.5	12.9	●	26
0.3	10.0	7	8	9.0	9.5	12.3	12.6	12.5	13.0	Ω	27
0.0	8.7	7	6	4.2	4.9	11.1	11.5	12.2	12.7	∩	28
0.0	10.0	5	7	4.2	5.2	9.8	10.7	11.9	12.7	●²	29
10.3	10.0	5	5	5.0	5.3	9.2	10.4	11.6	12.5	●	30
2.1	9.3	7	7	6.5	7.3	9.3	10.2	11.3	12.4		31
111.0										●11, ◔5, Ω6, ∩2, ☊1.	
	7.2	6.6	7.1	9.1	10.1	11.0	11.4	12.0	12.8		

Year : 1941 Month : Febru

Date	Air temperature (°C)				Degree days (base 18°)	Precipit		Average of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	9.7	12.2	6.1	8.2	8			81	7.3	756.9	S	1.6	1.4
2	13.6	15.6	11.9	11.9	4			80	9.2	49.8	SSE	6.5	2.7
3	12.2	17.0	10.8	9.7	6	13.2	1.50	76	7.5	46.4	S	0.8	2.7
4	11.4	15.2	6.9	9.8	7			74	7.6	49.3	SSE	2.6	2.2
5	14.0	15.5	7.7	11.7	4			76	9.1	50.2	SSE	4.3	3.8
6	12.5	16.0	12.9	11.3	5	19.5	6.58	84	8.9	36.4	ESE	3.1	2.9
7	9.9	13.1	7.9	7.8	8	10.3	12.50	75	6.5	39.7	SW	2.6	2.2
8	9.7	15.2	6.3	7.7	8			74	6.5	46.5	C	0.0	1.7
9	7.6	9.8	6.3	5.4	10	1.3	-	73	5.4	50.2	NNE	4.4	1.5
10	7.8	11.4	5.8	5.5	10			69	5.3	55.9	NNE	2.7	1.7
11	9.0	14.4	4.0	7.0	9			66	6.0	55.7	C	0.1	2.0
12	11.5	16.4	8.3	10.1	6			77	8.0	54.5	S	0.3	1.7
13	11.8	16.3	8.4	10.8	6			82	8.6	55.8	S	0.5	1.5
14	12.9	14.7	9.9	11.7	5			82	9.2	54.2	SSE	3.8	1.7
15	14.8	17.8	11.9	12.7	3			73	9.5	49.1	SSE	4.3	3.5
16	14.1	19.0	10.3	11.0	4			70	8.1	51.1	S	1.0	3.2
17	14.5	18.4	10.6	12.2	3			74	9.0	51.1	SSE	1.4	2.6
18	15.1	18.8	11.6	12.0	3	8.4	6.25	70	8.6	45.8	WSW	2.9	3.5
19	13.2	16.4	10.4	10.9	5			70	8.2	44.4	S	3.8	3.5
20	13.5	17.3	11.1	10.6	4			62	7.6	47.7	WSW	2.2	4.4
21	14.2	17.9	10.1	13.0	4			75	9.9	45.5	SSE	3.5	3.0
22	13.1	17.7	10.7	9.2	5			57	6.3	48.5	WSW	1.2	3.8
23	12.9	18.3	8.3	9.5	5			63	6.8	49.6	SSW	0.4	2.9
24	14.2	18.8	9.7	10.6	4			62	7.2	46.8	S	2.4	4.3
25	13.5	16.5	12.1	10.4	4	0.4	0.92	65	7.7	42.9	S	5.4	4.9
26	13.7	17.9	10.7	10.7	4			64	7.4	49.6	SSW	0.7	3.7
27	13.5	18.1	10.9	11.8	4	1.9	0.25	74	8.7	47.5	W	1.4	2.2
28	6.6	7.5	5.8	3.7	11	0.1	-	67	4.7	54.5	NNE	12.5	2.7
Sum					159	55.1	-				SSE		77.9
Avg	12.2	15.8	9.2	9.9				72	7.7	749.1	(6)	2.7	2.8

: 1941 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility 14h (0-9) Toward sea	Visibility 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1.0	9.7	8	7	8.3	8.6	9.8	10.5	11.3	12.3		1
2.6	9.0	7	8	11.9	12.7	10.8	10.8	11.5	12.3		2
5.3	5.7	8	8	9.2	13.1	11.3	11.3	11.7	12.3	◍⁰ ◍⁰ ◭¹	3
6.7	6.7	8	8	8.9	9.3	10.8	11.2	11.7	12.4		4
1.1	9.7	7	7	11.6	11.6	11.6	11.6	11.9	12.4		5
0.0	10.0	6	6	11.1	11.1	11.9	11.8	12.0	12.4	◍⁰ ◍⁰ ∠⁰	6
0.0	8.3	7	8	9.1	9.6	11.3	11.7	12.0	12.5	◍ ◍⁰	7
3.7	7.0	7	8	8.0	8.4	10.8	11.4	11.9	12.5	☿¹ ☊⁰	8
0.4	9.3	7	7	5.9	5.3	10.3	11.4	11.7	12.3	◍⁰ ⚹⁰ ☽⁰	9
2.1	5.0	7	8	6.6	9.8	9.9	11.0	11.6	12.4		10
4.6	0.0	7	7	6.6	11.2	9.5	10.4	11.5	12.2	☊¹	11
4.9	1.3	8	7	8.2	12.0	10.0	10.5	11.4	12.2	☊²	12
1.9	5.7	8	8	9.6	12.5	10.7	10.9	11.5	12.2	☊²	13.
0.1	10.0	6	7	11.0	11.9	11.2	11.3	11.6	12.2	☊²	14
1.1	7.3	7	6	12.3	13.6	11.9	11.6	11.8	12.3		15
6.3	3.0	8	8	10.8	14.0	12.1	11.8	11.9	12.4		16
4.3	-	8	8	12.4	15.5	12.5	12.2	12.1	12.5	☊⁰	17
5.3	3.0	8	8	12.9	13.3	13.2	12.6	12.4	12.6	◍⁰	18
1.9	5.7	7	7	11.3	12.1	12.8	12.7	12.5	12.7		19
9.0	2.3	9	9	11.3	13.8	12.5	12.5	12.6	12.8		20
6.9	6.0	7	8	13.1	15.5	12.9	12.6	12.6	12.9	☊²	21
9.9	1.7	8	8	10.2	12.9	13.3	12.7	12.7	12.9		22
9.1	4.0	9	9	10.9	14.4	13.0	12.7	12.7	13.0	☊⁰	23
6.1	9.0	9	9	11.1	14.1	13.5	13.1	12.9	13.1		24
4,7	6.3	8	9	11.1	13.3	13.9	13.3	13.0	13.2	◍⁰	25
6.5	5.0	8	8	11.4	15.2	13.7	13.3	13.1	13.3		26
5.7	6.7	8	8	12.9	15.8	13.9	13.5	13.2	13.3	◍ ◭¹⁻² ∠⁰ ☊²	27
1.8	7.7	5	6	6.7	5.0	12.6	12.7	13.0	13.2	◍⁰ ⚹²	228
113.0										◍6, ◍5, ◭2, ⚹2, ∠3, ☿1, ☽1, ☊9.	
	6.1	7.5	7.7		12.0	11.8	11.9	12.1	12.6		

Year : 1941 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	6.4	10.3	4.2	3.2	12			55	4.1	757.7	NE	7.5	3.3
2	9.0	15.0	3.3	5.9	9			54	4.7	56.1	SW	2.8	2.8
3	10.7	18.0	5.7	7.4	7			54	5.4	54.7	SSW	1.7	3.3
4	10.8	17.0	5.3	7.9	7			61	5.8	50.9	E	0.4	2.9
5	12.5	14.6	7.0	11.1	5			82	8.8	47.4	NE	3.3	1.8
6	14.2	17.4	12.9	11.3	4			73	8.2	47.1	NE	2.6	3.1
7	13.2	17.8	9.8	9.9	5			61	6.6	52.8	E	1.1	3.8
8	13.1	18.5	9.0	10.3	5			65	7.3	56.0	S	0.4	2.8
9	13.4	18.2	10.0	10.7	5			70	8.0	55.3	C	0.0	2.3
10	14.4	18.8	10.2	11.4	4			66	8.1	50.9	E	1.0	3.2
11	14.4	20.2	10.3	10.6	4			63	6.8	48.0	SSE	0.9	2.9
12	13.9	19.2	9.5	9.3	4			52	5.8	47.4	S	1.0	4.6
13	9.2	13.8	8.1	6.5	9	0.0	-	69	5.8	48.6	W	4.0	2.1
14	4.4	6.7	3.4	2.9	14	6.4	-	77	4.7	48.0	W	9.0	1.5
15	4.9	7.3	2.1	2.4	13	0.4	-	59	3.7	54.5	NE	4.3	2.1
16	8.3	14.4	2.8	4.6	10			52	4.4	59.2	N	1.1	2.5
17	10.6	15.5	5.9	8.4	7			65	6.3	53.5	SW	1.5	3.3
18	11.5	16.1	8.0	9.2	6	0.1	-	65	7.2	50.9	E	1.8	2.7
19	9.5	12.7	7.7	7.2	8	0.0	-	69	6.2	54.6	E	2.5	2.0
20	9.8	12.9	8.1	7.8	8	0.0	-	72	6.5	53.9	ESE	2.6	1.5
21	9.7	14.2	6.5	6.4	8			56	5.1	51.5	ESE	4.5	3.1
22	10.9	15.5	5.7	8.1	7			58	6.0	52.2	SW	1.1	3.2
23	13.1	18.1	8.6	9.6	5			58	6.3	48.7	WSW	2.6	4.3
24	14.7	19.3	12.2	11.4	3			61	7.4	47.7	S	2.0	4.6
25	14.8	21.8	10.2	11.3	3			63	7.9	53.0	S	0.2	3.6
26	13.7	19.0	9.8	12.5	4			79	9.5	55.2	SW	0.3	1.8
27	15,1	19.3	12.3	13.6	3	0.0	0.17	79	10.2	53.4	S	0.1	1.4
28	17.3	21.6	14.4	14.3	1	0.2	1.50	69	10.0	50.8	C	0.1	2.8
29	17.5	21.8	14.2	14.1	0			62	9.4	48.5	SE	1.2	4.1
30	17.5	22.8	14.0	13.8	0			62	9.3	50.3	SE	1.4	4.4
31	18.9	25.4	13.6	13.4	0			50	7.9	53.0	ESE	0.6	5.4
Sum					180	7.1	-				E		93.2
Avg	12.2	16.9	8.5	9.3				64	6.9	752.0	(6)	2.0	3.0

: 1941 — Month: March

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
6.5	4.3	6	7	7.2	10.0	11.1	11.9	12.7	13.2		1
7.7	1.7	7	8	8.6	13.0	11.1	11.7	12.5	13.1		2
8.0	0.7	7	8	9.7	14.9	11.5	11.8	12.4	13.1		3
7.5	5.3	8	7	9,2	15.0	12.0	12.0	12.5	13.1	⊖²	4
0.3	10.0	8	7	11.2	12.4	12.4	12.4	12.6	13.1	Ω²	5
5.7	6.3	8	9	12.8	18.0	13.2	12.7	12.8	13.2	∈°, Ω²	6
9.2	1.3	7	8	14.4	18.0	13.4	13.0	13.0	13.3	Ω⁰	7
9.8	0.7	8	8	12.2	16.9	13.6	13.2	13.1	13.3	Ω¹	8
5.1	8.3	8	7	11.3	14.6	13.8	13.4	13.2	13.4	Ω²	9
5.4	2.7	8	8	12.3	18.4	14.1	13.6	13.4	13.5		10
5.4	8.7	8	8	13.6	17.7	14.3	13.8	13.6	13.6	∈°, Ω²	11
10.5	4.0	8	8	12.3	19.1	14.5	13.9	13.7	13.7	∈°	12
0.1	10.0	7	8	9.9	10.6	14.1	13.8	13.7	13.7	◍¹	13
0.0	10.0	7	8	5,7	3.8	11.7	12.5	13.3	13.5	◍¹, ◍⁰, ⚹¹	14
5.6	6.0	8	8	6.2	5.3	10.3	11.7	12.9	13.4	◍	15
10.5	2.3	7	8	10.6	15.5	10.5	11.1	12.6	13.4	Ω¹	16
10.3	3.0	8	8	10.1	15.8	11.2	11.6	12.5	13.3	Ω¹	17
5.2	8.7	8	8	11.6	15.6	11.9	12.0	12.6	13.3	◍¹, ∠	18
0.0	10.0	6	7	9.4	10.3	12.0	12.2	12.7	13.3	◍¹, ⚹¹	19
0.4	10.0	7	7	10.1	11.3	12.1	12.3	12.7	13.3	⚹⁰	20
5.2	6.3	7	8	9.8	14.8	12.0	12.1	12.7	13.2		21
10.5	0.3	7	7	10.4	16.9	12.0	12.2	12.7	13.2		22
10.7	0.7	7	8	12.6	18.2	12.7	12.5	12.8	13.3	Ω¹	23
9.9	3.0	8	8	13.2	22.9	13.7	13.1	13.1	13.4		24
9.6	2.7	8	8	13.0	20.2	14.3	13.6	13.3	13.5		25
7.8	4.0	7	7	14.9	19.0	14.8	14.1	13.6	13.6	Ω²	26
0.0	9.0	5	6	13.7	16.8	15.0	14.5	13.8	13.7	◍⁰, Ω¹	27
5.6	6.0	8	7	14.5	19.3	15.3	14.6	14.0	13.9	◍²	28
7.1	6.3	8	8	15.8	23.2	15.6	15.0	14.3	14.0		29
6.4	5.3	7	8	14.8	20.2	15.9	15.3	14.5	14.2		30
11.0	1.3	7	7	15.5	23.3	16.7	15.6	14.8	14.4		31
197.0										◍2, ◍6, ⚹3, ∠1, ⊖1, Ψ3, Ω11.	
	5.1	7.4	7.6	11.5	15.8	13.1	13.0	13.2	13.5		

Year : 1941 Month : April

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	17.6	21.6	12.8	11.9	0			46	6.7	750.4	ENE	3.0	6.5
2	16.9	22.7	13.1	16.0	1			69	10.4	48.8	E	0.6	3.9
3	16.5	22.7	12.0	13.6	1			67	9.5	50.9	ENE	0.4	2.7
4	18.0	23.3	13.0	14.0	0			54	9.0	53.6	ENE	0.2	4.4
5	21.9	30.0	15.5	14.0	0			37	6.4	53.7	SE	2.6	6.0
6	19.1	25.0	14.9	14.5	0			53	5.7	48.8	ENE	0.4	5.6
7	17.1	21.2	15.0	13.4	1	0.0	-	62	9.3	42.5	ESE	1.4	3.6
8	14.8	19.6	13.3	13.5	3	5.4	1.17	78	10.3	42.4	ENE	3.9	4.1
9	14.4	17.7	12.3	12.3	4	0.0	-	74	9.1	42.9	NE	2.2	2.5
10	14.9	20.2	10.8	11.7	3			65	7.8	46.8	C	0.9	3.3
11	14.5	19.4	10.8	11.7	3			66	8.1	47.9	N	2.9	3.5
12	12.2	17.2	11.1	8.0	6			53	5.6	49.3	SE	2.4	3.9
13	9.0	12.8	6.1	5.9	9	0.7	1.50	64	4.9	56.3	S	6.4	2.8
14	11.4	16.9	5.4	9.1	7			63	6.4	57.4	NE	1.2	3.2
15	14.8	20.4	9.4	11.8	3			63	8.1	54.4	E	1.1	4.0
16	14.9	17.6	13.6	12.7	3	0.8	2.08	73	9.6	47.9	SE	2.9	3.1
17	16.5	20.0	15.6	14.2	1	0.0	0.17	75	10.4	42.8	SW	4.7	4.9
18	16.4	21.5	12.9	13.9	2	2.2	1.00	72	9.7	45.5	WSW	1.1	3.1
19	16.8	23.5	12.7	15.7	1			70	9.7	49.8	WNW	0.9	3.3
20	16.3	21.2	12.6	14.5	2			77	10.8	50.3	NNW	0.6	2.5
21	17.1	22.9	12.6	13.4	1			63	8.9	49.9	NE	0.7	3.1
22	17.1	21.9	12.8	14.0	1			65	9.6	49.5	ENE	0.3	3.3
23	18.4	25.6	12.9	14.3	0			61	9.1	49.3	ESE	1.0	4.1
24	18.3	23.4	12.8	14.6	0			62	9.6	50.4	NNE	0.8	4.0
25	18.6	23.5	13.8	14.1	0			58	8.8	49.7	N	1.3	4.5
26	18.8	23.3	13.4	13.7	0			54	8.0	44.9	NE	3.6	6.7
27	18.2	23.3	14.7	12.1	0			47	6.5	45.6	E	3.1	6.8
28	18.8	24.4	14.3	14.3	0			52	8.4	50.2	E	1.4	6.9
29	19.7	25.2	14.2	14.7	0			53	8.9	51.5	N	1.4	5.5
30	19.7	27.2	16.7	13.6	0			46	7.2	53.4	N	1.2	6.6
Sum					52	9.1	-				E		128.4
Avg	16.6	21.8	12.7	13.0				61	8.4	749.2	(6)	1.8	4.3

r : 1941

Month : April

Date	Total sunshine (hrs) (2)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	0.8	9.0	7	7	17.2	20.3	16.8	15.8	14.9	14.5	
2	10.5	5.0	6	7	16.1	24.8	16.9	15.9	15.2	14.7	Ω^{2}
3	8.1	8.7	7	7	14.5	21.7	17.0	16.1	15.3	14.9	Ω^{1}
4	11.4	0.7	7	7	16.4	22.8	17.2	16.3	15.6	15.1	
5	11.4	4.0	7	8	20.3	28.7	18.0	16.7	15.7	15.2	
6	11.3	0.0	8	7	17.9	24.0	18.6	17.2	16.1	15.4	
7	7.9	7.0	7	7	15.4	19.3	18.6	17.5	16.4	15.6	$\mathcal{G}^{1}$
8	4.5	6.7	6	7	13.8	16.7	17.6	17.3	16.5	15.8	$\mathcal{G}^{2}$ $\bigcirc^{2}$
9	6.2	7.7	8	8	14.4	15.6	16.5	16.6	16.3	15.9	$\mathcal{G}^{1}$ Θ^{0}
10	10.7	3.0	8	8	15.1	18.7	16.2	16.2	16.2	15.9	Ω^{0}
11	9.5	5.3	7	7	15.7	21.6	16.7	16.2	16.1	16.0	
12	3.4	7.7	7	8	11.3	13.3	16.0	15.9	16.0	15.9	
13	9.8	6.3	7	8	10.3	14.5	14.6	15.2	15.8	15.8	$\mathcal{G}^{2}$ $\bigcirc^{2}$
14	11.6	0.7	7	8	12.8	20.5	14.6	15.1	15.6	15.8	
15	11.5	3.7	8	8	14.7	22.9	15.5	15.3	15.6	15.8	Ω^{1}
16	0.5	10.0	7	7	12.5	14.1	16.0	15.8	15.7	15.8	$\mathcal{G}^{1}$ $\bigcirc^{0}$
17	5.9	9.0	5	6	17.1	24.1	16.2	15.8	15.8	15.8	$\mathcal{G}^{1}$
18	9.4	5.0	8	8	16.0	20.4	16.8	16.2	15.9	15.8	$\bigcirc^{0}$
19	9.4	4.7	7	7	18.6	24.4	17.2	16.5	16.1	15.9	
20	7.7	5.0	7	8	16.8	24.2	17.6	16.9	16.3	16.1	
21	6.1	2.7	8	8	16.7	22.3	17.7	17.1	16.5	16.1	Ω^{1}
22	7.0	5.0	7	7	16.7	26.4	18.0	17.3	16.6	16.2	
23	6.8	2.7	8	7	19.2	25.9	18.3	17.6	16.8	16.4	Ω^{0-1}
24	5.7	5.7	7	7	18.0	26.4	18.8	17.9	17.0	16.4	
25	5.9	0.3	7	7	18.6	26.2	18.9	18.2	17.2	16.6	
26	1.4	4.0	8	8	17.7	26.3	19.2	18.4	17.4	16.8	
27	2.8	3.3	7	7	18.0	23.7	19.3	18.5	17.6	16.9	
28	4.1	3.0	7	8	18.7	29.5	19.5	18.6	17.7	17.0	
29	4.2	0.7	7	7	23.1	29.9	19.9	19.0	17.9	17.2	
30	4.6	4.7	7	8	20.1	31.9	20.3	19.2	18.2	17.3	
	210.1										$\mathcal{G}^{4}$, $\mathcal{G}^{6}$, Ω^{6}, Θ^{1}.
		4.7	7.1	7.4	16.5	22.7	17.5	16.9	16.3	16.0	

Year : 1941 Month : M

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7
1	18.4	23.2	13.4	12.9	0			50	7.1	751.5	N	1.9	6.0
2	20.8	26.9	14.6	15.2	0			49	8.7	46.2	E	2.5	6.9
3	18.9	22.7	16.5	13.4	0			49	7.8	48.2	ENE	1.8	5.8
4	18.2	22.0	15.0	13.0	0			52	7.7	51.2	N	2.3	5.9
5	17.4	21.8	13.0	14.7	1			65	10.1	49.7	NE	1.5	4.1
6	16.2	18.2	14.7	13.0	2	4.8	4.03	74	10.4	43.6	ESE	1.4	1.9
7	17.5	22.3	12.9	12.9	0			56	7.9	49.1	NE	2.4	5.2
8	14.0	17.0	12.9	12.9	4	2.3	4.42	84	10.2	51.0	SE	0.9	1.4
9	15.9	20.3	12.1	13.9	2	0.1	1.50	76	10.1	50.6	NW	0.8	1.7
10	18.5	24.3	14.0	16.5	0	0.0	-	73	12.0	49.4	SE	0.7	2.7
11	19.8	25.5	15.0	15.9	0			65	10.8	49.0	S	1.9	4.4
12	19.3	23.2	14.9	14.7	0			55	9.4	50.5	S	2.1	5.3
13	18.6	22.2	14.7	13.7	0			50	8.2	51.5	S	1.9	5.1
14	17.6	21.8	12.6	12.6	0			48	7.4	52.4	NW	1.2	5.4
15	16.6	20.8	13.2	12.9	1			61	8.5	49.4	WNW	1.7	3.7
16	18.0	22.4	13.4	13.7	0			57	8.5	53.5	NW	2.2	4.8
17	19.0	23.9	14.1	14.7	0			62	9.4	55.4	ENE	0.7	4.5
18	20.7	25.5	16.1	16.7	0			67	11.1	54.3	ENE	0.5	3.4
19	23.4	29.6	18.2	16.4	0			48	9.0	51.7	N	1.4	7.1
20	24.8	30.4	19.8	16.7	0			40	8.9	49.4	N	0.9	7.1
21	23.1	29.0	18.4	14.6	0			35	6.9	48.8	N	1.8	9.4
22	21.3	26.4	18.1	14.7	0			41	7.8	49.9	E	1.6	6.5
23	19.6	23.2	16.4	14.3	0	0.0	1.55	50	8.2	51.5	N	1.0	4.1
24	21.2	28.6	18.0	16.0	0	0.0	0.17	54	9.7	44.7	S	4.5	5.5
25	19.7	25.3	15.2	15.7	0	2.3	1.07	62	10.5	47.3	S	2.1	4.3
26	19.4	25.0	14.3	14.1	0			50	8.3	52.0	NE	1.5	5.7
27	22.0	29.2	16.4	16.9	0			49	9.0	52.4	WSW	1.3	7.1
28	23.9	30.0	18.8	17.3	0			47	10.1	52.2	W	0.4	6.7
29	25.7	31.2	21.2	17.9	0			40	10.1	51.0	WSW	0.5	7.3
30	26.6	32.0	21.1	18.6	0			40	10.6	50.2	WSW	0.7	7.5
31	27.9	34.2	23.6	19.6	0			38	11.1	50.3	SW	0.6	8.4
Sum					10	9.5	-				N		164.9
Avg	20.1	25.1	15.9	15.1				54	9.2	750.3	(6)	1.5	5.3

: 1941 Month : May

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
4.2	0.3	8	8	17.8	27.9	20.3	19.5	18.4	17.4		1
9.1	8.0	6	7	21.4	29.1	20.5	19.6	18.4	17.6	Ψ^0	2
7.4	5.0	7	8	20.8	26.6	20.7	19.8	18.5	17.8		3
12.2	6.3	8	8	24.1	29.1	20.3	19.7	18.8	17.8	Θ^2	4
12.0	8.0	7	7	22.6	26.4	20.2	19.7	18.8	18.0	$\Psi^2\ \Theta^1\ \oplus^2$	5
2.2	8.0	7	6	18.1	15.6	19.5	19.3	18.8	18.1	$\bigcirc^1\ \bigcirc^1\ <$	6
11.3	5.0	8	8	24.6	26.4	18.5	18.7	18.6	18.1		7
0.0	10.0	6	7	16.2	15.7	18.3	18.4	18.4	18.1	$\bigcirc^2\ \bigcirc^2\ \Psi^2\ \Theta^{1-2}$	8
0.0	10.0	6	7	18.3	18.5	17.4	17.9	18.2	18.0	$\bigcirc^1$	9
8.4	5.0	6	6	23.5	27.2	18.0	17.9	18.0	18.0	$\bigcirc^1$	10
12.0	1.0	7	8	22.2	25.7	19.2	18.4	18.1	17.9		11
12.5	1.7	7	8	23.5	29.4	20.1	19.2	18.3	17.9		12
11.3	4.0	7	8	20.9	28.1	20.4	19.5	18.5	18.0		13
11.8	2.0	7	7	21.8	27.6	20.3	19.6	18.8	18.2		14
7.1	6.7	7	7	21.1	25.0	20.3	19.7	18.8	18.4		15
12.6	1.7	8	8	22.7	25.2	20.1	19.8	18.9	18.3		16
8.7	8.0	7	7	21.7	29.7	20.5	19.8	19.0	18.4		17
4.6	9.7	7	8	22.6	29.8	21.2	20.3	19.2	18.5		18
8.1	7.3	8	7	25.1	33.9	21.7	20.6	19.4	18.7		19
8.7	6.3	7	7	24.9	32.7	22.8	21.2	19.7	18.8		20
11.1	4.0	8	8	24.2	31.5	23.3	21.7	20.0	19.0		21
4.7	6.0	8	8	24.7	28.4	23.2	22.0	20.3	19.2		22
0.0	9.7	7	8	19.0	23.6	22.2	21.6	20.4	19.4	$\bigcirc^0$	23
4.7	9.0	7	8	21.2	28.9	21.8	21.2	20.4	19.6	$\bigcirc^0\ <$	24
11.8	2.3	7	7	20.1	26.3	21.9	21.3	20.5	19.6	$\bigcirc^{0-1}\ \triangle^{1-2}\ R^1$	25
11.7	2.3	9	9	21.9	26.0	22.1	21.4	21.2	19.6		26
11.4	3.0	7	8	26.6	33.6	22.4	21.7	20.5	19.8		27
11.3	0.3	8	8	24.1	28.6	22.7	22.1	20.7	19.8		28
9.2	2.3	8	7	28.6	34.7	24.1	22.6	21.0	19.9		29
8.1	0.0	7	7	25.8	35.7	24.8	23.3	21.3	20.2		30
11.5	2.0	7	7	26.4	37.3	25.5	23.7	21.7	20.4		31
259.7										$\bigcirc^5$, $\bigcirc^4$, $\triangle^1$, $<^1$, R^1,	
	5.0	7.2	7.4	22.5	27.9	21.1	20.4	19.4	18.7	Θ3, Ψ3, $\oplus$1.	

Year : 1941 Month : Ju

Date	Air temperature (°C)					Precipit		Averaged of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	27.0	34.3	22.6	20.6	0			49	13.6	750.3	SW	0.4	6.8
2	26.4	33.2	22.1	19.1	0			45	11.6	51.2	SSW	3.5	6.9
3	24.2	30.1	20.4	18.0	0			53	11.5	53.7	ENE	2.6	6.7
4	24.1	29.0	19.0	19.0	0			57	12.8	50.3	SSW	1.8	5.0
5	21.5	26.5	18.3	15.0	0			48	8.7	52.3	S	6.3	6.1
6	22.4	27.5	17.1	16.7	0			50	10.1	50.9	ENE	1.5	5.7
7	24.0	28.5	19.4	18.7	0			56	12.7	47,9	SW	1.6	6.3
8	24.9	30.0	20.1	17.9	0			49	10.5	46.1	NE	2.3	7.6
9	24.8	30.7	20.0	18.0	0			46	10.4	47.1	ENE	2.6	9.1
10	24.5	29.2	19.4	18.3	0			48	11.2	50.7	N	2.0	7.6
11	25.4	30.4	20.8	18.2	0			46	10.5	50.7	NE	3.6	7.4
12	25.5	31.2	21.0	18.1	0	0.0	0.05	46	10.2	49.3	N	2.8	10.7
13	24.0	29.4	19.4	17.9	0			54	10.8	50.8	S	1.8	7.0
14	24.7	30.2	19.3	18.2	0			52	11.3	51.1	N	1.3	6.4
15	26.0	30.5	20.5	19.7	0			52	13.5	52.0	N	0.8	6.1
16	26.4	31.1	21.6	20.1	0			53	13.0	52.1	SW	1.1	6.4
17	26.5	32.0	22.4	20.0	0	0.0	0.05	51	13.3	50.6	SW	1.1	6.1
18	24.7	30.5	21.2	18.2	0			49	11.3	49.4	S	3.3	7.2
19	22.7	27.4	17.4	16.6	0			51	10.1	50.2	S	2.5	6.0
20	24.5	30.1	19.6	18.5	0			57	11.8	50.5	N	2.6	6.5
21	23.1	29.2	20.1	18.2	0	0.4	0.33	62	12.3	51.0	S	1.0	4.1
22	23.0	28.6	18.5	19.5	0	4.8	0.20	65	14.1	51.8	NE	1.7	2.9
23	22.0	25.7	18.9	19.7	0	2.8	3.30	76	15.1	51.8	W	0.9	2.0
24	23.3	29.7	18.4	19.1	0	0.0	0.12	68	13.2	52.2	S	0.8	3.9
25	23.6	29.0	18.8	19.3	0	0.6	0.37	63	13.7	54.5	N	1.1	4.0
26	25.3	31.9	18.7	18.9	0			48	11.3	54.9	WNW	2.8	5.7
27	25.7	30.8	21.4	18.7	0			48	11.3	53.0	SW	6.2	6.9
28	24.4	29.2	20.4	19.9	0			59	13.8	51.0	NNE	1.8	5.7
29	24.9	28.8	20.4	20.2	0			63	14.3	49.8	E	1.3	4.7
30	27.0	32.1	22.3	21.1	0			55	14.4	51.1	SSW	0.4	5.7
Sum					0	8.6	4.42			-	N		183.2
Avg	24.6	29.9	20.0	18.6				54	12.1	750.9	(6)	2.1	6.1

r : 1941 — Month : June

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	3.6	5.7	7	7	24.3	33.2	25.8	24.1	21.9	20.6	⊕¹
2	5.4	6.7	7	7	24.5	34.4	25.8	24.2	22.2	20.9	
3	11.4	2.3	7	8	24.0	34.6	25.7	24.3	22.4	21.0	
4	11.3	1.0	7	8	23.8	35.1	25.7	24.4	22.6	21.1	
5	10.8	4.3	7	8	22.8	30.5	25.5	24.1	22.6	21.4	
6	11.8	2.0	8	8	24.1	29.4	25.3	24.4	22.7	21.4	
7	11.1	3.3	7	7	23.0	32.3	25.4	24.5	23.0	21.6	
8	7.0	9.0	7	8	24.7	33.4	25.6	24.6	23.1	21.7	☾¹
9	7.5	4.0	8	8	25.0	34.4	25.6	24.7	23.2	21.8	
10	11.7	2.3	8	7	25.3	31.4	25.8	24.7	23.3	22.1	
11	11.0	4.0	6	7	26.9	36.8	26.2	24.8	23.2	22.1	
12	11.9	0.7	8	8	26.1	36.2	26.5	25.0	23.6	22.1	◎
13	12.2	0.3	8	8	24.2	35.8	26.3	25.2	23.7	22.1	
14	12.8	1.0	8	8	24.9	33.4	26.4	25.2	23.8	22.3	
15	11.8	1.3	8	8	25.9	35.1	26.8	25.4	23.9	22.4	
16	8.2	5.0	8	8	25.3	34.3	27.1	25.6	24.1	22.5	
17	3.8	8.0	7	8	23.6	31.1	26.9	25.7	24.2	22.6	◎⁰
18	10.6	4.3	7	7	26.0	38.6	26.9	25.7	24.3	22.7	
19	5.9	5.3	8	8	21.0	30.7	26.7	25.7	24.3	22.8	
20	10.2	3.0	7	8	24.2	34.7	26.5	25.5	24.3	22.9	
21	0.8	8.0	7	7	21.2	26.7	26.2	25.5	24.4	23.0	◎¹ ◎⁰ ≋
22	8.1	5.7	7	7	23.1	34.4	25.5	25.1	24.3	23.0	◎¹⁻² ≋⁰⁻¹
23	1.5	7.3	6	7	23.1	25.0	25.1	24.7	24.1	23.0	◎ ≋⁰
24	6.6	3.7	8	8	25.4	30.5	24.3	24.1	23.9	22.9	◎⁰ ∩⁰
25	6.7	3.3	8	8	21.8	29.5	24.8	24.2	23.7	22.9	◎⁰ ≋
26	9.6	3.0	8	8	26.5	35.9	25.2	24.4	23.7	22.9	
27	11.1	4.0	8	8	27.6	30.0	26.1	24.8	23.9	22.9	
28	7.9	6.0	7	7	24.1	34.7	26.5	25.5	24.2	22.9	
29	10.3	3.0	7	8	23.9	33.4	26.5	25.7	24.4	23.0	
30	11.1	1.3	6	7	27.2	37.8	26.9	25.8	24.6	23.2	
a -	263.7										◎3, ◎5, ≋4, ⊕1, ☾1, ∩1.
M		4.0	7.3	7.6	24.5	33.3	26.0	24.9	23.6	22.3	

Year : 1941 Month : July

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7
1	28.0	32.9	23.1	21.7	0			52	14.7	752.9	SSW	0.8	6.6
2	29.0	34.7	24.4	21.6	0			47	14.5	48.6	SSW	1.4	7.5
3	26.1	30.2	23.4	21.5	0			59	16.1	46.5	S	2.7	5.5
4	25.7	30.3	21.9	19.3	0			51	12.4	48.0	S	1.6	7.4
5	25.4	31.9	20.0	19.0	0			54	11.9	49.5	S	1.7	5.7
6	26.4	34.2	20.2	20.4	0			54	13.6	49.8	NE	1.3	6.0
7	26.4	32.0	21.2	19.9	0			55	13.2	51.3	E	2.1	5.0
8	24.6	30.3	21.7	19.1	0	0.0	0.33	55	12.3	50.3	SSE	2.8	5.4
9	24.2	28.8	19.3	19.1	0			58	12.8	50.2	SSE	2.1	5.1
10	24.9	29.7	20.5	21.8	0			66	15.1	48.9	NNE	1.6	4.7
11	26.4	31.2	22.0	21.0	0			60	14.8	49.0	ENE	1.4	5.9
12	27.8	36.6	22.4	20.5	0			51	13.1	50.9	WNW	1.5	8.0
13	27.3	32.0	23.2	21.4	0			55	15.1	51.5	NNW	1.6	6.8
14	28.7	35.4	23.5	21.2	0			48	13.8	51.6	S	4.6	7.3
15	29.0	36.6	23.6	22.5	0			55	15.8	51.7	S	1.7	7.4
16	30.4	35.5	25.1	24.0	0			55	17.8	50.4	NW	1.0	6.4
17	32.5	39.0	27.8	21.3	0			34	11.6	47.0	N	3.8	13.7
18	27.6	34.8	25.4	20.5	0			50	13.5	48.5	ESE	3.0	9.9
19	27.8	35.0	23.2	20.8	0			52	13.0	49.9	SSE	1.9	7.6
20	26.9	32.2	22.4	21.3	0			58	15.1	50.3	W	1.8	6.4
21	27.3	33.8	22.5	22.5	0			63	17.2	51.1	WNW	1.3	5.4
22	28.4	34.4	23.1	20.6	0			46	12.6	51.1	S	4.2	7.7
23	28.1	33.4	23.2	20.4	0			44	12.4	51.3	S	4.2	7.7
24	29.0	35.6	23.3	20.6	0			42	12.5	51.2	S	3.8	7.7
25	28.7	35.0	23.4	20.8	0			42	12.9	51.0	S	3.4	7.4
26	29.5	36.2	23.5	21.2	0			42	13.2	50.5	N	2.7	5.4
27	29.1	34.2	24.1	21.1	0			44	12.9	49.6	S	1.1	7.4
28	30.8	35.1	26.6	22.8	0			48	15.6	47.8	S	0.9	9.4
29	31.6	37.6	26.6	22.4	0			43	14.3	47.0	S	2.7	10.4
30	31.0	36.8	26.0	21.7	0			42	13.3	45.1	NNE	2.2	11.4
31	29.2	34.9	25.1	22.3	0			51	15.5	45.5	S	1.9	8.4
Sum.					0	0.0	0.33				S		225.4
Av	28.0	33.9	23.3	21.1				51	14.0	749.6	(6)	2.2	7.4

ar : 1941 Month : July

	Total sunshine (hrs) (2)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
			Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)					
					Green	Bare	30	60	90	120		
1	8.4	3.7	7	7	27.0	37.6	27.6	26.2	24.7	23.3		1
2	7.2	4.0	7	7	25.9	36.2	27.9	26.6	24.9	23.5		2
3	7.7	6.0	8	7	27.0	35.5	28.2	26.9	25.2	23.6		3
4	9.6	4.0	8	8	27.9	37.7	27.9	26.9	25.3	23.7		4
5	8.5	4.3	8	8	29.7	36.6	27.9	26.9	25.5	23.8		5
6	8.8	5.3	7	8	29.7	38.3	28.0	27.0	25.6	24.0		6
7	6.1	6.0	7	8	27.1	34.3	28.1	27.0	25.6	24.1		7
8	1.8	8.0	7	8	30.8	36.1	27.6	26.9	25.7	24.2	9°	8
9	12.6	1.7	7	8	27.9	35.6	27.1	26.6	25.7	24.3		9
10	11.7	2.7	7	7	26.2	35.4	27.3	26.7	25.7	24.3		10
11	12.6	1.3	8	8	27.8	36.9	27.6	26.8	25.7	24.3		11
12	12.5	0.3	8	8	31.7	38.9	27.8	27.0	25.8	24.4		12
13	12.4	0.3	8	8	28.3	37.2	28.4	27.3	25.9	24.4		13
14	12.8	0.7	8	8	33.5	41.7	28.7	27.5	26.0	24.6		14
15	11.7	0.3	8	8	30.6	39.8	29.4	28.1	26.4	24.7		15
16	12.1	2.7	7	8	32.0	38.5	29.7	28.4	26.6	24.8		16
17	12.2	0.3	7	7	35.5	41.9	30.1	28.7	26.7	24.9		17
18	12.5	0.7	8	8	27.6	39.0	30.1	28.8	27.0	25.1		18
19	12.5	0.7	8	8	29.5	42.7	30.0	28.8	27.2	25.3		19
20	12.3	0.0	7	7	26.8	38.6	29.7	28.9	27.2	25.4		20
21	11.8	2.3	7	7	27.8	37.1	29.5	28.7	27.3	25.5		21
22	12.1	2.0	7	8	32.5	40.2	29.5	28.4	27.1	25.6		22
23	11.9	1.0	7	8	34.2	40.9	29.7	28.5	27.3	25.6		23
24	11.3	1.3	7	8	34.2	41.1	29.7	28.7	27.4	25.7		24
25	11.4	1.7	8	8	34.2	42.2	30.1	28.9	27.5	25.9		25
26	-	2.3	7	8	32.4	39.3	30.1	29.1	27.6	26.0		26
27	-	0.3	7	8	28.9	33.2	30.2	29.4	27.8	26.1		27
28	-	0.3	7	7	28.9	39.8	30.3	29.4	27.9	26.2		28
29	11.1	0.0	7	7	32.4	39.4	30.6	29.7	28.0	26.2		29
30	11.7	0.7	5	6	30.7	41.4	30.7	29.8	28.1	26.3		30
31	11.8	1.0	8	8	31.2	40.0	30.8	29.8	28.2	26.3		31
m	299.1										1.	
g		2.2	7.3	7.6	30.0	38.5	29.0	28.0	26.5	24.9		

Year : 1941 Month : August

Date	Air temperature (°C)					Precipit		Average of			Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Prevailing Direction	Avg. speed (met.p.s.)	(4)(7)
1	29.4	34.2	24.6	22.4	0			51	15.5	748.3	N	1.1	7.6
2	30.1	35.6	25.0	23.4	0			54	17.2	50.3	SW	0.8	7.7
3	31.2	36.9	26.6	24.0	0			51	17.1	50.3	SW	1.1	8.3
4	31.6	36.9	27.0	13.0	0			47	15.2	48.8	S	1.3	9.0
5	31.4	36.2	26.4	22.0	0			43	13.6	46.4	S	4.2	13.2
6	28.2	32.0	25.0	21.3	0			51	14.4	47.4	S	2.7	7.6
7	29.7	36.1	24.6	20.6	0			42	12.1	45.0	SE	2.7	11.7
8	26.6	32.7	22.2	20.4	0	0.1	0.70	54	13.6	46.7	SE	2.4	6.2
9	25.6	32.7	22.1	19.6	0	0.2	1.67	55	12.8	49.0	S	3.9	6.2
10	24.7	30.8	19.4	19.5	0	0.1	0.67	60	13.4	50.4	N	1.4	5.3
11	26.2	31.8	20.7	20.3	0			58	14.6	51.6	NW	1.9	5.6
12	25.9	32.4	21.2	18.9	0			46	11.4	52.4	NE	4.0	6.4
13	26.7	33.6	20.8	19.1	0			43	11.3	50.7	SSE	3.2	7.3
14	27.4	34.6	20.2	19.3	0			42	11.6	49.0	ENE	1.4	6.9
15	26.4	32.1	22.2	18.7	0			43	11.2	49.6	W	4.4	6.9
16	26.5	31.3	22.4	19.4	0			46	12.0	48.4	N	7.8	7.4
17	28.2	35.1	23.4	20.2	0			44	12.3	49.0	N	3.2	7.5
18	28.7	34.5	23.5	20.7	0			44	12.8	51.8	N	5.5	7.3
19	28.2	31.9	24.2	20.3	0			44	12.6	51.4	N	9.0	9.4
20	28.5	33.4	24.4	20.0	0			43	11.9	49.5	N	5.6	7.9
21	27.5	32.2	23.7	20.1	0			45	12.3	47.6	SE	1.4	7.7
22	28.6	27.2	23.5	22.6	0			57	15.9	47.7	ENE	0.9	6.9
23	27.2	32.7	23.2	20.9	0			56	14.2	52.0	NNE	1.5	5.2
24	26.3	30.7	22.2	19.9	0			48	11.9	52.4	NNE	1.7	7.1
25	27.2	33.5	22.6	21.9	0			60	16.2	49.3	W	0.6	5.9
26	27.2	32.6	24.3	18.9	0			45	11.0	52.6	NW	5.3	7.0
27	26.4	34.0	20.4	20.1	0			52	13.9	52.2	WSW	1.5	6.4
28	27.4	34.4	20.8	22.6	0			47	11.2	50.6	NNE	4.4	5.6
29	27.2	34.7	21.8	20.1	0			45	12.7	49.2	S	2.0	7.1
30	25.7	32.2	21.7	21.3	0			61	16.2	48.5	S	1.8	5.6
31	26.1	29.5	22.2	21.7	0			65	16.2	45.1	S	3.8	5.4
Sum					0	0.4	3.04				N		225.3
Avg	27.7	33.2	23.0	20.6				50	13.5	749.5	(6)	3.0	7.2

ar : 1941 Month : August

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14 h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
	12.1	0.3	8	8	31.1	39.6	30.6	29.6	28.2	26.4		1
	12.0	0.0	7	7	32.9	39.6	30.6	29.7	28.2	26.5		2
	12.1	0.0	8	8	31.5	40.5	30.7	29.7	28.3	26.6		3
	11.5	0.0	7	7	33.4	38.6	30.9	29.8	28.4	26.7		4
	11.4	1.7	6	6	34.0	41.3	31.0	29.9	28.5	26.7		5
	12.3	0.3	7	8	29.5	36.5	30.7	29.8	28.5	26.7		6
	12.4	0.7	8	8	32.4	40.2	30.3	29.7	28.4	26.7	◍°	7
	10.4	3.7	8	8	28.2	34.7	30.2	29.4	28.3	26.7	◍° ◍° ∠°	8
	9.1	5.7	8	8	28.9	36.4	29.6	29.1	28.2	26.7	◍° ∠°	9
	12.0	2.7	8	8	26.7	35.4	29.1	28.9	28.1	26.8		10
	11.5	3.0	7	7	28.3	35.1	29.1	28.7	27.9	26.7		11
	12.0	1.0	7	8	29.2	34.3	29.0	28.5	27.7	26.6		12
	12.4	0.7	8	8	27.6	38.1	29.0	28.5	27.7	26.5		13
	12.2	2.3	7	7	28.3	35.6	29.3	28.7	27.9	26.7		14
	12.0	2.3	7	8	28.3	29.9	29.4	28.7	27.9	26.7		15
	12.2	1.0	7	8	29.6	30.0	29.1	28.7	27.9	26.6		16
	12.3	1.3	7	8	32.7	40.2	29.4	28.8	27.9	26.7		17
	12.1	1.3	7	8	32.3	37.8	29.8	29.0	27.9	26.8		18
	11.8	3.0	5	7	29.0	36.6	29.8	29.2	28.1	26.7		19
	12.1	0.3	7	8	29.3	38.4	29.7	29.1	28.1	26.7		20
	12.0	0.0	7	7	29.5	36.2	29.5	29.1	28.2	26.9		21
	11.8	1.3	7	8	30.4	40.9	29.3	29.1	28.2	26.9		22
	10.4	2.0	7	7	29.1	36.5	29.2	29.0	28.2	26.8		23
	12.2	0.3	8	8	28.9	34.6	29.0	28.8	28.2	26.9		24
	11.7	0.3	7	7	29.0	35.7	29.2	28.7	28.1	26.8		25
	11.6	0.3	7	7	29.7	37.2	29.0	28.4	27.8	26.5		26
	11.8	0.0	7	7	29.3	37.5	28.8	28.6	27.9	26.8		27
	11.9	0.3	7	8	31.5	38.5	28.7	28.5	27.6	26.6		28
	10.4	3.7	7	7	33.5	39.2	29.0	28.7	27.9	26.8		29
	11.4	3.0	8	8	-	34.6	28.9	28.7	28.0	26.8		30
	10.6	3.7	5	6	-	32.8	28.6	28.5	27.9	26.8	⊕°	31
m	361.7										◍3, ◍1, ∠2, ⊕1.	
g		1.5	7.1	7.5	30.1	36.9	29.6	29.0	28.1	26.7		

Year : 1941 Month : September

Date	Air temperature (°C)					Precipit		Average of		Avg.Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	23.7	27.2	22.1	17.1	0	0.0	0.25	55	10.7	743.6	S	5.3	8.8	
2	22.4	26.7	19.5	16.5	0			52	10.0	46.6	ENE	3.8	7.4	
3	20.9	24.4	20.1	16.1	0	0.0	0.08	58	10.7	50.0	ENE	1.6	3.6	
4	20.9	26.0	17.4	15.9	0			54	10.2	51.1	WSW	1.8	5.3	
5	21.5	28.3	18.1	15.2	0			50	9.0	52.4	SW	1.6	4.5	
6	20.9	27.1	17.2	15.7	0			53	9.6	54.6	SW	3.5	4.3	
7	22.4	30.2	15.9	17.7	0			53	11.4	54.5	SW	2.6	5.7	
8	23.2	29.9	18.4	18.3	0			59	12.1	53.0	SW	1.0	5.3	
9	23.1	28.6	18.4	18.8	0			65	13.0	51.2	S	0.6	4.9	
10	23.6	29.6	19.0	18.7	0			59	12.3	49.7	ENE	1.8	5.0	
11	21.8	27.6	18.2	16.4	0			55	10.6	52.0	NNE	1.4	5.2	
12	21.1	25.5	16.8	18.3	0			72	13.6	50.4	ESE	1.2	3.5	
13	22.2	26.8	17.9	19.5	0			72	14.8	49.0	E	1.6	3.9	
14	23.8	28.4	19.4	20.4	0			72	15.1	48.5	E	1.4	4.2	
15	22.3	26.3	19.8	17.7	0	0.8	0.67	65	12.2	48.4	E	1.8	5.3	
16	21.2	26.0	16.6	17.2	0			63	11.6	52.8	E	2.2	4.1	
17	21.1	26.0	18.3	16.8	0			61	11.3	54.3	SSW	7.9	5.1	
18	21.3	26.2	18.2	17.9	0			68	12.8	53.4	SSW	8.1	4.6	
19	20.2	24.3	18.0	16.9	0	0.0	0.83	69	12.0	51.8	SSW	4.8	4.1	
20	18.7	22.6	16.0	16.3	0	0.1	0.92	66	10.8	54.5	NW	6.6	3.5	
21	17.2	21.4	14.3	12.8	1			57	8.0	57.5	NW	8.7	5.4	
22	18.2	23.4	14.6	13.2	0			53	8.0	57.1	N	4.1	4.7	
23	18.2	22.6	14.6	13.7	0			54	8.6	55.5	SW	2.8	3.5	
24	18.8	23.0	15.5	14.9	0	0.0	0.05	60	10.0	56.2	S	6.5	4.0	
25	18.8	22.7	16.6	14.5	0			59	9.5	56.1	SSW	9.0	4.7	
26	18.6	24.3	15.2	13.9	0			55	8.5	54.4	NNE	5.2	4.5	
27	18.8	26.1	14.0	14.3	0			58	9.1	55.1	ENE	0.7	3.6	
28	19.7	26.0	14.0	13.5	0			47	7.3	55.7	NW	4.2	4.9	
29	18.8	24.4	15.4	14.5	0			59	9.4	56.7	N	6.1	4.4	
30	17.4	22.4	14.6	13.0	1			56	8.1	59.2	NNE	6.9	4.5	
Sum					2	0.9	2.80				SSW		142.5	Sum
Avg	20.7	25.8	17.1	16.2				59	10.7	752.8	(6)	3.8	4.8	Avg

ar : 1941 Month : September

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	11.6	4.7	8	8	24.9	30.5	28.2	28.1	27.8	26.7	◍°	1
2	10.1	6.3	8	8	24.3	31.5	27.4	27.6	27.3	26.5	≺°	2
3	1.5	9.7	7	8	20.5	23.4	26.8	26.9	27.1	26.3	◍°	3
4	9.4	6.0	7	8	22.8	29.6	26.1	26.6	26.8	26.1		4
5	8.3	3.7	7	8	20.5	27.4	26.0	26.3	26.6	26.0		5
6	8.9	4.7	8	8	20.0	28.1	25.3	25.9	26.3	25.6		6
7	11.5	0.7	7	8	21.8	30.9	25.4	25.7	26.1	25.6		7
8	11.5	4.3	7	7	23.1	29.6	25.6	25.8	26.0	25.5		8
9	11.1	0.3	8	7	26.6	30.5	25.6	25.8	25.8	25.4	Ω'	9
0	8.5	2.7	7	7	25.3	30.4	25.6	25.7	25.7	25.3		10
1	10.3	3.3	6	7	23.9	29.2	25.5	25.7	25.6	25.1		11
2	10.5	4.0	6	7	23.1	28.9	25.2	25.5	25.5	25.1		12
3	11.1	2.0	6	7	23.9	29.4	25.2	25.3	25.5	25.0	Ω¹	13
4	10.6	1.7	7	8	24.7	30.5	25.3	25.4	25.3	24.9	Ω²	14
5	8.8	4.3	7	8	23.0	27.1	25.1	25.2	25.4	24.8	◍¹ ◍°	15
6	9.2	2.7	7	7	22.6	28.5	24.5	24.8	25.1	24.7		16
7	10.4	6.3	7	8	20.2	29.1	24.4	24.5	24.8	24.3		17
8	10.0	4.0	6	7	23.8	29.2	24.4	24.5	25.0	24.3		18
9	2.9	6.3	8	8	20.7	25.2	24.3	24.5	25.0	24.3	◍¹ ≺°	19
20	5.2	6.3	7	7	20.8	25.1	23.5	24.2	24.4	24.4	◍¹	20
21	10.7	4.7	7	8	20.6	24.0	23.0	26.5	24.0	23.9		21
22	9.8	4.0	7	8	20.3	27.1	23.0	23.2	23.9	23.9		22
23	1.9	5.7	8	8	17.5	21.2	22.4	23.0	23.7	23.7		23
24	7.1	4.3	7	8	18.6	22.7	22.0	22.7	23.5	23.5	◍° ◍°	24
25	10.1	3.0	8	7	20.5	24.0	22.0	22.4	23.3	23.3		25
26	9.2	3.3	8	9	20.1	20.2	21.9	22.5	23.1	23.3		26
27	9.1	2.3	5	4	18.0	22.5	21.8	22.3	23.0	22.9		27
28	5.8	9.0	7	8	20.3	23.9	21.7	22.3	22.8	22.7	⊕	28
29	9.5	1.7	7	8	19.4	23.3	21.9	22.3	22.7	22.8		29
30	9.6	3.7	8	7	18.9	20.7	21.6	22.1	22.6	22.7		30
um	264.2										◍6, ◍2, ≺2, ⊕1,	
vg.		4.2	7.1	7.5	21.7	26.8	24.4	24.7	25.0	24.6	Ω 3.	

Year : 1941 Month : October

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		Total evaporation (mm) (4)(7)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure(mm) at 0°C (1)	Prevailing direction	Avg. speed (met.p.s.)		
1	18.2	26.9	13.0	14.1	0			57	8.8	759.0	NNE	3.5	4.0	
2	19.0	24.9	12.8	15.0	0			62	10.0	59.5	S	1.1	3.9	
3	20.3	27.7	13.4	15.3	0			55	9.3	59.2	WSW	1.2	4.2	
4	21.2	28.2	16.3	15.0	0			44	8.0	59.2	S	4.1	5.6	
5	19.8	24.4	16.8	15.4	0			56	9.9	58.1	S	5.9	4.9	
6	19.9	25.6	15.5	15.6	0			59	10.1	56.9	NNW	4.3	4.1	
7	20.0	26.3	16.8	15.7	0			59	10.2	57.8	NE	4.1	4.7	
8	15.8	19.8	12.3	11.8	2			60	7.7	59.1	SW	7.0	4.3	
9	15.9	23.9	12.0	12.6	2			61	8.3	57.1	SW	2.6	3.6	
10	18.4	23.2	12.8	16.6	0			75	12.1	54.1	ESE	1.1	2.9	1
11	21.1	25.2	16.0	19.0	0			76	14.2	53.7	SE	1.5	2.8	1
12	21.7	25.6	18.2	16.3	0	0.6	0.50	78	15.3	48.3	SE	3.9	3.2	1
13	19.3	22.9	17.6	15.6	0	1.1	2.10	68	10.9	44.4	E	2.3	4.0	1
14	11.2	13.9	8.9	7.8	7	0.1	1.83	63	6.0	51.4	ESE	5.4	3.3	1
15	11.9	16.9	7.2	8.7	6			60	6.2	56.4	NE	0.7	3.0	1
16	14.4	19.1	9.0	12.6	4	1.8	3.00	74	9.4	50.9	S	4.1	3.2	1
17	14.4	15.7	12.9	13.5	4	67.4	19.17	87	10.8	51.2	SSW	5.8	0.5	1
18	15.8	20.2	11.5	13.2	2			71	9.5	55.0	S	0.4	2.0	1
19	17.3	20.3	13.5	13.8	1			65	9.3	52.4	NNW	1.8	3.0	1
20	17.5	21.8	15.1	12.9	0			55	8.2	53.6	S	2.7	4.1	2
21	17.1	23.8	13.0	13.3	1			58	8.5	58.1	NNE	0.3	3.7	2
22	17.6	22.1	13.4	15.3	0			73	11.3	55.5	ENE	0.9	2.7	2
23	18.3	21.5	14.7	16.0	0			78	12.0	52.3	S	1.5	2.1	2
24	19.0	22.8	16.2	17.3	0			80	13.4	52.5	S	0.7	2.8	2
25	19.1	23.2	15.4	17.1	0			77	13.2	54.6	S	2.9	2.4	2
26	20.3	22.9	16.5	18.0	0			76	13.5	52.0	S	5.9	3.1	2
27	20.2	22.7	19.0	16.5	0			66	11.7	45.4	S	10.4	5.0	2
28	15.8	20.2	12.4	13.2	2	0.8	0.67	71	9.6	44.6	SW	3.7	4.2	2
29	15.3	19.2	10.7	12.3	3	0.9	0.75	68	8.6	46.1	S	2.9	3.5	2
30	17.3	21.5	12.8	15.0	1	1.7	0.50	73	10.7	46.4	S	3.1	2.6	1
31	17.1	21.6	12.9	14.4	1			71	10.2	47.1	W	3.8	3.7	1
Sum					36	74.4	28.52				S		107.1	S
Avg.	17.7	22.4	13.8	14.6				67	10.2	753.3	(6)	3.2	3.8	A

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.1	1.3	8	9	20.8	24.4	21.4	21.9	22,6	22,8		1
2	10.1	3.7	7	7	19.8	23.0	21.5	22.0	22.6	22.7		2
3	8.0	8.0	7	8	23.3	24.5	21.7	21.9	22.5	22.6		3
4	10.2	1.0	7	9	21.5	25.1	21.8	22.1	22.4	22.5		4
5	10.1	2.3	6	7	20.9	24.3	22.0	22.1	22.4	22.4		5
6	9.7	1.3	7	8	21.8	24.6	21.8	22.0	22.4	22.4	Ω^{0-1}	6
7	9.2	7.0	7	7	20.9	24.8	21.9	22.2	22.4	22.4		7
8	9.3	5.7	7	8	18.0	21.3	21.4	21.7	22.2	22.1		8
9	9.8	1.0	7	8	16.9	22.5	20.6	21.4	22.1	22.2	Ω^{0}	9
10	10.1	0.7	7	7	18.9	22.7	20.6	21.0	22.3	22.1	Ω^{1}	10
11	9.8	1.0	7	7	20.9	25.1	21.2	21.4	22.0	22.1	Ω^{2}	11
12	9.3	2.0	7	7	20.0	24.0	21.6	21.7	22.0	22.1	Ω^{1-2}	12
13	5.3	8.0	7	8	19.3	22.0	21.7	21.8	22.0	22.1		13
14	6.9	5.7	8	9	13.5	17.2	20.0	20.6	21.7	21.6	$\cap^{2}$	14
15	9.9	6.0	7	7	14.5	18.0	18.8	19.8	21.1	21.4		15
16	1.3	9.3	7	7	15.0	15.7	18.7	19.4	20.6	21.1		16
17	0.0	8.7	7	5	13.4	13.1	18.1	18.8	20.2	20.8		17
18	9.9	2.3	7	6	15.7	16.4	17.5	18.4	19.9	20.8	Ω^{0}	18
19	8.8	6.0	8	8	16.9	17.2	17.8	18.5	19.8	20.7	Ω^{2}	19
20	10.0	3.3	7	8	17.0	17.1	17.9	18.3	19.5	20.3	Ω^{0}	20
21	9.8	0.7	6	7	15.2	17.5	17.8	18.3	19.3	20.1	Ω^{0}	21
22	9.9	3.7	7	7	17.2	17.5	18.1	18.5	19.2	20.0	Ω^{2}	22
23	2.8	7.7	7	7	17.9	16.8	18.4	18.7	19.1	20.0	Ω^{1-2}	23
24	7.4	6.0	7	8	17.8	18.5	18.9	18.9	19.3	19.9	$\oplus^{0}$ Ω^{1}	24
25	7.4	5.0	6	7	18.6	18.8	19.2	19.2	19.3	19.9	Ω^{2}	25
26	4.7	8.0	6	6	19.6	19.9	19.5	19.4	19.4	19.8	Ω^{1}	26
27	1.9	9.0	6	7	18.9	19.2	20.0	19.6	19.6	19.9		27
28	4.3	7.7	7	7	13.3	14.2	18.7	19.1	19.4	19.8		28
29	8.8	4.7	9	9	14.3	15.1	17.6	18.3	19.2	19.7	Θ^{1} Ψ^{1} Ω^{0}	2
30	4.8	9.3	7	9	16.9	17.9	17.4	18.3	19.0	19.5	Ω^{0}	30
31	8.2	4.0	7	9	14.8	18.6	17.8	18.1	18.8	19.4	Ω^{0}	31
Sum	237.8										●8, ◍3, ☈1, ☇4, ∩1, ⊕1, Ψ1, Θ1, Ω17.	
Avg.		4.8	7.0	7.5	17.9	19.9	19.7	20.1	20.8	21.1		

Year : 1941 Month : Novembe

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm) (4)(7)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)		
1	15.9	21.4	12.6	11.9	2			59	7.6	754.6	SSW	1.1	3.8	
2	18.0	23.3	13.0	16.6	0			78	12.7	51.8	S	5.7	2.7	
3	19.5	23.4	15.6	16.0	0			74	11.4	53.8	WSW	2.6	2.7	
4	17.3	19.6	15.5	15.9	1	0.9	6.05	84	12.5	54.3	E	4.0	1.4	
5	18.9	22.2	15.1	17.3	0	0.0	0.05	82	13.6	46.7	S	4.0	2.1	
6	17.8	21.7	16.3	14.4	0			67	10.2	47.8	W	5.2	3.6	
7	15.0	19.8	13.0	11.1	3			59	7.4	51.7	NNE	2.6	5.1	
8	13.8	18.4	10.5	9.8	4			59	6.3	52.4	N	4.0	3.7	
9	14.5	18.6	9.8	11.2	3			61	7.5	53.1	SW	1.1	3.2	
10	15.9	19.9	11.5	12.7	2			65	8.8	53.5	NE	2.3	3.5	1
11	17.4	21.4	11.6	15.2	1	1.1	2.50	75	11.4	53.2	SE	2.6	2.4	1
12	17.9	21.6	14.8	16.1	0			82	12.2	54.7	SW	0.3	1.6	1
13	17.0	21.9	14.0	14.7	1			80	11.0	51.8	NNE	1.4	1.7	1
14	13.9	17.9	13.1	12.0	4	9.4	3.83	83	9.5	49.8	NE	7.8	1.5	1
15	10.6	12.5	10.6	9.0	7	0.0	2.83	76	7.3	58.6	NE	14.6	2.3	1
16	9.7	11.2	8.6	7.8	8			73	6.6	59.6	NE	16.7	2.9	1
17	10.6	13.9	8.9	8.7	7			74	7.1	57.0	NE	7.5	2.3	1
18	10.9	16.2	6.4	8.9	7			73	7.2	55.7	NNE	1.1	1.9	1
19	11.9	16.9	8.1	9.0	6			67	6.8	57.8	NNW	4.5	2.3	1
20	11.8	16.2	7.2	10.2	6			72	7.7	57.6	SSE	1.4	2.1	2
21	12.7	17.4	7.2	10.5	5			79	8.3	57.2	NE	3.8	1.6	2
22	11.1	14.4	9.0	8.7	7			71	6.9	58.8	NE	7.8	2.4	2
23	10.4	14.9	7.9	8.4	8			72	6.8	58.0	ENE	5.9	2.3	2
24	11.2	14.0	7.7	9.3	7	0.0	2.00	77	7.7	58.7	NE	4.5	1.5	2
25	11.0	12.6	9.9	10.2	7	5.5	8.42	87	8.8	56.8	ENE	2.0	0.9	2
26	9.1	10.7	6.4	7.5	9	2.3	11.17	82	6.9	54.8	NE	11.5	1.3	2
27	5.0	7.6	4.4	2.6	13	0.0	5.50	67	4.1	57.1	N	6.0	2.4	2
28	5.4	9.7	1.2	3.9	13			70	4.9	62.1	NNE	3.8	1.9	2
29	5.3	6.9	2.5	3.8	13	0.6	3.58	78	5.2	63.5	NE	9.5	1.5	2
30	6.5	10.0	3.7	5.2	11	0.0	1.50	76	5.7	62.4	NNE	7.2	1.4	3
Sum					155	19.8	47.43				NE		70.0	Su
Avg.	12.9	16.5	9.9	10.4				73	8.3	755.5	(3)	5.1	2.3	Av

Year : 1941 Month : November

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	6.3	8.7	7	7	17.4	13.9	17.6	18.0	18.5	19.2		1
2	6.3	7.0	6	7	19.9	18.0	17.7	18.1	18.6	19.2		2
3	5.9	[illegible]	8	8	20.5	18.5	18.7	18.5	18.7	19.2		3
4	0.0	10.0	5	5	16.4	16.0	18.5	18.6	18.7	19.2		4
5	1.1	9.7	7	7	18.2	17.8	18.2	18.4	18.7	19.1		5
6	3.2	7.0	7	7	17.1	15.8	18.5	18.5	18.7	19.2		6
7	3.7	6.7	6	6	15.6	12.5	17.7	18.1	18.5	19.0		7
8	8.9	1.0	7	9	15.1	11.3	16.8	17.6	18.3	19.0		8
9	8.5	4.0	7	8	16.1	12.0	16.5	17.2	18.1	18.7		9
10	7.5	6.7	7	8	16.6	13.3	16.9	17.3	18.0	18.7		10
11	7.6	8.7	6	6	17.6	16.7	17.3	17.6	18.0	18.7		11
12	1.4	9.3	6	6	18.5	16.8	17.7	17.8	18.1	18.6		12
13	6.2	6.3	6	6	17.7	15.6	17.7	17.8	18.1	18.6		13
14	1.8	8.0	7	6	13.7	14.0	17.3	17.5	18.0	18.4		14
15	0.0	8.3	6	6	9.3	9.0	15.4	16.4	17.4	18.0		15
16	0.8	8.7	8	8	9.5	9.2	14.1	15.3	16.8	17.7		16
17	1.7	7.0	7	8	11.2	10.0	14.0	15.1	16.5	17.7		17
18	8.3	2.7	6	6	10.4	9.6	13.6	14.8	16.2	17.5		18
19	9.1	2.3	7	8	13.3	10.0	13.8	14.7	16.1	17.3		19
20	7.2	6.3	7	7	12.8	9.7	13.7	14.7	15.9	17.1		20
21	7.2	3.3	6	6	13.1	10.7	14.0	14.8	15.9	17.1		21
22	6.5	5.0	6	7	11.4	10.0	14.0	14.7	15.7	16.8		22
23	7.2	5.7	7	8	11.2	10.3	13.6	14.5	15.6	16.7		23
24	0.0	9.7	7	7	12.2	11.0	13.6	14.4	15.6	16.7		24
25	0.0	10.0	6	5	10.8	10.1	13.7	14.4	15.5	16.6		25
26	0.0	10.0	8	8	8.2	7.9	13.0	13.9	15.1	16.2		26
27	4.9	7.0	6	6	4.7	5.4	11.1	12.8	14.5	16.0		27
28	6.2	7.7	6	6	5.3	4.8	9.8	11.9	14.1	15.6		28
29	0.0	9.7	6	6	4.3	4.5	9.9	11.3	13.6	15.3		29
30	1.1	9.0	8	8	6.2	5.2	9.7	11.2	13.3	15.2		30
Sum	128.6										●10, ◍7, ☼1, ☈1, ⊕3, Ψ1, ⌴1, Ω13.	
Avg.		7.1	6.6	6.9	13.2	11.7	15.1	15.9	16.8	17.7		

Year : 1941 Month : December

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	Date
1	7.1	12.1	4.4	5.7	11	2.5	3.25	76	5.9	758.6	ENE	1.1	1.1	1
2	5.8	8.9	4.8	3.4	12	0.0	1.50	65	4.3	61.9	NE	6.1	2.1	2
3	5.3	9.4	3.6	3.2	13			70	4.5	61.8	NE	3.7	1.6	3
4	5.5	9.0	2.6	4.2	12	3.7	3.50	76	5.3	55.8	E	2.1	1.0	4
5	6.5	9.2	3.4	4.4	11	2.0	2.25	72	5.0	57.3	NE	8.7	1.7	5
6	5.4	8.8	4.3	3.4	13			67	4.5	60.7	NW	5.4	1.8	6
7	5.8	11.3	1.2	3.8	12			68	4.5	58.6	NNE	2.0	1.5	7
8	10.5	14.6	2.8	9.6	7	0.0	2.17	78	7.7	52.1	S	6.4	2.1	8
9	13.0	18.1	7.2	11.8	5	1.5	3.67	75	8.9	46.6	SW	5.8	3.5	9
10	9.4	13.4	7.4	6.1	9			63	5.4	54.0	N	4.5	3.1	10
11	11.5	16.7	6.7	8.8	6			62	6.7	56.4	E	0.9	2.7	11
12	12.6	18.8	8.5	7.9	5			71	7.5	53.7	SW	0.9	2.8	12
13	11.7	16.9	7.6	9.2	6			68	7.2	54.9	NE	2.0	2.7	13
14	10.4	14.3	7.1	7.5	8	0.0	0.03	66	5.9	55.9	NNW	8.5	2.7	14
15	10.3	14.9	6.7	6.3	8	0.6	0.50	56	4.7	60.6	NNW	4.5	2.5	15
16	12.4	18.6	7.0	9.0	6			60	6.1	58.7	NE	2.6	3.0	16
17	13.1	18.6	7.2	-	5			79	-	53.8	ENE	3.5	1.6	17
18	13.3	14.8	7.3	12.4	5	39.9	12.75	91	10.3	52.0	S	7.6	0.9	18
19	15.2	17.1	9.3	12.6	3	2.6	1.17	71	9.2	51.9	S	9.4	3.5	19
20	12.6	15.1	10.6	10.1	5	12.1	-	77	8.6	47.2	S	5.4	3.0	20
21	9.6	13.1	7.9	7.4	8			71	6.3	51.5	NW	7.8	1.6	21
22	6.0	12.2	5.4	4.3	12	0.0	0.75	73	5.1	58.5	N	10.4	1.6	22
23	7.7	12.4	4.4	5.6	10			71	5.5	56.7	W	2.5	1.7	23
24	7.1	10.7	4.3	4.6	11			62	4.7	54.4	NE	4.5	1.5	24
25	10.4	13.9	5.0	7.9	8			63	6.2	49.8	W	6.4	3.5	25
26	11.3	16.8	7.5	9.0	7	0.0	0.03	58	7.1	41.8	NW	3.1	2.4	26
27	0.1	9.6	- 1.0	- 1.4	18	0.0	0.75	85	3.7	52.0	N	4.8	0.8	27
28	4.2	10.6	- 3.7	2.8	14			64	4.3	52.9	SSW	5.2	2.2	28
29	3.7	10.6	- 1.7	1.1	14	0.1	5.00	68	3.8	52.4	N	4.5	1.7	29
30	0.5	5.8	- 3.7	2.8	17			97	4.8	56.9	N	2.0	1.6	30
31	1.2	2.7	- 0.7	0.6	17	8.3	-	91	4.6	51.1	N	4.9	2.4	31
Sum					298	73.3	-				N		65.9	
Avg.	8.3	12.9	4.8	6.1				72	5.9	754.5	(3)	4.8	2.1	

r : 1941 Month : December

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1.7	9.7	6	7	6.7	7.5	9.9	11.2	13.1	15.0	◍⁰ Ω¹	1
2.6	6.3	6	6	5.5	5.0	9.6	10.9	12.6	14.5	9⁰	2
4.2	4.0	6	7	3.7	5.0	8.9	10.5	12.5	14.4	Ω¹	3
0.0	9.7	6	6	3.8	4.8	8.4	10.1	12.2	14.1	◍⁰ L₂	4
2.3	8.7	7	7	5.4	5.5	9.0	10.1	12.0	14.0	◍⁰	5
3.9	4.3	5	5	5.4	5.5	8.9	10.2	11.9	14.0		6
3.3	4.7	5	5	4.5	5.3	8.2	9.9	11.6	13.5	Ω² L₁	7
3.4	7.7	7	6	8.9	9.2	9.0	9.9	11.7	13.4	◍⁰ 9⁰ Ω² L₁	8
4.6	6.0	6	7	11.1	12.1	10.6	10.9	12.0	13.6	◍¹ 9⁰ ≺⁰⁻¹	9
8.1	2.3	6	8	6.9	7.7	10.6	11.1	11.9	13.5	Ω⁰	10
8.6	2.3	6	6	8.3	10.2	10.0	10.9	12.0	13.4	Ω⁰	11
8.3	0.3	6	6	7.3	10.9	10.6	11.1	12.0	13.5	Ω²	12
7.8	0.7	6	6	8.7	10.8	10.6	11.2	12.0	13.3	Ω¹⁻²	13
5.7	5.3	6	8	6.9	8.3	10.6	11.2	12.0	13.3	◍⁰ Ω¹	14
7.9	2.3	7	9	9.1	9.6	10.5	11.1	11.9	13.3	◍⁰ Ω⁰	15
8.5	0.3	6	6	9.5	7.9	10.5	11.1	11.9	13.2	Ω¹	16
7.3	3.7	5	5	10.3	11.5	11.0	11.4	12.0	13.2	Ω²	17
0.0	9.3	5	5	11.6	15.5	11.8	11.8	12.3	13.3	◍⁰⁻¹	18
2.5	7.3	6	6	12.8	13.5	12.6	12.3	12.6	13.4	◍⁰⁻¹	19
0.0	7.3	7	7	8.6	9.5	12.3	12.4	12.6	13.4	◍¹⁻² ₹¹	20
7.3	5.0	7	7	8.4	9.5	11.0	11.9	12.5	13.4	Ω⁰⁻¹	21
2.4	9.0	6	6	5.5	5.1	10.1	11.2	12.0	13.3	⁎	22
7.6	5.3	7	7	7.3	8.1	9.9	10.7	11.8	13.2	Ω¹	23
3.1	7.7	6	7	6.8	7.2	9.2	10.3	11.5	13.0	⊖⁰ Ω⁰⁻¹	24
-	1.0	7	7	7.6	8.8	8.9	10.4	11.6	13.2	Ω⁰ L₀	25
2.7	7.3	6	5	9.4	11.1	9.8	10.4	11.3	12.9	9⁰ Ω⁰	26
6.2	2.3	7	8	1.2	1.2	8.4	9.8	11.0	12.5	◍⁰ L₁	27
7.3	5.7	7	8	4.5	3.3	7.2	8.7	10.4	12.4	L₁	28
0.8	6.7	6	6	2.5	1.1	7.6	8.4	10.1	12.2	⁎⁰⁻¹ ⁎	29
7.3	2.3	6	6	-0.4	-0.1	6.5	7.8	9.1	11.7	L₂	30
0.0	10.0	4	4	0.4	0.2	5.4	7.4	9.0	11.5	◍ ⁎²	31
n 136.4										◍12, 9 4, ⁎2, ⁎2, ₹1,	
3	5.3	6.1	6.4	6.7	7.5	9.6	10.5	11.7	13.3	≺1, ⊖1, Ω17, L 7.	

YEAR : 1941

Month	Air temperature (°C)							Degree days (1) (base 18°C)	Average of			Sunshine hrs	
	Average			Absolute									
	24 hours	Maximum (4)	Minimum (4)	Maximum (4)	Date	Minimum (4)	Date		Wet bulb tempr. (3)	Relative humid.(%) (1)	Vapor pressure(mm) (3)	Total	Possible (9)
JAN.	11.0	14.2	8.2	19.4	25	3.2	14	215	9.0	75	7.4	111.0	303.
FEB.	12.2	15.8	9.2	19.0	16	4.0	11	159	9.9	72	7.7	113.0	300.
MAR.	12.2	16.9	8.5	25.4	31	2.1	15	180	9.3	64	6.9	197.0	368.
APR.	16.6	21.8	12.7	30.0	5	5.4	14	52	13.0	61	8,4	210.1	393.
MAY	20.1	25.1	15.9	34.2	31	12.1	9	10	15.1	54	9.2	259.7	438.
JUNE	24.6	29.9	20.0	34.3	1	17.1	6	0	18.6	54	12.1	263.7	439.
JULY	28.0	33.9	23.3	39.0	17	19.3	9	0	21.1	51	14.0	299.1	446.
AUG.	27.7	33.2	23.0	36.9	3/4	19.4	10	0	20.6	50	13.5	361.7	418.
SEP.	20.7	25.8	17.1	30.2	7	14.0	27/28	2	16.2	59	10.7	264.2	370.
OCT.	17.7	22.4	13.8	28.2	4	7.2	15	36	14.6	67	10.2	237.8	344.
NOV.	12.9	16.5	9.9	23.4	3	1.2	28	155	10.4	73	8.3	128.6	301.
DEC.	8.3	12.9	4.8	18.8	12	-3.7	28/30	298	6.1	72	5.9	136.4	294.
YEAR	17.7	22.4	13.9	39.0	July 17	-3.7	Dec. 28/30	1107	13.7	63	9.5	2582.3	4421.

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11)		Average soil temperature (°C) (3)						Number of days (4			
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)				Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days)
				Green	Bare	30	60	90	120				
JAN.	7.2	6.6	7.1	9.1	10.1	11.0	11.4	12.0	12.8	0	0	0	0
FEB.	6.1	7.5	7.7	10.2	12.0	11.8	11.9	12.1	12.6	0	0	0	0
MAR.	5.1	7.4	7.6	11.5	15.8	13.1	13.0	13.2	13.5	0	0	1	0
APR.	4.7	7.1	7.4	16.5	22.7	17.5	16.9	16.3	16.0	0	0	5	1
MAY	5.0	7.2	7.4	22.5	27.9	21.1	20.4	19.4	18.7	0	0	15	5
JUNE	4.0	7.3	7.6	24.5	33.3	26.0	24.9	23.6	22.3	0	0	30	16
JULY	2.2	7.3	7.6	30.0	38.5	29.0	28.0	26.5	24.9	0	0	31	29
AUG.	1.5	7.1	7.5	30.1	36.9	29.6	29.0	28.1	26.7	0	0	31	29
SEP.	4.2	7.1	7.5	21.7	26.8	24.4	24.7	25.0	24.6	0	0	19	1
OCT.	4.8	7.0	7.5	17.9	19.9	19.7	20.1	20.8	21.1	0	0	7	0
NOV.	7.1	6.6	6.9	13.2	11.7	15.1	15.9	16.8	17.7	0	0	0	0
DEC.	5.3	6.1	6.4	6.7	7.5	9.6	10.5	11.7	13.3	4	0	0	0
YEAR	4.8	7.0	7.4	17.8	21.9	19.0	18.9	18.8	18.7	4	0	139	81

Y E A R : 1941

Average Pressure at 0°C (mm) (1)	Wind (1) (5)		Precipitation			Total evaporation (mm) (4)(7)	Number of days							
	Avg.Speed (m.p.s.)	Prevailing direction	Total (mm) (4)	Maximum in 24 hrs	Date		Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
750.6	2.7	S	31.3	7.5	9	71.4	11	5	0	0	0	14	6	0
49.1	2.7	SSE	55.1	19.5	6	77.9	5	6	0	2	2	8	9	0
52.0	2.0	E	7.1	6.4	14	93.2	2	6	0	3	0	8	11	0
49.2	1.8	E	9.1	5.4	8	128.4	4	6	0	0	0	7	6	0
50.3	1.5	N	9.5	4.8	6	164.9	5	4	0	0	1	7	0	0
50.9	2.1	N	8.6	4.8	22	183.2	5	3	0	0	0	7	0	0
49.6	2.2	S	0.0	0.0	8	225.6	0	1	0	0	0	1	0	0
49.5	3.0	N	0.4	0.2	9	225.3	3	1	0	0	0	3	0	0
52.8	3.8	SSW	0.9	0.8	15	142.5	2	6	0	0	0	6	3	0
53.3	3.2	S	74.4	67.4	17	107.1	8	3	0	0	0	8	17	0
55.5	5.1	NE	19.8	9.4	14	70.0	10	7	0	1	0	11	13	1
54.5	4.8	N	73.3	39.9	18	65.9	12	4	2	2	0	16	17	7
751.4	2.9	S	289.5	67.4	Oct. 17	1555.4	67	52	2	8	3	96	82	8

Number of days																
Snow cover (3)	Clear(0.0 - 1.9 tenths) (3)	Partly cloudy(2.0 - 8.0 tenths) (3)	Cloudy(8.1 - 10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar Halo (4)	Lunar corona (4)	Lunar Halo (4)	Rainbow (4)	Fog (4)			
0	1	16	14	5	2	0	0	0	0	0	1	2	0			
0	3	16	8	1	2	0	3	0	0	0	1	1	0			
0	7	15	9	8	3	0	1	0	0	3	1	0	0			
0	5	21	4	3	0	0	0	0	0	0	1	0	0			
0	6	20	5	5	3	1	2	0	1	3	3	0	0			
0	6	23	1	12	0	4	0	0	1	1	0	1	0			
0	18	13	0	21	0	0	0	0	0	0	0	0	0			
0	20	11	0	26	0	0	2	0	1	0	0	0	0			
0	4	24	2	10	0	0	2	0	1	0	0	0	0			
0	7	20	4	11	1	1	4	0	1	1	1	1	0			
0	1	16	13	2	6	1	0	0	3	1	0	0	0			
0	4	21	6	4	4	1	1	0	0	0	1	0	0			
0	82	216	66	108	21	8	15	0	8	9	9	5	0			

YEAR : 1941

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	
JAN.	4.4	9.3	4.2	0.8	0.1	0.1	0.9	9.0	13.1	2.7	4.8	5.1	0.8	0.4	1.1	1.1	42
FEB.	1.6	6.3	1.0	0.1	0.7	0.9	4.5	14.5	11.7	2.2	4.3	7.5	1.2	0.7	0.6	0.1	42
MAR.	0.8	1.3	4.6	2.2	5.6	4.8	2.7	2.2	3.8	2.6	5.0	3.5	5.2	0.9	0.9	0.4	52
APR.	4.4	3.5	7.1	6.3	7.4	4.7	4.4	1.9	2.9	0.8	2.9	1.4	0.6	0.7	0.6	1.3	49
MAY.	7.5	2.7	4.0	4.4	3.9	0.7	2.0	0.8	6.5	1.1	1.9	2.8	2.0	1.2	2.8	1.9	53
JUNE	9.9	2.6	5.8	6.8	3.9	1.1	1.8	0.8	9.3	4.4	6.9	1.5	2.8	3.1	2.5	1.1	35
JULY	4.3	3.9	4.7	3.9	4.3	2.4	3.2	3.8	20.8	3.2	2.6	1.2	2.4	1.6	2.0	2.8	32
AUG.	13.0	5.6	4.0	4.2	1.7	1.5	3.1	3.8	11.2	2.7	2.7	3.8	3.0	1.7	4.0	3.1	30
SEP.	7.5	6.1	4.4	5.6	5.0	3.1	1.7	2.1	5.3	9.4	8.8	2.9	0.6	0.6	6.5	4.7	25
OCT.	2.6	2.3	3.6	1.7	1.7	3.6	4.2	4.3	18.8	6.1	4.9	1.4	1.2	1.0	1.0	5.0	36
NOV.	7.8	12.2	28.9	7.8	7.8	0.0	2.2	3.3	3.3	1.1	5.6	2.2	6.7	0.0	2 2	2.2	6
DEC.	12.9	15.1	10.8	4.3	9.7	1.1	2.2	3.2	9.6	2.2	3.2	0.0	6.4	1.1	6.5	8.5	3
YEAR.	5.3	4.6	4.8	3.7	3.6	2.2	2.8	4.2	10.1	3.4	4.4	3.1	2.1	1.2	2.3	2.2	39

REFERENCE NOTES

1) Average of 24 hourly values.

2) Day ending at 24 h.

3) Average of 8,14 and 20 h observations.

4) Day ending at 20 h.

5) From steffens-Hedde anemograph (mean instantaneous readings)

6) Monthly prevailing direction

7) From Piche evaporimeter

8) From Campbell - Stokes recorder.

9) Monthly possible sunshine uncorrected for the around topography.

10) At 14h observation.

YEAR 1942

Year : 1942 Month : Janu

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure (mm) at 0°C	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (3)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	-1.0	0.7	-1.7	-2.2	19	-	-	79	3.3	753.2	N	7.2	0.9
2	2.7	8.6	-4.4	4.0	15			97	6.1	56.2	N	2,2	0.8
3	0.8	3.2	-0.4	0.9	17			-	3.9	63.7	NNE	3.4	0.9
4	3.2	9.7	-2.4	2.6	15			94	4.8	62.1	NNE	1.1	3.0
5	5.4	10.8	-0.5	6.0	13			95	7.0	61.9	NNE	1.6	1.8
6	9.7	12.0	0.1	9.8	8	11.7	11.00	97	8.9	56.6	S	1.6	2.0
7	10.4	11.9	3.5	10.0	8	24.8	-	95	9.0	49.2	NE	2.7	0.8
8	13.5	16.0	10.3	12.5	4	0.0	1.00	84	9.9	49.3	S	10.2	1.9
9	10.5	15.3	7.9	8.7	7	40.8	-	84	7.8	44.5	S	2.9	2.5
10	9.5	12.4	7.2	8.1	8	1.7	-	77	7.0	43.1	N	3.0	1.3
11	9.7	13.6	5.4	7.9	8			72	6.7	45.0	N	3.2	1.7
12	9.4	11.5	6.7	7.2	9	0.3	0.83	76	6.5	43.6	S	5.9	1.7
13	8.2	12.5	5.1	5.7	10			68	5.4	46.5	SSW	2.7	2.0
14	9.0	14.2	6.4	7.2	9	0.0	0.25	74	6.4	50.5	SW	2.2	1.1
15	9.6	12.7	6.4	8.0	8	0.2	0.50	78	7.0	55.3	NNE	2.7	0.9
16	9.9	12.1	9.3	8.8	8	2.7	8.67	84	7.7	50.5	NE	5.0	0.8
17	8.2	10.9	5.7	6.9	10	5.4	4.00	81	6.6	47.5	NNE	4.3	1.9
18	8.1	9.7	7.0	6.6	10	0.2	5.17	75	6.2	46.0	NNE	5.7	2.4
19	8.5	11.6	6.1	7.0	9			78	6.7	47.7	NNE	3.2	1.1
20	8.4	11.0	5.9	6.9	10	10.8	4.17	81	6.6	44.7	NE	4.3	0.6
21	5.4	12.9	3.4	4.2	13	0.0	-	78	5.8	47.5	N	4.6	1.1
22	4.9	7.5	2.4	3.9	13	2.9	-	82	5.4	51.1	NE	4.4	0.7
23	4.6	9.2	2.0	3.4	13	0.0	-	77	4.8	55.3	NE	3.4	1.0
24	1.6	3.0	1.2	0.1	16	8.0	-	79	3.9	53.0	N	6.5	0.8
25	6.2	11.1	-1.2	5.5	12			76	5.6	50.6	S	2.9	1.6
26	11.7	14.1	10.4	10.2	6	19.6	-	82	8.4	39.5	S	7.2	2.6
27	8.9	13.9	6.9	6.5	9	0.3	-	69	5.6	37.5	W	3.7	2.0
28	2.8	4.2	3.0	6.8	15	0.0	-	75	4.1	44.6	W	2.7	1.2
29	2.2	3.7	-0.4	1.7	16	4.6	11.0	84	4.6	46.7	N	1.8	1.0
30	5.1	9.9	0.7	4.1	13	0.3	-	79	5.4	45.5	ENE	3.8	1.1
31	4.8	7.4	3.2	-	13	4.0	-	75	-	45.0	-	-	1.2
Sum					344	1383	-				NNE		44.4
Avg.	6.8	10.2	3.7	5.8				81	6.2	749,5	(6)	3.9	1.4

r : 1942 Month : January

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)					
		Toward sea	Toward land	Green	Bare	30	60	90	120		
1.6	6.3	7	5	-1.0	1.8	5.0	6.7	8.5	11.2	$*^{0-1}$ $\sqsubset^{1}$ ⊠	1
7.7	4.3	6	8	1.8	2.2	4.4	6.3	8.1	10.8	⊠	2
1.2	7.7	7	6	0.9	0.3	5.0	6.4	7.5	10.6		3
6.9	5.0	7	7	4.9	2.0	4.6	6.2	7.6	10.3		4
7.0	3.7	7	7	4.9	4.8	4.8	6.4	8.0	10.2	≡	5
0.0	10.0	6	6	7.0	6.3	6.6	7.1	8.4	10.2	$◍^{0-1}$ $◍^{0-1}$	6
0.0	10.0	5	5	8.2	8.7	8.2	8.1	8.8	10.3	$◍^{0-1}$	7
3.1	5.7	7	7	11.3	11.2	9.6	8.9	9.4	10.5	$◍^{0-1}$	8
1.5	8.0	6	5	8.3	8.4	10.1	9.6	10.1	10.7	$◍^{0-1}$ $\mathbb{R}^{0-1}$	9
1.4	6.7	8	8	-	-	-	-	-	-	$◍^{0}$	10
1.1	7.7	8	8	9.3	9.7	8.8	9.3	9.9	10.9		11
1.3	6.7	3	3	7.1	7.6	9.1	9.3	9.8	10.9	$◍^{0}$ Ω^{0}	12
6.8	2.0	7	6	6.0	5.9	8.5	9.0	9.6	10.9	Ω^{0-1}	13
3.3	6.3	6	6	8.8	8.3	8.6	9.0	9.7	10.8	$◍^{0}$ Ω^{0-1}	14
0.2	10.0	5	5	8.3	8.3	8.9	9.2	9.7	10.9	◍ $\oplus^{0}$ Ω^{2}	15
0.0	10.0	5	5	8.5	8.0	9.4	9.5	9.5	10.2	$◍^{0-1}$ Ω^{0-1}	16
2.1	9.7	4	4	7.9	7.4	9.0	9.4	9.8	10.9	◍ ≡ Ω^{1}	17
-	7.3	4	5	7.3	6.8	9.0	9.3	9.7	10.6	$◍^{0-1}$	18
0.5	10.0	3	3	8.5	7.7	8.7	9.1	9.7	11.0		19
0.0	9.7	7	6	6.9	7.6	9.1	9.4	9.8	11.0	$◍^{0}$ $≡^{0}$	20
0.4	10.0	2	2	7.6	7.1	8.5	9.1	9.5	11.0	◍	21
0.2	10.0	6	6	5.2	3.2	8.3	8.6	9.4	10.7	$◍^{0}$	22
0.7	9.7	2	2	7.0	2.2	7.2	8.2	9.0	10.2	◍	23
2.1	4.7	5	7	4.1	0.8	7.0	7.9	9.0	10.5	◍ $*^{0}$	24
-	9.3	4	3	-	4.4	6.4	7.4	8.5	10.3	$\sqsubset^{0}$	25
1.8	10.0	4	4	-	-	-	-	-	-	$◍^{0}$	26
2.3	9.0	7	7	11.8	11.2	8.5	8.7	9.1	10.5	◍	27
2.0	6.7	3	2	-	-	-	-	-	-	$*^{0}$	28
0.0	10.0	4	4	1.9	2.3	6.3	7.3	8.4	10.1	$◍^{0-1}$ $\sqsubset^{0}$	29
2.2	9.3	5	3	-	-	-	-	-	-	$◍^{0}$ $\sqsubset^{0}$ Ω^{2}	30
5.2	-	6	7	-	-	-	-	-	-	◍ Ω^{0}	31
62.6										◍15, ◍7, *3, $\mathbb{R}$2, Ω 8,	
	7.8	5.4	5.2	6.5	5.8	7.7	8.3	9.1	10.6	$\sqsubset$4, ⊠2, ⊕1, ≡3.	

Year : 1942 Month : Febru

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure (mm) at 0°C	Wind (3)	(3)	Total evaporation
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative (humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(
1	7.0	10.8	3.1	6.6	11	6.5	1	82	6.7	747.8	SSE	2.7	1.
2	8.0	10.6	7.5	6.8	10	34.6	13.03	81	6.5	38.9	NW	2.6	0.
3	7.3	13.5	3.3	6.3	11	0.5	-	76	6.1	42.7	N	3.6	1.
4	6.1	7.9	3.6	4.6	12	7.1	-	82	5.6	42.2	NW	6.7	1.
5	6.5	11.3	2.5	5.1	11			74	5.5	48.5	NW	1.1	1.
6	9.6	12.0	6.6	8.9	8	0.9	0.75	86	7.9	52.1	S	3.6	0.
7	13.9	16.1	10.0	11.5	4	0.0	-	74	8.4	53.8	S	3.4	3.
8	13.7	17.8	11.1	11.1	4			72	8.1	55.7	S	1.8	3.
9	12.8	15.5	11.0	10.9	5			80	8.7	52.3	S	4.6	1.
10	13.2	15.1	10.9	11.5	5			83	9.2	46.7	S	5.2	2.
11	12.1	15.2	9.6	8.8	6			69	6.7	43.9	SW	4.3	2.
12	11.7	16.0	8.4	9.7	6			75	7.6	46.4	W	3.0	1.
13	11.1	16.0	7.4	9.7	7			76	7.6	49.1	S	2.1	1.
14	10.1	15.1	6.4	8.2	8			77	6.8	49.4	NNE	2.1	1.
15	10.2	13.0	7.3	8.7	8	1.0	11.08	82	7.4	50.2	NE	0.4	1.
16	10.9	15.2	8.1	8.9	7			72	6.8	51.4	S	0.7	2.
17	10.4	16.5	7.7	8.6	8	3.4	7.42	79	7.5	54.2	NNE	1.2	1.
18	8.5	10.0	7.6	6.8	9			78	6.4	51.7	NE	11.0	1.
19	6.8	8.2	5.8	5.0	11	0.0	0.50	76	5.5	46.0	NE	14.9	2.
20	5.5	7.2	3.8	3.9	12	0.0	0.17	75	5.1	49.6	NNE	8.9	1.
21	6.1	8.6	4.4	4.4	12			75	5.3	53.9	NNE	7.5	1.
22	6.0	7.6	4.2	4.2	12			71	5.0	57.3	NE	2.7	1.
23	6.7	9.6	3.6	4.9	11			72	5.4	55.2	ENE	2.1	1.
24	12.7	15.5	6.2	11.9	5	0.0	0.75	81	9.4	47.7	S	6.7	2.
25	14.2	15.6	11.4	13.2	4	0.5	1.17	86	10.6	43.7	SE	5.9	1.
26	12.8	15.3	10.2	10.2	5	8.2	1.33	77	8.3	39.3	SW	5.5	2.
27	13.6	18.1	10.2	11.2	4			71	8.1	48.5	SW	7.7	3.
28	12.2	16.7	9.4	10.7	6			79	8.5	52.3	E	3.9	1.
Sum					222	62.7	-				S		50.
Avg.	10.0	13.2	7.2	8.3				77	7.2	748.9	(6)	4.5	1.

r : 1942 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120		Date
0.0	10.0	4	3	6.2	5.4	7.0	7.7	8.4	9.7		1
0.0	9.7	6	3	8.4	7.4	7.9	8.1	8.6	9.9		2
5.7	7.0	6	7	8.1	7.3	7.8	8.1	8.7	9.8		3
0.0	8.3	5	5	5.3	4.4	8.3	8.4	8.7	9.9		4
5.8	7.7	6	7	8.9	8.0	7.6	8.0	8.6	9.8		5
0.1	9.7	2	2	8.5	9.0	8.3	8.4	8.9	9.9		6
5.1	9.3	4	4	9.9	12.0	9.7	9.0	9.4	10.1		7
2.2	9.0	6	6	11.2	12.5	10.1	9.6	9.6	10.1		8
0.4	8.0	5	5	10.2	9.7	10.4	10.0	9.8	10.3		9
0.0	10.0	6	7	11.0	10.9	10.6	10.4	10.2	10.4		10
7.4	3.0	6	9	11.3	9.3	10.8	10.4	10.3	10.6		11
9.2	2.7	6	6	11.6	10.2	10.7	10.5	10.4	10.7		12
0.0	7.0	5	4	10.9	10.2	10.6	10.5	10.4	10.5		13
6.6	6.7	7	7	8.7	12.2	10.5	10.4	10.5	10.9		14
2.0	7.0	6	5	9.3	8.2	10.6	10.5	10.6	10.9		15
6.6	3.7	7	9	10.2	10.4	10.5	10.5	10.6	11.2		16
4.7	3.7	7	6	7.8	7.0	10.8	10.8	10.6	11.1		17
0.0	9.7	6	7	6.8	6.0	10.2	10.3	10.3	11.1		18
0.0	10.0	7	6	5.7	5.0	9.6	9.9	10.2	10.9		19
6.5	9.0	6	7	8.2	5.0	8.7	9.1	9.8	10.9		20
1.1	9.7	6	6	5.8	5.0	8.4	8.9	9.7	10.8		21
1.7	8.7	6	6	5.2	4.2	7.6	8.7	9.5	10.7		22
–	9.0	9	9	6.1	5.2	7.9	8.8	9.3	10.6		23
0.0	10.0	5	5	8.6	11.4	8.9	8.9	9.8	10.6		24
0.0	10.0	6	2	11.4	12.3	10.2	9.8	10.2	10.6		25
7.5	8.0	7	7	10.9	10.6	11.1	10.4	10.6	10.8		26
4.8	4.7	9	9	13.7	13.7	10.8	11.0	10.6	11.0		27
–	10.0	6	7	12.6	11.2	11.4	10.9	10.7	11.1		28
m. 77.4										8, 7, 1, 2, 2, 4, 16 1,	
3.	7.9	6.0	5.9	9.0	8.7	9.5	9.6	9.8	10.5		

Year : 1942 Month : March

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure (mm) at 0°C	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	10.4	13.2	10.0	9.7	8	24.9	12.00	88	8.6	744.8	NE	7.7	1.5
2	10.9	15.9	6.8	9.0	7			76	7.4	50.6	S	1.2	1.6
3	10.7	15.4	7.6	8.9	7			78	7.3	55.0	NE	3.7	1.4
4	9.4	13.6	7.3	7.6	9			77	6.7	52.9	NE	4.4	1.1
5	10.4	17.0	6.2	8.3	8			73	6.9	51.5	NNW	2.5	1.8
6	11.9	17.2	7.3	11.2	6			81	8.9	52.0	SSE	0.7	1.4
7	12.1	18.5	9.5	11.2	6			83	9.0	52.7	NNE	3.6	1.3
8	10.6	17.2	7.3	9.7	7	0.6	2.58	85	8.4	48.6	N	1.2	0.8
9	10.7	15.0	7.3	9.7	7	0.6	0.75	80	7.8	51.8	E	1.1	1.0
10	10.3	13.9	8.6	8.9	8	0.7	0.92	82	7.5	53.8	WSW	2.2	1.0
11	10.9	14.3	8.0	9.8	7	0.0	2.42	83	8.1	51.6	E	1.2	1.1
12	11.1	14.9	8.9	9.7	7			83	8.3	49.9	S	1.6	1.0
13	13.0	17.2	9.0	11.0	5			73	8.3	51.9	S	0.9	1.6
14	11.7	16.3	9.1	10.0	6			78	8.0	56.5	NE	3.6	1.5
15	11.2	15.1	8.7	9.7	7			80	7.7	55.6	SW	0.7	1.3
16	11.1	15.0	8.8	9.4	7			78	7.4	53.6	N	2.7	1.0
17	11.8	17.8	8.5	8.9	6			64	6.4	53.8	ENE	4.4	2.3
18	12.2	17.8	6.8	9.9	6			67	7.1	52.4	WSW	2.3	2.2
19	12.2	16.2	7.8	10.8	6			79	8.3	48.8	S	1.6	1.5
20	12.6	17.2	10.5	10.8	5	3.3	4.95	78	8.4	46.9	ENE	2.3	1.3
21	6.5	7.5	6.2	4.3	11	0.0	0.50	70	5.0	53.2	NNE	11.9	2.3
22	2.1	4.9	1.4	-0.1	16	0.0	4.17	65	3.3	63.3	NNE	8.9	1.8
23	4.0	6.8	1.4	1.8	14			62	3.7	62.0	NNE	9.2	2.5
24	7.1	10.1	2.4	5.4	11	0.0	2.08	71	5.5	53.9	N	7.7	1.7
25	7.8	12.4	5.2	6.5	10	4.5	7.00	75	6.1	51.7	NW	2.7	1.4
26	10.1	15.6	4.9	8.0	8			68	6.3	53.9	SW	1.1	2.1
27	12.3	17.0	7.5	11.1	6			76	8.5	53.3	S	2.3	1.9
28	12.9	16.6	9.5	11.9	5	0.1	3.00	85	9.6	52.2	S	1.8	1.1
29	14.9	19.3	12.0	13.3	3	0.8	6.00	82	9.9	51.1	E	0.7	1.5
30	15.7	18.8	12.8	13.2	2	0.0	0.25	74	9.5	46.5	S	2.2	2.3
31	13.2	17.1	11.9	11.6	5	0.1	0.50	83	9.2	45.8	N	3.8	1.3
Sum.					226	35.6	47.12				NNE		47.6
Avg.	10.7	15.0	7.7	9.0				77	7.5	752.3	(6)	3.3	1.5

ar : 1942 Month : March

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)					
			Toward sea	Toward land	Green	Bare	30	60	90	120		
1	0.0	9.7	5	5	10.0	8.8	11.4	11.3	10.9	11.2	◍¹ ◹°	1
2	8.9	4.7	7	7	10.5	6.1	10.8	10.7	10.9	11.3	☊°	2
3	2.3	7.7	6	7	9.0	9.4	11.2	10.9	11.0	11.4	☊°	3
4	0.0	7.3	6	6	8.9	7.1	11.0	11.0	10.7	11.4	☊°	4
5	8.3	2.7	7	8	13.2	12.6	10.7	10.7	10.9	11.5	☊¹	5
6	9.1	3.0	6	6	12.7	12.7	11.2	11.1	11.1	11.5	☊²	6
7	5.6	5.7	5	5	13.3	13.5	11.8	11.5	11.4	11.7	☊²	7
8	1.8	9.3	6	6	10.5	10.8	11.6	11.3	11.5	11.7	◍° ◍° ☊¹	8
9	3.4	9.0	6	6	11.0	10.3	11.6	11.6	11.5	11.8	◍²	9
10	0.7	10.0	7	4	10.9	10.4	11.7	11.7	11.6	12.0	◍° ◍°	10
11	1.5	9.0	6	6	11.5	11.9	11.9	11.6	11.6	12.0	◍ ◍ ☊°	11
12	3.5	6.3	7	7	9.8	10.7	11.9	11.6	11.7	12.1	☊²	12
13	9.6	3.0	7	7	12.8	14.1	12.0	11.6	11.7	12.1	☊²	13
14	0.5	9.3	6	6	12.1	13.2	12.2	12.0	11.8	12.1	☊²	14
15	0.6	10.0	5	5	10.5	14.8	12.5	12.3	12.0	12.2		15
16	0.0	8.0	5	5	10.6	13.3	12.1	12.0	12.0	12.3	☊°	16
17	9.7	2.7	6	8	14.4	17.7	12.1	12.0	12.0	12.3	☊°	17
18	9.5	4.3	7	8	14.5	18.3	12.6	12.3	12.2	12.4	☊¹	18
19	8.7	5.7	7	7	12.7	15.0	13.1	12.5	12.3	12.4	☊²	19
20	4.5	9.0	7	6	12.3	12.8	13.2	12.7	12.5	12.5	◍⁰⁻¹ ◍° ◹ ☊²	20
21	0.6	8.7	7	7	7.1	7.2	11.7	12.3	12.3	12.4	◍°	21
22	0.4	8.7	7	6	1.9	2.7	9.9	10.8	11.5	12.3	✳°	22
23	0.2	9.3	7	7	4.7	5.8	9.0	10.1	11.3	12.2	⊕ ☋°	23
24	0.0	10.0	6	6	6.3	7.0	9.2	10.0	11.1	12.1	◍° ◍°	24
25	0.3	7.7	7	7	8.4	9.8	9.6	10.0	10.6	12.0	◍¹ ◍° ☊¹	25
26	10.7	1.3	7	7	10.7	13.7	10.0	10.4	10.8	11.9	☊²	26
27	10.6	1.3	6	6	14.5	15.8	10.6	11.1	11.0	11.9	☊²	27
28	1.8	10.0	5	5	12.4	13.3	11.9	11.4	11.5	11.9	◍° ☊²	28
29	0.6	9.7	6	6	14.2	15.7	12.7	12.0	11.8	12.1	◍°	29
30	0.6	10.0	5	5	14.4	16.4	13.3	12.4	12.1	12.2	◍°	30
31	0.0	9.7	6	6	12.7	13.8	13.7	12.9	12.3	12.3	◍°	31
n	114.0										◍10, ◍9, ✳1, ◹2,	
•		7.2	6.2	6.2	10.9	11.8	11.6	11.5	11.5	12.0	☋1, ⊕1, ☊20.	

Year : 1942 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4/7)
1	10.2	14.8	9.2	8.3	8	1.9	-	77	7.0	749.3	NE	5.1	1.7
2	10.6	15.0	5.0	8.6	7			70	6.7	51.6	S	2.7	2.2
3	13.7	21.3	8.0	11.6	4			73	8.3	51.6	SW	2.5	2.5
4	13.6	18.9	10.2	12.2	4			80	9.4	53.0	E	2.1	1.9
5	15.8	21.8	11.4	13.3	2			72	9.4	50.1	S	1.2	2.2
6	16.0	21.7	12.9	12.6	2			66	8.7	53.6	N	1.7	3.0
7	13.5	18.4	8.9	11.5	4			71	8.5	56.2	W	2.0	2.5
8	14.4	19.6	10.0	11.3	4			67	8.0	58.3	W	2.6	2.8
9	15.0	19.1	10.7	12.7	3			74	9.3	56.9	S	1.2	2.3
10	17.5	23.9	12.8	14.3	0			69	9.7	55.5	S	1.7	3.2
11	16.1	21.0	11.0	13.8	2			72	10.0	51.9	NW	0.4	2.5
12	15.1	20.9	13.6	11.8	3	0.4	0.90	60	7.8	48.1	NE	3.9	3.0
13	11.0	17.4	8.9	9.2	7	8.9	11.08	77	7.2	46.6	E	2.7	1.8
14	11.4	16.3	6.0	9.4	7	8.7	7.33	68	7.0	49.3	NW	2.3	2.5
15	12.3	17.3	8.0	9.5	6	0.0	1.42	64	6.9	54.3	NW	3.6	2.8
16	12.5	17.4	8.0	10.0	5	0.0	0.25	69	7.3	54.0	N	5.7	2.0
17	11.9	16.3	10.6	8.6	6	0.0	0.67	62	6.3	55.4	N	8.4	3.4
18	13.4	20.4	8.9	11.4	5	2.3	5.00	71	8.4	52.6	NNE	2.2	2.4
19	13.8	19.1	8.5	12.6	4			75	8.7	53.1	SSW	1.6	2.0
20	15.7	20.5	11.8	13.4	2			72	9.6	54.9	S	3.2	2.5
21	17.5	23.4	13.4	14.2	0			65	9.5	54.6	S	1.6	3.1
22	18.2	21.1	14.5	14.0	0			60	9.3	51.9	S	3.6	3.6
23	18.6	23.3	15.9	14.2	0	0.0	1.08	59	8.8	46.3	S	7.0	7.0
24	17.0	21.4	13.3	12.8	1			57	8.2	47.6	W	8.9	5.1
25	16.8	21.5	13.1	13.0	1			58	8.5	48.5	S	3.4	5.0
26	17.0	21.4	12.7	14.1	1	0.0	0.33	65	9.5	48.4	SSW	1.6	3.4
27	17.7	22.7	14.2	14.0	0	0.0	0.25	63	9.3	47.2	S	2.3	3.7
28	18.5	25.1	14.3	13.3	0			56	8.6	51.5	N	4.4	3.5
29	15.9	19.7	12.8	13.1	2			71	9.5	51.9	SW	2.7	2.5
30	17.6	21.8	14.6	14.9	0			72	11.0	47.0	S	3.0	3.0
Sum					90	22.2	-				S		89.1
Avg.	14.9	20.1	11.1	12.1				68	8.6	751.7	(6)	3.2	3.0

Year : 1942 Month : April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	1.5	9.3	7	6	10.5	9.1	13.0	12.6	12.4	12.5	$\equiv^{0-1}$ $\mathcal{9}^{0}$	1
2	10.5	6.7	8	7	14.9	11.4	12.3	12.4	12.4	12.6	Ω^{2}	2
3	11.0	1.0	7	8	18.5	16.2	13.3	12.7	12.5	12.7	Ω^{0}	3
4	8.6	8.0	7	7	16.8	14.4	13.9	13.2	12.7	12.8	Ω^{0}	4
5	7.5	5.0	8	8	21.4	16.3	14.6	13.6	13.0	12.9	Ω^{0-1}	5
6	8.8	6.0	6	6	21.4	15.9	15.5	14.2	13.3	13.1		6
7	10.8	0.7	7	7	20.3	15.3	15.5	14.1	13.7	13.4	Ω^{1}	7
8	11.1	2.7	8	7	20.4	14.8	15.6	14.8	13.9	13.4	Ω^{0-1}	8
9	11.1	1.3	7	7	21.7	15.6	16.0	15.0	14.1	13.7	Ω^{2}	9
10	10.7	1.3	8	8	23.6	18.0	16.7	15.4	14.4	13.8	Ω^{1}	10
11	11.0	0.7	6	6	21.9	16.1	17.1	15.6	14.6	14.1	Ω^{2}	11
12	4.3	9.0	8	8	20.7	14.7	17.2	15.8	14.9	14.2	$\equiv^{0}$	12
13	4.2	7.0	6	6	12.9	11.1	15.8	15.3	14.9	14.4	$\equiv^{0}$ $\mathcal{R}^{0-1}$	13
14	8.7	4.0	7	7	14.9	13.4	14.7	15.0	14.6	14.5	$\equiv^{0-1}$	14
15	6.6	7.7	7	7	14.6	13.4	14.9	14.5	14.6	14.4	$\equiv^{0-1}$	15
16	5.4	9.7	6	6	16.5	14.5	14.6	14.4	14.4	14.5	$\mathcal{9}^{0}$ Ω^{0}	16
17	0.0	10.0	6	6	11.9	11.2	14.1	14.3	14.1	14.4	$\equiv^{0}$	17
18	8.2	6.7	7	7	17.8	16.2	14.1	14.0	14.1	14.4	$\equiv^{0-1}$ $\mathcal{R}^{0-1}$	18
19	8.9	3.7	7	6	19.3	16.3	14.6	14.4	14.2	14.4	Ω^{1}	19
20	10.1	2.7	7	7	20.1	17.3	15.1	14.8	14.4	14.4	Ω^{1}	20
21	11.4	5.0	7	7	22.5	19.1	16.4	15.4	14.7	14.5	Ω^{0}	21
22	5.5	8.0	6	6	20.2	17.8	17.4	15.4	15.1	14.7		22
23	1.6	8.3	6	6	18.5	16.9	17.5	16.4	15.4	14.9	$\mathcal{9}^{0}$	23
24	12.3	4.3	8	8	24.4	19.6	17.2	16.4	15.5	15.0		24
25	12.2	5.0	8	8	23.6	18.4	17.7	16.7	15.7	15.1	Φ^{1} ϵ^{0}	25
26	7.5	7.0	8	8	23.7	18.4	18.0	17.0	15.9	15.3	$\mathcal{9}^{0}$ $\oplus^{1}$	26
27	9.0	6.3	8	7	23.8	17.4	18.0	17.3	16.2	15.4	$\equiv$ $\mathcal{9}$	27
28	9.2	6.3	8	8	26.3	19.9	19.0	17.7	16.4	15.7	$\oplus^{0}$	28
29	0.6	10.0	6	6	19.7	15.1	18.8	17.9	16.6	15.8		29
30	3.1	7.0	7	7	18.9	16.6	18.5	17.8	16.7	15.9		30
Sum	231.4										$\equiv_{8}$, $\mathcal{9}_{5}$, $\mathcal{R}_{2}$, $\oplus_{2}$, Φ_{1}, ϵ_{1}, Ω_{13}.	
Avg.		5.7	7.1	7.0	19.4	15.7	15.9	15.1	14.5	14.2		

Year : 1942 Month : May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	18.6	24.2	13.9	15.4	0			69	10.6	746.9	SSW	3.9	3.8
2	19.0	22.7	14.5	15.7	0			62	11.1	49.6	S	4.4	4.2
3	18.5	21.3	14.3	15.2	0	0.0	0.75	67	10.6	51.0	SSW	4.3	4.3
4	18.4	22.2	14.4	13.6	0	0.0	0.33	49	8.6	51.0	SSW	1.8	4.5
5	15.4	17.6	13.0	11.0	3			58	6.7	55.6	NNE	6.5	4.4
6	16.1	20.7	12.3	11.1	2			47	6.3	55.0	NNE	8.2	5.4
7	16.8	24.6	11.1	12.9	1			53	7.8	54.6	NE	2.7	4.4
8	17.3	22.5	11.7	13.0	1			53	8.2	50.1	SW	3.2	4.7
9	18.6	24.5	13.7	15.3	0			65	10.2	51.1	SW	4.6	5.4
10	19.5	24.2	15.0	16.4	0			67	11.5	51.8	S	2.9	4.9
11	20.6	25.4	15.9	16.7	0			62	11.2	50.8	SW	1.7	5.2
12	20.5	27.7	16.3	14.6	0			68	13.1	49.2	SSW	0.9	4.2
13	22.7	28.0	17.5	18.7	0			63	12.9	48.7	SW	1.4	5.2
14	23.2	28.7	18.4	18.6	0			59	12.6	47.5	SW	2.9	7.8
15	21.4	25.3	17.3	18.5	0			70	13.7	47.0	SW	3.2	4.6
16	21.0	26.6	16.3	17.5	0			65	12.2	50.6	S	2.7	6.1
17	20.9	25.4	16.7	17.4	0			70	13.1	52.6	SSW	1.8	4.2
18	21.9	28.4	18.1	17.1	0	0.1	0.75	59	11.3	50.9	SE	2.3	4.8
19	21.0	26.3	17.1	15.9	0	0.3	0.17	53	9.6	50.8	NNW	7.0	4.9
20	23.5	30.4	18.1	16.7	0			46	9.5	50.9	NW	3.0	6.0
21	23.6	31.8	18.8	17.2	0			49	10.3	51.5	S	2.1	6.8
22	24.0	28.6	18.6	17.2	0			45	10.0	51.5	S	1.1	6.0
23	24.3	28.6	21.6	17.4	0			46	10.4	51.4	S	2.1	10.7
24	22.8	28.0	17.9	17.0	0			54	10.4	50.5	NNE	3.2	4.9
25	22.0	29.2	16.6	16.5	0			57	10.4	54.4	SW	2.5	5.3
26	22.3	26.7	17.4	17.4	0			58	11.3	53.9	SW	2.7	4.7
27	23.3	27.9	19.2	17.1	0			51	10.1	55.1	S	0.7	5.5
28	24.1	29.0	19.8	18.0	0			51	11.5	54.2	SSW	1.4	5.5
29	24.5	30.8	20.3	19.3	0			53	12.8	52.5	SSW	2.2	5.4
30	25.2	34.0	20.0	19.7	0			55	13.2	50.1	SW	3.2	5.3
31	24.8	29.2	19.5	20.0	0			60	13.7	50.8	SW	1.8	5.0
Sum					7	0.4	2.00				SW		164.1
Avg.	21.2	26.5	16.6	16.5				58	10.8	751.3	(6)	3.0	5.3

: 1942 Month : May

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
	11.8	1.0	7	7	19.5	21.4	18.6	17.7	16.8	16.1	Ω¹	1
	10.1	8.0	8	8	18.7	25.4	19.2	18.0	16.9	16.2	⊖¹	2
	3.0	7.7	6	4	17.7	20.3	19.3	18.3	17.2	16.3	◍⁰ ◌	3
	3.8	8.0	7	7	18.4	24.3	19.0	18.2	17.2	16.4	◍	4
	0.7	9.3	7	7	14.0	17.4	18.5	18.0	17.0	16.6		5
	11.7	2.3	7	8	17.2	25.0	18.0	17.7	17.0	16.6		6
	12.2	0.7	7	7	19.9	27.2	18.7	17.9	17.2	16.6		7
	5.4	4.3	8	8	17.6	22.0	19.1	18.4	17.4	16.7		8
	11.1	1.0	7	7	20.5	26.2	19.2	18.5	17.6	16.8		9
	12.0	0.7	7	7	21.0	25.9	20.0	18.9	17.9	16.9		10
	12.4	1.0	7	7	21.7	26.8	20.5	19.2	18.3	17.1		11
	0.7	7.3	6	7	18.9	23.3	20.7	19.7	18.3	17.2		12
	11.7	2.7	7	7	21.5	30.0	21.0	19.8	18.6	17.4	⊕¹	13
	10.1	2.7	7	7	24.1	31.5	21.7	20.4	18.9	17.6		14
	12.6	1.0	6	6	22.2	24.1	22.0	20.7	19.2	17.9		15
	12.8	1.3	8	8	22.9	30.6	22.2	21.3	19.5	18.1		16
	9.3	6.3	8	8	22.7	28.8	22.2	21.1	19.7	18.4	⊕⁰	17
	4.7	8.0	7	7	23.1	28.8	22.5	21.3	20.1	18.7	◍⁰ ◌⁰	18
	9.4	7.7	7	8	25.3	32.9	22.2	21.4	20.2	18.9	◍⁰	19
	10.3	4.0	7	8	19.9	30.8	22.9	21.7	20.4	19.0		20
	11.2	4.0	7	8	26.6	31.6	23.7	22.3	20.7	19.1		21
	9.4	5.0	6	6	21.4	26.3	24.0	22.6	21.0	19.3		22
	11.3	1.3	7	7	23.4	31.1	24.2	22.9	21.2	19.5		23
	11.1	2.0	7	7	24.5	33.3	24.4	23.3	21.4	19.4		24
	12.7	1.0	7	8	23.0	31.8	24.3	23.0	21.7	19.9		25
	12.7	0.7	7	7	26.4	31.8	24.2	23.2	21.8	20.0		26
	11.6	2.0	7	7	26.5	33.1	24.3	23.9	21.9	20.1		27
	-	4.3	7	7	23.9	30.4	24.7	23.6	22.1	20.3		28
	10.4	5.0	7	6	29.3	34.2	24.8	23.5	22.3	20.5		29
	8.6	7.0	7	7	25.7	34.0	25.2	23.8	22.4	20.6		30
	11.7	0.7	7	8	26.8	34.2	25.4	24.1	22.5	20.7		31
m	286.5										◍ 2, ◍ 3, ◌ 1,	
g.		3.8	7.0	7.1	22.1	28.2	21.8	20.8	19.5	18.2	⊕ 3, Ω 1.	

Year : 1942 Month : June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.2	31.5	22.2	19.3	0			48	11.6	748.9	S	3.2	7.4
2	24.9	30.1	20.9	19.2	0			54	12.5	45.9	SSW	3.9	6.9
3	21.9	25.1	18.8	17.9	0			67	12.5	47.2	SW	5.0	4.0
4	21.4	24.8	17.5	18.6	0	0.0	0.25	71	13.5	50.8	S	3.2	3.5
5	22.3	27.0	17.1	18.0	0			61	11.9	51.2	N	5.4	4.0
6	24.1	30.1	18.7	17.6	0			48	11.3	50.3	N	6.4	5.6
7	24.9	32.7	19.3	19.6	0			56	13.3	51.8	S	5.1	5.5
8	24.2	28.1	19.2	19.4	0			58	13.3	54.6	S	3.4	5.7
9	24.5	28.5	20.2	19.6	0			58	13.5	54.4	S	1.6	5.6
10	25.5	30.0	20.6	19.4	0			51	12.4	52.6	SSW	5.1	5.6
11	27.1	32.8	21.9	20.8	0			51	13.8	52.0	SW	3.4	6.8
12	29.4	34.6	22.8	21.2	0			43	13.0	51.6	SSW	2.9	8.7
13	30.5	36.8	24.7	21.2	0			38	12.7	48.6	SW	3.9	8.7
14	29.7	35.1	25.0	19.9	0			33	10.5	46.1	S	4.1	12.0
15	27.0	32.4	23.1	17.6	0			39	8.8	47.8	SSW	3.7	9.8
16	25.2	30.2	20.1	18.6	0			48	11.6	49.1	SSE	2.7	7.1
17	26.1	31.2	21.5	18.4	0			45	10.6	50.7	SW	4.3	8.3
18	25.3	30.9	20.0	18.7	0			49	11.9	52.0	W	3.7	6.1
19	28.9	36.2	23.0	20.4	0			41	11.6	51.7	SSW	1.1	7.8
20	34.2	41.9	24.9	21.1	0			26	9.4	50.0	ENE	4.4	10.0
21	31.5	36.6	29.1	21.6	0			39	12.8	47.7	SSW	2.7	6.0
22	27.5	32.2	23.4	19.1	0			43	10.9	45.2	WSW	7.2	8.5
23	23.2	28.8	20.9	18.8	0	2.9	2.05	66	13.4	46.1	E	6.4	9.8
24	22.4	27.7	18.0	17.6	0			61	11.3	50.8	NNE	5.8	4.6
25	23.2	27.6	18.2	18.6	0			61	12.6	51.3	S	3.9	4.3
26	25.0	31.3	19.4	19.6	0			55	13.3	50.6	SW	3.6	6.3
27	27.0	34.7	20.8	20.0	0			51	12.6	49.7	WSW	2.6	6.8
28	26.7	31.9	21.6	19.9	0			51	12.2	48.9	SW	3.4	6.5
29	26.8	31.9	22.8	21.1	0			53	14.0	47.1	S	2.1	7.9
30	21.4	26.6	22.2	18.1	0	10.4	4.92	73	14.1	46.3	NW	9.7	3.4
Sum					0	13.3	7.22				SSE		203.2
Avg.	25.9	31.3	21.3	19.4				51	12.2	749.7	(6)	4.1	6.8

r : 1942 Month : June

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
8.6	6.0	9	9	27.0	34.9	25.6	24.3	22.7	20.9		1
12.4	1.3	8	8	25.0	35.8	25.8	24.5	22.9	21.1		2
9.7	4.7	7	7	24.4	33.3	25.5	24.7	22.3	21.2		3
11.5	5.7	7	7	22.9	27.4	24.9	24.4	23.0	21.3	$\mathcal{9}^0$ $\leftarrow^0$	4
-	6.0	7	8	24.0	31.5	24.5	24.0	22.9	21.4		5
10.8	3.3	7	8	25.6	33.5	25.0	24.1	22.9	21.5		6
10.4	2.3	7	7	25.9	32.0	25.6	24.4	23.1	21.5		7
10.0	1.7	7	7	26.5	33.0	25.8	24.6	23.3	21.6		8
12.2	0.7	7	7	29.0	33.6	25.9	24.7	23.5	21.6		9
10.9	1.0	8	7	30.6	36.7	26.2	24.9	23.5	21.8		10
12.0	1.7	8	7	29.6	37.8	26.7	25.2	23.7	21.9		11
10.5	2.3	8	8	30.1	38.5	27.3	25.5	24.0	21.8		12
6.3	6.0	7	7	26.2	37.7	27.9	26.1	24.2	22.3	$\oplus^2$	13
10.6	2.0	7	7	29.1	38.4	28.1	26.3	24.6	22.4		14
10.5	2.0	9	9	25.9	40.0	28.1	26.6	24.8	22.4		15
11.8	0.0	9	8	25.8	36.9	27.4	26.4	25.0	22.7		16
10.8	5.0	7	7	27.0	36.4	27.7	26.5	25.0	22.9		17
10.8	0.7	8	7	28.4	36.4	27.5	26.5	25.0	23.0		18
11.4	0.7	7	7	28.8	39.3	27.9	26.5	25.3	23.1		19
10.7	0.7	6	6	30.4	40.6	29.1	27.2	25.3	23.3		20
9.7	0.0	7	7	32.8	40.9	30.1	27.9	25.6	23.5		21
11.3	0.3	6	7	33.4	39.6	29.6	28.3	26.0	23.5		22
4.6	5.7	9	8	22.9	34.3	28.4	27.5	25.8	23.6	$\mathcal{9}^1$ $\mathcal{9}^2$ $\leftarrow^0$	23
7.7	4.3	8	9	23.1	27.2	26.6	26.5	25.7	24.0		24
10.9	3.0	8	7	26.7	31.2	26.5	26.3	25.1	23.8		25
12.1	0.3	8	8	25.8	35.1	27.0	26.1	25.3	23.7		26
12.0	0.3	8	9	26.6	38.2	27.5	26.3	25.4	23.7		27
-	0.7	9	9	28.7	37.7	27.9	26.7	25.6	23.7		28
11.5	1.7	8	8	31.0	37.4	28.2	27.1	25.7	23.8		29
0.0	9.7	4	3	24.0	23.5	27.4	26.8	25.5	24.0	$\mathcal{9}$ $\mathcal{9}^1$ $\leftarrow^1$	30
281.7										$\mathcal{9}_2$, $\mathcal{9}_3$, $\leftarrow_2$, $\leftarrow_1$, $\oplus_1$.	
	2.7	7.5	7.4	27.2	35.3	27.1	25.9	24.4	22.6		

Year : 1942 Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	21.8	27.3	17.2	16.3	0	1.2	2.00	57	10.0	751.0	N	4.4	4.7
2	23.6	31.0	17.9	15.1	0			53	11.7	53.1	S	3.2	5.5
3	24.3	29.5	18.6	18.8	0			56	12.0	51.4	SSW	1.6	5.7
4	25.6	30.3	21.2	20.8	0			56	14.8	49.0	W	2.9	5.5
5	25.4	29.9	21.9	18.9	0			49	11.9	50.0	NNE	6.5	6.5
6	24.7	28.2	21.0	16.9	0			41	9.2	52.4	NE	10.2	8.3
7	24.6	29.0	20.9	17.0	0			40	9.1	53.9	NNE	8.4	6.3
8	25.5	31.6	20.7	16.3	0			34	7.6	53.8	NE	7.0	7.7
9	27.0	34.5	21.4	18.2	0			36	9.8	52.6	NE	6.2	7.6
10	27.9	34.0	22.6	18.6	0			33	9.5	51.8	NE	3.6	8.9
11	27.7	36.2	20.9	19.3	0			41	11.2	50.9	SSW	2.3	8.1
12	29.2	34.6	23.9	21.7	0			47	14.4	48.9	S	1.8	6.8
13	31.3	40.3	26.4	21.9	0			42	13.5	48.9	S	2.1	6.0
14	29.7	35.5	25.5	20.5	0			42	12.0	46.1	WSW	3.6	5.7
15	27.5	33.6	23.0	16.3	0			45	12.3	48.7	NNE	3.6	6.6
16	25.3	31.4	21.5	19.0	0			53	12.2	48.4	SSW	3.4	5.9
17	24.9	30.4	21.3	20.0	0			60	14.3	50.2	S	1.6	4.1
18	25.4	31.2	20.2	19.7	0			59	13.4	50.7	W	2.7	5.3
19	27.4	34.2	19.8	19.2	0			43	10.8	50.7	NE	4.4	7.3
20	28.9	38.1	21.1	21.3	0			41	12.6	51.0	ENE	1.8	5.7
21	29.8	36.8	23.7	21.6	0			46	13.8	48.3	WSW	2.7	7.8
22	28.5	32.7	24.8	23.0	0			48	14.0	47.7	NE	4.7	7.6
23	26.4	31.7	22.5	18.9	0			45	11.4	50.4	NE	6.4	6.9
24	26.4	34.4	20.6	19.8	0			48	13.0	50.6	SSW	1.8	7.0
25	26.9	31.6	22.6	19.9	0			44	11.3	52.5	NE	10.5	8.2
26	25.8	29.7	22.6	18.4	0			45	10.9	51.3	NNE	9.7	8.3
27	25.9	32.3	21.6	18.3	0			44	10.6	48.4	NNE	7.7	8.4
28	25.7	32.4	21.4	20.6	0			57	14.6	47.3	SSW	2.9	6.0
29	26.7	32.0	21.8	21.9	0			59	15.8	48.7	N	3.7	5.0
30	28.1	33.8	24.7	20.2	0			45	12.3	50.3	NE	5.7	7.2
31	27.7	33.1	22.1	19.6	0			42	11.5	49.5	NE	5.0	7.2
Sum					0	1.2	2.00				NE		207.8
Avg.	26.6	32.6	21.8	19.5				47	12.0	750.3	(6)	4.6	6.7

r : 1942 Month : July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
9.5	4.3	8	8	27.5	26.3	25.2	25.6	25.2	24.0	⊜1	1
8.1	0.7	7	8	28.1	30.7	25.8	25.2	24.7	23.9		2
11.5	0.0	6	6	26.8	33.3	26.1	25.5	25.1	23.8		3
9.3	2.0	7	7	28.0	34.0	26.7	25.9	25.1	23.8		4
11.2	2.0	8	8	31.5	35.4	27.0	26.2	25.0	23.8	⊂1	5
11.7	1.7	9	9	28.8	37.3	27.0	26.3	25.2	23.7		6
12.2	1.7	8	8	26.6	28.8	27.5	26.3	25.1	23.8		7
12.1	0.7	8	8	30.3	37.1	27.2	26.6	25.5	23.8		8
11.2	0.7	7	8	27.8	32.7	27.9	27.1	25.7	23.8		9
11.7	1.0	7	7	30.6	39.1	28.5	27.5	25.8	24.2		10
11.2	0.3	8	8	27.8	40.7	28.9	27.6	26.3	24.4		11
10.9	0.0	7	7	28.8	38.2	29.3	28.1	26.5	24.5		12
10.4	0.0	5	5	32.6	40.6	29.9	28.6	26.8	24.6		13
11.3	0.3	6	6	27.7	38.6	30.1	28.7	27.3	24.7		14
11.4	3.0	6	6	28.5	38.2	29.9	28.7	27.1	24.8		15
11.4	3.0	7	7	27.3	35.1	29.6	28.5	27.1	25.3		16
7.1	4.3	7	8	29.7	34.3	28.8	28.2	27.0	25.1		17
11.9	1.3	7	7	29.1	33.4	28.3	27.7	26.9	25.1		18
12.1	0.7	7	8	36.2	35.9	28.4	27.8	26.8	25.0		19
11.6	0.0	7	7	28.2	41.8	28.7	28.1	27.1	25.1		20
11.5	0.3	7	6	31.7	40.4	29.7	28.5	27.1	25.2		21
11.6	3.0	6	8	32.3	39.0	29.8	28.5	27.0	25.2		22
12.1	1.3	7	8	26.9	38.1	29.5	28.4	27.0	25.3		23
12.0	0.7	8	8	30.8	37.4	29.4	28.7	27.3	25.5		24
11.5	1.0	7	7	27.1	35.6	29.2	28.4	27.4	25.4		25
12.1	0.3	7	8	26.8	36.4	29.0	28.3	27.3	25.5		26
11.2	2.3	8	9	28.3	35.8	29.0	28.4	27.3	25.5		27
11.6	1.3	7	7	27.9	35.5	29.0	28.5	27.5	25.7		28
10.8	2.0	8	6	28.7	35.9	29.0	28.4	27.3	25.7		29
10.7	2.3	7	7	30.3	37.3	29.2	28.5	27.3	25.7		30
10.4	0.7	6	7	28.2	34.3	29.2	28.4	27.3	25.6		31
343.3										⊜1, ⊂1.	
	1.4	7.1	7.3	29.1	36.1	28.5	27.7	26.5	24.8		

Year : 1942 Month : Augu

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (3)		Total evaporation (mm)
	average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg.speed (met.p.s.)	(4)(7)
1	27.4	33.6	23.6	18.8	0			39	10.8	751.3	NE	5.1	8.8
2	24.8	29.3	21.7	16.5	0			39	8.5	53.1	NE	7.9	8.3
3	25.3	31.1	20.1	17.0	0			37	8.5	52.0	N	8.7	9.4
4	27.5	34.4	21.5	18.6	0			34	9.7	49.9	NE	3.6	8.2
5	29.6	37.9	23.2	19.4	0			31	9.7	47.7	NE	5.2	9.4
6	28.8	37.3	23.6	19.4	0			33	9.9	48.0	NE	5.0	8.7
7	27.7	35.0	22.4	19.6	0			42	11.7	48.2	SSW	3.2	8.1
8	28.6	35.6	23.2	20.4	0			43	12.3	48.0	N	1.7	7.3
9	29.5	36.1	24.9	19.9	0			33	10.2	48.0	NE	7.2	9.3
10	28.2	34.7	23.3	20.5	0			44	12.5	48.1	NW	2.7	7.1
11	26.8	32.1	22.5	21.4	0			59	15.3	48.0	NW	3.4	5.3
12	23.4	27.8	21.9	19.3	0	1.1	2.70	68	14.4	48.1	NNE	5.9	3.8
13	24.0	29.1	20.9	19.5	0			66	13.9	49.7	S	5.0	4.4
14	25.5	31.3	20.8	20.5	0			62	14.4	51.2	S	1.7	5.1
15	28.9	35.9	22.4	20.7	0			46	12.5	51.2	NE	3.9	6.5
16	28.8	34.8	24.0	19.7	0			40	11.4	49.7	NE	4.6	8.6
17	24.9	33.8	20.1	20.4	0	26.3	2.33	62	14.1	48.6	NE	0.4	4.7
18	24.5	28.6	21.5	19.2	0			62	13.5	50.1	N	6.4	4.3
19	24.7	30.1	20.1	17.9	0			46	10.7	52.8	NNE	4.4	6.3
20	25.0	30.6	20.0	17.9	0			45	10.5	52.4	NE	3.7	6.4
21	26.3	33.6	20.4	18.7	0			41	10.7	50.7	NE	2.3	6.7
22	25.9	31.3	20.8	18.2	0			43	10.5	49.6	NE	5.8	6.9
23	25.5	30.1	21.8	18.4	0			46	11.1	49.3	NNE	8.6	6.6
24	25.1	30.8	21.9	19.0	0			50	12.0	50.2	NE	8.4	7.3
25	25.3	30.7	21.4	19.5	0			51	12.7	51.9	NNE	3.9	5.9
26	26.0	31.0	22.2	19.2	0			49	12.1	53.1	NE	4.7	8.8
27	25.5	30.9	21.3	17.2	0			40	9.2	52.5	NNE	5.7	6.7
28	25.4	30.9	21.8	17.1	0			41	9.2	51.1	NW	7.7	8.5
29	25.2	30.6	20.9	17.1	0			39	9.2	51.0	NNE	5.1	7.4
30	25.8	34.2	21.2	19.0	0			46	11.8	51.8	NNW	3.3	7.2
31	26.3	34.1	21.4	19.9	0			52	12.9	51.8	NE	1.2	5.5
Sum					0	27.4	5.03				NE		217.5
Avg.	26.3	32.5	21.8	19.0				46	11.5	750.3	(6)	4.7	7.0

: 1942 Month : August

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
11.9	0.3	7	7	32.4	37.8	29.3	28.5	27.4	25.6		1
11.7	0.7	7	7	27.1	33.9	28.9	28.5	27.4	25.5		2
12.1	1.0	7	9	27.7	36.9	28.5	28.3	27.4	25.7		3
12.2	0.7	8	8	28.3	37.8	28.7	28.2	27.2	25.8		4
11.9	0.7	8	8	31.3	39.9	29.3	28.6	27.6	25.8		5
12.5	0.3	8	8	33.6	40.8	29.8	28.9	27.7	25.9		6
12.0	0.0	7	7	29.0	37.6	29.8	29.2	27.8	26.1		7
11.6	0.3	7	8	31.5	37.6	29.5	29.0	27.8	25.7		8
11.6	0.0	7	7	28.4	39.8	29.8	28.9	27.8	25.8		9
11.7	1.3	6	7	30.9	39.5	29.9	29.2	28.1	26.3		10
8.1	4.0	7	7	32.7	32.9	30.1	29.3	28.0	26.3		11
2.9	9.3	5	7	20.6	22.6	28.8	28.5	27.8	26.3	◍¹ ◍² ≷¹	12
6.1	6.0	7	7	23.3	28.0	27.8	27.8	27.6	26.2		13
11.0	1.3	7	7	26.0	33.3	27.5	27.5	27.4	26.2		14
11.6	0.7	7	8	28.7	36.8	28.1	27.6	27.2	25.9		15
11.7	0.7	9	8	28.0	37.2	28.8	28.0	27.4	25.7		16
3.0	4.0	6	8	28.5	34.1	28.7	28.3	27.4	26.0	◍² ≷²	17
10.9	4.3	7	7	26.0	25.5	27.4	27.6	27.1	26.0		18
5.6	4.0	6	8	25.0	28.6	26.4	26.6	27.0	25.7		19
11.6	2.0	7	8	25.6	30.0	26.7	26.8	26.5	25.6		20
10.5	3.0	7	8	26.1	31.4	26.9	26.8	26.4	25.4		21
7.2	4.0	8	8	27.9	31.3	27.3	27.0	26.4	25.3		22
11.6	2.0	8	8	27.1	32.8	27.5	27.2	26.5	25.4		23
11.4	1.7	7	8	28.4	33.8	27.1	27.5	26.4	25.4		24
9.6	3.0	7	7	28.6	33.7	27.5	27.4	26.6	25.5		25
10.5	2.7	6	5	27.5	32.2	27.6	27.4	26.6	25.5		26
11.2	1.0	5	8	27.9	34.5	27.5	27.4	26.6	25.5		27
12.1	0.7	7	8	25.9	33.8	27.6	27.3	26.7	25.8		28
10.3	1.0	7	8	26.7	33.1	27.3	27.4	26.6	25.5		29
8.4	2.7	7	8	23.8	33.7	27.3	27.3	26.8	25.6		30
8.6	1.7	6	8	25.6	34.4	27.6	27.2	26.7	25.5		31
313.1										◍1, ◍2, ≷2.	
	2.1	6.9	7.6	27.8	34.1	28.2	27.9	27.2	25.7		

Year : 1942 Month : Septemb

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4) (7)
1	26.3	30.2	22.1	19.4	0			49	12.3	750.5	NNE	3.7	5.9
2	26.1	31.5	22.0	18.8	0			45	12.1	52.6	N	7.9	7.8
3	25.4	29.2	20.0	16.6	0			48	9.7	55.2	NE	8.7	6.2
4	23.4	29.5	19.6	16.4	0			46	9.3	54.7	N	9.7	6.4
5	23.1	28.1	20.0	17.1	0			51	10.5	52.0	NE	9.0	5.9
6	23.3	29.5	19.8	16.2	0			44	10.0	50.4	NE	6.5	6.2
7	24.3	30.8	19.5	16.6	0			41	9.0	51.0	NNE	2.1	6.6
8	25.2	30.6	20.5	17.5	0			40	9.6	51.9	NE	7.2	7.4
9	26.0	34.1	21.4	18.8	0			45	11.2	51.4	N	1.4	6.7
10	21.0	23.4	18.2	15.5	0	0.0	0.62	57	10.2	53.0	NE	9.2	5.3
11	21.4	26.9	16.6	15.6	0			48	9.2	56.4	NNE	7.9	5.3
12	21.5	25.5	18.3	15.4	0			48	9.0	57.0	NE	6.4	5.6
13	23.0	31.1	17.3	16.2	0			43	8.9	55.8	NE	3.4	5.7
14	23.2	28.1	17.9	17.1	0			49	10.3	56.7	SSW	1.2	6.0
15	24.8	30.7	20.0	17.5	0			43	9.8	57.5	NE	4.4	7.4
16	23.8	30.8	19.7	17.9	0			51	11.1	55.9	NNE	3.7	6.9
17	24.1	31.7	19.6	18.6	0			56	12.5	53.4	SW	1.8	5.2
18	25.3	32.9	20.4	18.6	0			50	11.3	52.7	NNE	2.3	6.2
19	26.1	34.4	20.8	19.1	0			50	12.0	53.9	SSW	1.2	5.9
20	26.8	32.8	21.9	18.9	0			42	10.8	53.9	NNE	4.4	7.1
21	26.2	31.4	21.7	18.9	0			48	11.5	52.0	NE	2.3	6.2
22	25.3	30.9	20.9	18.2	0			51	12.3	50.6	SSW	1.6	6.0
23	25.0	31.0	21.0	20.3	0			59	14.3	51.2	S	0.7	4.9
24	26.6	32.2	21.3	19.9	0			49	12.8	51.1	S	3.2	6.3
25	27.2	33.8	22.4	20.9	0			50	13.6	50.7	S	1.2	7.5
26	26.9	34.2	22.6	18.8	0			45	11.3	50.8	NE	4.6	6.4
27	24.1	29.4	20.1	19.5	0			61	13.9	49.7	SW	2.9	5.2
28	23.2	27.0	19.6	19.9	0	0.0	0.08	72	15.0	49.2	S	0.9	3.5
29	24.5	30.4	19.7	20.5	0			71	15.1	51.6	S	1.2	4.2
30	24.6	30.2	19.9	19.2	0			59	13.0	54.7	SSW	1.4	4.5
Sum					0	0.0	0.70				NE		180.4
Avg.	24.5	30.4	20.2	18.2				50	11.4	752.9	(6)	4.1	6.0

: 1942 Month : September

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Green	Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
8.5	2.3	7	7	25.9	31.4	27.5	27.3	26.8	25.6		1
10.1	1.0	6	9	27.0	33.7	27.2	27.0	26.6	25.3		2
10.5	1.0	6	7	26.3	31.6	27.0	26.9	26.4	25.2		3
11.0	1.0	6	8	24.1	31.2	26.5	26.6	26.4	25.4		4
11.3	1.3	7	7	24.2	30.8	26.3	26.4	26.3	25.5		5
10.3	0.7	7	8	23.7	34.8	26.1	26.3	26.1	25.3		6
9.7	4.3	6	9	25.7	31.7	26.0	26.3	26.2	25.4		7
9.9	0.3	6	8	25.5	31.1	26.2	26.3	26.0	25.3		8
8.6	1.0	5	6	28.4	33.8	26.2	26.4	26.2	25.3		9
6.3	6.0	7	8	19.2	23.4	26.0	25.9	25.7	25.0	$\mathcal{9}^0$	10
-	4.7	7	8	23.5	28.4	24.8	25.6	25.6	25.0		11
8.5	3.7	7	8	22.3	26.7	25.0	25.2	25.5	24.9		12
10.4	1.3	8	8	25.2	32.2	24.9	25.1	25.3	24.8		13
10.8	0.0	8	9	27.1	29.6	25.0	25.2	25.3	24.8		14
10.6	0.7	7	7	24.7	32.0	25.1	25.2	25.2	24.5		15
11.1	0.7	6	8	24.9	31.6	25.3	25.2	25.0	24.5		16
10.5	0.3	6	8	24.4	29.6	25.4	25.3	25.2	24.5		17
9.9	0.7	5	6	24.5	26.5	25.6	25.4	25.2	24.5		18
10.4	0.3	6	7	26.6	31.8	25.9	25.4	25.2	24.5		19
10.6	0.3	6	7	26.8	32.0	26.0	25.7	25.3	24.2		20
10.4	0.3	7	7	25.1	29.5	26.1	25.9	25.2	24.6		21
9.7	0.3	6	8	26.1	29.4	25.9	26.2	25.4	24.6	Ω^0	22
9.0	2.0	6	7	26.3	26.2	25.9	25.2	25.4	24.7		23
7.9	5.0	7	8	26.6	30.0	25.8	25.5	25.3	24.6		24
8.7	2.0	7	7	28.1	30.2	26.1	25.7	25.3	24.4		25
9.6	0.3	7	8	26.0	29.3	25.9	25.6	25.2	24.6		26
9.9	0.3	7	7	24.5	26.9	25.2	25.4	25.2	24.5		27
5.1	3.3	7	8	23.2	25.2	25.1	25.4	25.2	24.3	$\mathcal{9}^0$	28
10.2	0.7	7	8	26.0	27.7	24.9	25.0	25.0	24.4	Ω^2	29
9.5	0.3	7	8	24.7	27.1	25.0	25.0	24.7	24.3		30
279.0										$\mathcal{9}_2, \Omega_2.$	
	1.5	6.6	7.6	25.3	29.9	25.8	25.8	25.6	25.1		

Year : 1942 Month : October

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure(mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	24.4	29.7	20.8	17.6	0			48	10.3	754.8	NE	9.0	5.9
2	22.3	26.4	19.4	15.1	0			47	8.3	52.8	NE	9.7	6.7
3	20.6	25.3	17.3	13.9	0			46	7.4	51.1	NNE	8.4	6.7
4	18.5	20.2	16.3	14.8	0	1.5	0.80	69	10.5	53.1	N	5.7	3.1
5	20.6	25.0	17.2	16.7	0	0.0	0.25	62	11.5	55.8	NE	8.9	4.4
6	21.4	27.4	16.8	17.4	0			62	11.8	57.5	NNW	2.3	3.9
7	20.9	27.4	15.8	17.2	0			64	11.9	57.5	S	0.4	3.5
8	21.8	28.9	16.8	16.8	0			55	10.5	56.8	NE	2.2	5.1
9	21.1	26.8	17.2	16.2	0			55	9.7	53.2	S	1.6	5.1
10	20.2	25.9	17.5	14.7	0	0.3	0.39	70	12.0	50.8	W	2.3	3.5
11	18.6	24.6	14.5	14.8	0	0.1	1.00	67	10.3	53.4	E	4.4	3.6
12	17.8	24.2	16.0	13.4	0	0.0	0.15	55	8.3	56.2	N	1.1	3.9
13	19.1	25.1	14.6	15.2	0			61	10.1	56.2	NE	3.7	3.4
14	19.2	24.0	16.6	16.1	0	0.9	0.78	70	11.6	53.7	SW	0.4	2.5
15	16.4	20.1	15.5	14.9	2	6.7	3.08	84	11.8	52.5	NE	2.1	1.0
16	15.5	18.4	12.1	13.3	2	33.8	12.00	76	9.9	50.9	NE	7.7	2.0
17	16.8	21.3	13.0	12.3	1			59	8.2	51.3	N	3.6	3.2
18	18.5	23.6	13.7	14.8	0			59	9.7	50.9	SE	2.2	3.7
19	20.2	24.9	15.8	17.0	0			66	12.0	48.4	SW	2.7	4.7
20	15.2	20.2	13.8	16.0	3			69	8.5	52.9	NE	8.4	2.9
21	14.3	17.2	12.8	10.9	4			62	7.4	57.2	NE	3.2	2.8
22	14.4	21.8	9.0	11.4	4			65	8.1	55.4	N	2.7	2.9
23	15.7	18.8	11.9	14.0	2	0.0	0.07	78	10.4	51.9	SE	0.4	1.8
24	14.9	18.6	13.3	12.4	3	7.4	8.50	76	9.1	50.1	SE	2.7	1.6
25	14.7	17.6	13.0	12.4	3	0.0	0.33	75	9.1	50.4	NW	2.7	1.7
26	16.5	22.3	13.0	14.4	1	2.7	0.88	77	10.7	52.0	N	0.7	1.9
27	17.1	22.1	13.9	15.2	1			81	11.5	53.2	N	1.7	1.6
28	17.9	22.0	13.1	16.5	0			81	12.6	55.0	S	1.2	1.6
29	18.2	22.1	15.8	17.3	0	0.0	0.15	86	13.7	53.4	NE	1.6	1.1
30	16.7	22.4	14.2	14.8	1	2.8	2.00	76	11.0	53.7	NNE	5.4	2.1
31	16.7	22.5	12.6	14.0	1			69	9.8	55.9	NE	2.0	2.2
Sum					28	56.2	30.38				NE		100.1
Avg.	18.3	23.1	15.0	14.8				67	10.3	753.5	(6)	3.6	3.2

r : 1942 Month : October

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
4.9	5.3	6	7	24.6	27.0	24.9	24.7	24.6	24.0		1
9.7	1.0	8	7	21.6	25.7	24.4	24.4	24.4	23.9		2
7.5	5.3	6	8	22.1	24.7	23.7	24.1	24.4	24.0		3
0.2	9.3	7	6	16.6	16.4	22.8	23.3	24.0	23.8	◎¹ ☾¹	4
8.3	2.7	8	8	21.8	25.1	22.2	23.0	23.7	23.7	☾¹	5
7.1	3.0	6	8	23.3	26.5	22.5	22.9	23.6	23.7	☊⁰	6
9.5	1.0	6	7	20.7	23.2	22.7	23.0	23.5	23.4		7
9.1	0.7	7	8	22.5	25.4	22.8	23.1	23.3	23.2	☊⁰	8
9.8	0.7	8	7	20.9	23.4	22.8	23.0	23.4	23.3		9
3.9	5.3	5	5	21.4	23.4	22.7	22.9	23.2	23.2	☾⁰ ☊²	10
4.9	7.0	8	8	20.1	20.5	21.9	22.4	23.0	23.0	◎⁰ ☾² ≺⁰ ☊¹	11
8.9	1.3	7	8	18.3	21.0	21.7	22.2	22.8	22.9	☾⁰ ≺⁰	12
5.1	9.0	7	9	20.5	23.5	21.7	22.2	22.8	22.7		13
1.6	9.7	7	5	18.3	20.4	22.0	22.2	22.6	22.7	☾¹ ≺⁰	14
0.1	9.3	6	7	15.7	15.4	21.1	21.5	22.3	22.4	◎¹ ☾ ☈¹	15
1.3	9.0	5	6	15.9	15.1	19.7	20.0	21.7	22.0	◎² ☾ ☈¹	16
7.6	5.3	7	9	17.6	16.2	18.9	19.9	21.3	21.9		17
9.3	7.7	7	7	18.7	18.2	18.6	19.6	20.9	21.5	⊖ ⊕⁰ ☊⁰	18
8.3	4.7	9	9	18.2	20.4	19.5	19.9	20.8	21.7	⊖	19
1.5	8.3	8	9	13.3	14.9	19.2	19.6	20.3	21.0		20
0.9	7.3	7	8	13.9	14.5	18.4	18.9	20.2	20.9		21
9.6	1.3	8	9	16.3	15.6	17.8	18.4	19.7	20.8	☊¹	22
2.1	9.3	8	7	14.8	15.0	17.8	18.4	19.5	20.5	☾⁰ ☊¹	23
4.1	9.3	9	9	15.5	15.2	18.0	18.4	19.4	20.3	◎⁰⁻¹ ☾	24
1.4	8.3	7	8	15.5	15.4	17.5	18.2	19.3	20.2	☾² ☽⁰	25
6.8	4.7	7	9	16.9	16.2	17.5	18.1	19.1	19.9	◎¹	26
8.5	4.7	7	6	18.5	16.7	17.6	18.1	19.0	19.8	☊²	27
6.3	4.7	7	6	17.7	18.4	17.7	18.2	18.9	19.7	≺⁰ ☊²	28
3.7	7.3	7	6	18.5	18.6	18.2	18.3	18.9	19.7	☾⁰ ≺⁰ ☊⁰	29
6.2	5.7	7	8	18.1	17.4	18.2	18.4	18.9	19.6	◎¹	30
8.7	2.7	7	9	14.6	15.3	17.6	18.0	18.7	19.4	☊²	31
176.9										◎7, ☾12, ☈2, ≺5,	
	5.5	7.1	7.5	18.4	19.5	20.4	20.8	21.6	21.9	☋1, ⊕1, ☿1, ☊11.	

Year : 1942 Month : November

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure (mm) at 0°C	Wind (1)		Total evaporation (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.) (5)	
1	16.6	22.9	11.3	13.6	1			70	9.7	756.4	W	1.0	2.3
2	17.3	21.0	13.5	16.1	1			83	12.5	53.9	SSW	0.9	1.7
3	18.2	23.1	15.5	14.8	0			69	10.3	53.9	NE	1.7	2.3
4	16.5	21.8	12.6	13.3	1			68	9.3	54.7	N	1.1	2.6
5	16.3	23.1	12.3	13.7	2			71	9.6	54.8	NNE	1.0	2.3
6	17.0	21.4	17.7	16.5	1			80	12.4	55.5	SW	0.8	2.0
7	17.4	21.5	14.6	15.6	1	-	-	81	11.6	52.2	SW	1.0	2.1
8	18.0	22.2	15.6	13.3	0	0.4	0.30	61	8.3	47.6	NW	2.6	3.2
9	16.4	21.4	12.3	13.5	2			68	9.4	51.1	SSW	0.8	2.5
10	17.7	20.6	13.7	16.0	0	0.0	0.08	77	12.0	51.0	SE	4.4	2.4
11	17.9	21.3	13.6	14.1	0			61	9.6	53.3	WSW	2.3	4.9
12	16.8	21.2	12.9	13.3	1			63	9.0	53.0	SSW	0.7	4.3
13	15.2	18.3	11.5	12.2	3	0.2	-	72	8.8	54.6	N	1.1	2.1
14	12.5	14.0	12.0	10.8	5	3.0	6.33	81	8.7	55.6	NNE	3.8	1.4
15	10.8	13.3	9.9	8.2	7			72	6.7	57.1	NNE	6.5	2.0
16	8.2	13.2	7.6	6.7	10	0.0	0.13	77	6.3	54.1	NNE	3.1	1.8
17	9.9	14.3	4.3	7.7	8			70	6.2	49.2	SSW	0.9	1.8
18	15.0	19.0	4.6	12.9	3	2.3	-	74	9.4	43.3	SSW	3.5	2.1
19	10.5	17.2	9.9	7.7	7	2.8	5.22	73	6.8	40.7	NW	4.1	4.7
20	8.2	13.8	6.7	6.0	10	0.0	0.17	70	5.7	49.4	NW	5.0	2.8
21	8.0	12.1	6.6	6.2	10	0.0	0.33	73	5.9	54.6	NNE	2.9	1.4
22	10.4	15.7	6.7	9.3	8			75	7.4	54.2	N	0.7	1.2
23	9.9	11.3	7.2	8.0	8	0.0	0.67	76	6.5	54.9	NNE	3.2	1.2
24	10.4	11.8	9.3	9.7	8	21.7	14.33	88	8.6	50.1	N	-	0.6
25	10.5	12.0	9.4	8.6	7	8.7	3.33	76	7.1	55.5	NNE	-	1.6
26	9.7	14.6	8.1	7.5	8	-		70	6.2	59.1	NNE	4.7	2.1
27	9.6	12.2	4.8	8.4	8	0.2	1.00	78	7.2	54.4	N	0.7	1.1
28	14.9	18.7	7.4	13.8	3	2.0	1.33	80	10.3	49.2	SSW	1.3	0.7
29	14.0	18.3	11.3	12.2	4	0.8	1.58	71	8.7	50.1	W	1.2	3.0
30	12.7	14.6	10.8	12.2	5	3.7	2.05	84	9.8	49.8	SE	0.7	1.0
Sum					132	45.8	-				NNE		65.2
Avg.	13.5	17.5	10.5	11.5	.	.		74	8.7	752.5	(6)	2.2	2.2

: 1942 Month : November

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
9.4	0.3	7	8	16.6	15.9	17.2	17.6	18.6	19.4	Ω^1	1
9.0	1.0	7	8	16.6	16.5	17.5	17.8	18.5	19.4	Ω^2	2
9.0	5.7	8	7	19.3	19.1	18.5	18.1	18.6	19.4	Ω^0	3
8.4	5.0	5	6	15.7	16.4	18.0	18.2	18.6	19.3	$\oplus^1$ Ω^1	4
9.1	3.0	6	9	17.1	17.1	17.8	18.0	18.5	19.2	Ω^1	5
7.4	4.3	6	7	16.5	16.6	17.6	18.0	18.4	19.1	Ω^2	6
3.6	10.0	7	6	15.6	16.7	17.7	18.0	18.5	19.1	Ω^2	7
4.3	3.3	8	9	18.6	18.6	18.0	18.0	18.5	19.1	$\circ^0$ Ω^1	8
7.8	5.3	7	8	16.0	16.3	17.6	17.9	18.4	19.0	$\angle^0$ Ω^2	9
2.9	8.3	5	5	16.6	17.3	17.8	18.1	18.4	19.0	$\circ^0$ $\angle^0$ $\cap^1$	10
8.9	3.0	8	9	18.1	18.1	17.9	18.0	18.4	19.1	$\angle$	11
8.0	6.3	7	8	16.1	16.4	17.6	17.9	18.2	18.8	Ω^0	12
3.0	8.0	6	6	14.3	14.8	17.5	17.7	18.2	18.7	$\circ^0$ Ω^2	13
0.0	8.3	5	5	10.5	11.4	16.7	17.2	17.9	18.6	$\circ^{0-1}$ $\circ^0$	14
4.5	8.3	7	7	10.0	10.6	15.2	16.2	17.3	18.2	$\cap^0$	15
0.7	7.3	6	7	7.4	8.8	14.3	15.4	16.7	18.1	$\circ$ Ω^2	16
5.7	7.0	9	8	9.1	9.4	13.4	14.8	16.3	17.7	$\sqsubset^0$ Ω^1	17
0.8	9.0	6	6	15.4	13.8	14.3	14.9	16.2	17.8	$\circ^{0-1}$ $\circ^0$	18
0.0	9.7	9	7	8.7	9.8	14.5	14.9	15.7	17.6	$\circ^1$ $\circ^1$	19
1.4	8.7	8	8	7.2	7.8	13.1	14.3	15.2	17.2	$\circ^0$	20
0.0	9.0	6	5	6.4	7.1	12.4	13.5	14.9	16.8	$\circ^{0-1}$ $\circ^1$	21
4.4	8.0	7	6	12.3	11.2	12.3	13.4	14.8	16.7		22
0.0	10.0	4	5	8.8	9.2	12.5	13.4	14.6	16.4	$\circ^0$ $\angle^0$ Ω^1	23
0.0	10.0	3	2	9.3	9.9	12.8	13.4	14.4	16.3	$\circ^2$ $\circ^1$ $\angle^0$	24
1.2	8.0	6	7	8.9	9.2	12.9	13.3	14.3	16.0	$\circ^2$	25
7.8	1.3	5	8	9.8	8.5	12.3	12.9	14.2	15.7		26
1.1	9.0	7	4	8.3	8.6	11.5	12.5	13.9	15.5	$\circ^1$ $\angle^0$ Ω^1	27
2.8	5.3	6	6	13.8	13.3	12.7	13.1	14.1	15.5	$\circ^{0-1}$	28
5.3	6.3	6	9	16.2	13.2	13.3	13.4	14.2	15.5	$\circ^{0-1}$	29
0.0	8.0	4	4	11.6	12.0	13.2	13.6	14.2	15.4	$\circ^1$ $\circ^{0-1}$ $\angle^0$ $\cap^0$	30
126.5										$\circ$10, $\circ$12, $\angle$7, $\oplus$1,	
	6.6	6.4	6.7	13.0	13.1	15.3	15.8	16.0	17.8	$\cap$3, $\sqsubset$1, Ω15.	

Year : 1942 Month : December

Date	Air temperature (°C)					Precipit.		Average of			Wind (3)		
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure(mm) at 0°C (1)	Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	13.5	17.3	11.2	12.3	4	6.4	2.58	87	9.9	750.5	N	1.8	0.7
2	12.7	18.6	10.6	11.5	5	0.4	0.25	82	8.8	52.4	N	0.7	1.2
3	12.6	16.3	10.1	11.3	5			85	9.0	53.4	N	0.6	1.0
4	13.0	17.2	10.1	11.6	5			81	9.2	54.7	SSW	0.8	1.0
5	10.1	13.8	8.7	7.8	8			72	6.6	59.0	NNE	5.2	1.4
6	8.8	15.0	4.6	6.1	9			65	5.4	57.7	N	2.4	2.2
7	12.0	17.8	4.9	10.6	6			78	8.3	57.6	N	0.8	1.4
8	12.7	18.4	8.9	11.2	5			81	8.7	60.9	N	1.0	1.0
9	13.3	17.8	9.7	11.9	5			84	9.4	58.2	S	0.8	1.0
10	12.5	17.6	9.0	9.5	5			69	6.9	58.2	NNE	3.4	1.9
11	9.2	11.0	8.8	6.4	9			66	5.5	61.2	NNE	5.9	2.1
12	7.9	13.3	5.6	5.4	10			64	4.9	60.8	NNE	4.2	2.1
13	7.1	9.2	3.0	5.5	11			70	5.3	61.3	N	1.2	1.2
14	8.8	12.9	4.6	7.2	9			72	6.0	60.3	NE	1.0	1.4
15	8.9	14.2	5.2	6.9	9			71	5.8	57.9	S	0.3	1.3
16	10.6	15.9	5.3	8.8	7			78	7.3	57.8	NNE	0.4	1.4
17	11.3	15.8	6.9	10.0	7			85	8.3	58.8	N	0.3	0.6
18	12.1	15.2	9.0	10.6	6			82	8.5	58.4	NNW	0.1	0.8
19	12.5	16.8	9.5	11.0	5			80	8.5	57.8	SE	0.4	1.2
20	12.5	16.4	10.3	10.9	5			81	8.6	59.2	NE	0.4	1.1
21	10.3	13.8	7.6	8.0	8			76	6.9	60.0	N	1.2	1.2
22	9.6	14.6	6.6	7.8	8			70	6.3	60.7	N	0.9	1.3
23	9.5	13.4	6.6	7.1	8			68	6.0	60.9	WNW	0.6	1.4
24	9.8	14.9	6.7	7.7	8			70	6.2	59.1	N	5.0	1.7
25	9.3	12.9	7.6	6.5	9			65	5.4	58.3	NNE	6.4	2.4
26	8.6	11.9	6.9	5.8	9			62	5.0	54.7	NNE	7.5	2.3
27	8.9	10.7	7.0	7.3	9	0.6	1.58	73	6.5	53.7	NNE	6.5	2.0
28	8.9	9.6	8.1	7.9	9	11.9	15.50	85	7.3	55.2	NNE	5.6	0.6
29	8.8	10.9	6.9	6.6	9	0.3	1.50	73	6.1	54.2	NNE	5.0	1.5
30	10.1	13.5	7.4	9.1	8	0.2	0.25	82	7.9	51.7	NNW	0.4	0.8
31	11.4	16.6	7.3	10.0	7			82	8.2	55.0	SW	0.3	0.9
Sum					227	19.8	21.66				NNE		42.1
Avg.	10.6	14.6	7.6	8.7				75	7.2	757.4	(6)	2.3	1.4

r : 1942 Month : December

Total sunshine (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1.2	9.0	6	9	13.2	12.9	13.7	13.8	14.3	15.4		1
4.3	5.7	6	8	11.7	11.8	13.7	13.9	14.4	15.3		2
1.4	7.3	9	6	11.6	11.5	13.5	13.9	14.4	15.4		3
4.5	4.3	6	7	12.5	11.9	13.8	14.1	14.4	15.4		4
4.6	5.7	6	5	8.7	8.8	13.0	13.5	14.2	15.2		5
8.4	1.0	6	6	7.6	7.7	11.5	12.7	13.8	15.0		6
8.4	1.7	5	5	9.8	10.0	11.5	12.4	13.6	14.9		7
4.1	4.7	6	7	10.6	11.6	12.3	12.7	13.6	14.9		8
5.2	5.7	5	5	13.0	12.8	12.7	13.2	13.7	14.9		9
7.9	2.3	6	7	9.8	10.1	12.6	13.0	13.7	14.7		10
2.1	5.0	5	5	6.7	7.0	11.8	12.4	13.4	14.6		11
7.4	1.3	6	8	6.3	6.7	10.8	11.7	13.0	14.3		12
0.0	9.3	7	7	6.7	6.9	9.9	11.2	12.6	14.2		13
2.4	9.0	7	7	7.9	8.2	10.1	11.0	12.5	14.0		14
7.8	1.0	3	4	7.2	7.0	9.8	10.9	12.4	13.8		15
7.9	3.0	3	4	8.7	8.4	10.1	10.9	12.1	13.5		16
2.4	7.3	8	8	9.3	10.0	10.7	11.2	12.2	13.9		17
0.3	9.3	4	5	10.9	11.7	11.3	11.5	12.4	13.7		18
3.7	7.3	7	6	11.8	11.7	12.0	11.9	12.5	13.8		19
2.1	9.0	6	7	11.6	12.0	12.2	12.3	12.7	13.8		20
2.6	5.7	7	5	8.2	9.2	11.9	12.1	12.6	13.7		21
3.5	7.0	8	8	7.6	8.4	11.3	11.6	12.5	13.6		22
3.7	7.7	7	7	6.0	7.4	10.9	11.4	12.4	13.6		23
7.1	2.3	6	9	8.2	8.5	10.5	11.1	12.2	13.4		24
7.9	5.3	7	7	8.3	8.5	10.4	11.1	12.0	13.3		25
6.9	7.7	6	9	8.1	8.2	10.3	11.0	11.8	13.2		26
0.1	10.0	7	7	7.5	8.4	10.4	10.9	11.8	13.2		27
0.0	10.0	5	5	7.6	8.1	10.5	11.8	11.7	13.1		28
3.0	7.7	8	8	7.1	7.4	10.2	10.7	11.6	13.0		29
0.3	8.7	7	6	9.7	9.6	10.4	10.9	11.7	13.0		30
7.7	5.0	6	5	8.8	9.7	10.7	11.0	11.8	12.9		31
129.4											
	6.0	6.2	6.5	9.1	9.4	11.4	12.0	12.9	14.1		

YEAR : 1942

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (1) (base 18°C)	Average of Wet bulb tempr. (3)	Average of Relative humid.(%) (1)	Average of Vapor pressure (mm) (3)	Sunshine hr (8) Total	Sunshine hr (8) Possible
JAN.	6.8	10.2	3.7	16.0	8	-4.4	2	344	5.8	81	6.2	62.3	393
FEB.	10.0	13.2	7.2	18.1	27	2.5	5	222	8.3	77	7.2	77.4	300
MAR.	10.7	15.0	7.7	19.3	29	1.4	22/23	226	9.0	77	7.5	114.0	368
APR.	14.9	20.1	11.1	25.1	28	5.0	2	90	12.1	68	8.6	231.4	399
MAY	21.2	26.5	16.6	34.0	30	11.1	7	7	16.5	58	10.8	286.5	438
JUNE	25.9	31.3	21.3	41.9	20	17.1	5	0	19.4	51	12.2	281.7	439
JULY	26.6	32.6	21.8	40.3	13	17.2	1	0	19.5	47	12.0	343.3	446
AUG.	26.3	32.5	21.8	37.9	5	20.0	20	0	19.0	46	11.5	313.1	418
SEPT.	24.5	30.4	20.2	34.4	19	16.6	11	0	18.2	50	11.4	279.0	370
OCT.	18.3	23.1	15.0	29.7	1	9.0	22	28	14.8	67	10.3	176.9	344
NOV.	13.5	17.5	10.5	23.1	3/5	4.3	17	132	11.5	74	8.7	126.5	301
DEC.	10.6	14.6	7.6	18.6	2	3.0	13	227	8.7	75	7.2	129.4	194
YEAR	17.4	22.2	13.7	41.9	June 20	-4.4	Jan. 2	1276	13.6	64	9.5	2.421.8	4.421

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11) Toward sea	Avg. Visibility (11) Toward land	Average soil temperature (°C) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days)	Minimum ≥ 20.0°C
JAN.	7.8	5.4	5.2	6.5	5.8	7.7	8.3	9.1	10.6	7	0	0	0	
FEB.	7.9	6.0	5.9	9.0	8.7	9.5	9.6	9.8	10.5	0	0	0	0	
MAR.	7.2	6.2	6.2	10.9	11.8	11.6	11.5	11.5	12.0	0	0	0	0	
APR.	5.7	7.1	7.0	19.4	15.7	15.9	15.1	14.5	14.2	0	0	1	0	
MAY	3.8	7.0	7.1	22.1	28.2	21.8	20.8	19.5	18.2	0	0	21	4	
JUNE	2.7	7.5	7.4	27.2	35.3	27.1	25.9	24.4	22.6	0	0	29	21	
JULY	1.4	7.1	7.3	29.1	36.1	28.5	27.7	26.5	24.8	0	0	31	25	
AUG.	2.1	6.9	7.6	27.8	34.1	28.2	27.9	27.2	25.7	0	0	31	27	
SEP.	1.5	6.6	7.6	25.3	29.9	25.8	25.8	25.6	25.1	0	0	29	20	
OCT.	5.5	7.1	7.5	18.4	19.5	20.4	20.8	21.6	21.9	0	0	10	0	
NOV.	6.6	6.4	6.7	13.0	13.1	15.3	15.8	16.6	17.8	0	0	0	0	
DEC.	6.0	6.2	6.5	9.1	9.4	11.4	12.0	12.9	14.1	0	0	0	0	
YEAR.	4.9	6.6	6.8	18.2	20.6	18.6	18.4	18.3	18.1	7	0	152	97	1

YEAR : 1942

	Average (mm) pressure at 0°C (1)	Wind (3) Avg. speed (M.p.s.)	Wind (3) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hours	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitat. (4)	Dew (4)	Hoarfrost (4)
N.	749.5	3.9	NNE	138.3	40.8	9	44.4	7	15	3	0	0	23	8	4
B.	48.9	4.5	S	62.7	34.6	2	50.7	8	7	0	1	2	13	16	1
R.	52.3	3.3	NNE	35.6	24.9	1	47.6	10	9	1	0	0	14	20	0
R.	51.7	3.2	S	22.2	8.9	13	89.1	8	5	0	0	0	11	13	0
Y	51.3	3.0	SW	0.4	0.3	19	164.1	2	3	0	0	0	4	1	0
NE	49.7	4.1	SSE	13.3	10.4	30	203.2	2	3	0	0	0	3	0	0
LY	50.3	4.6	NE	1.2	1.2	1	207.8	1	0	0	0	0	1	0	0
G.	50.3	4.7	NE	27.4	26.3	17	217.5	2	1	0	0	0	2	0	0
P.	52.9	4.1	NE	0.0	0.0	10.28	180.4	0	2	0	0	0	2	2	0
T.	53.5	3.6	NE	56.2	33.8	16	100.1	7	12	0	0	0	14	11	0
V.	52.5	2.2	NNE	45.8	21.7	24	65.2	10	12	0	0	0	16	15	1
C.	57.4	2.3	NNE	19.8	11.9	28	42.1	5	3	0	0	0	6	25	2
AR	751.7	3.6	NNE	422.9	40.8	Jan. 9	1.412.2	62	72	4	1	2	109	111	8

Month	Number of days: Snow cover	Clear (0.0-1.9 tenths) (3)	Partly cloudy 2.0-8.0 tenths (3)	Cloudy 8.1-10.0 (tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)
N.	2	0	15	15	1	4	2	0	0	1	0	0	0	3
B.	0	0	12	16	1	9	2	0	0	4	0	0	0	0
R.	0	2	13	16	5	5	2	0	0	1	0	1	0	0
R.	0	3	19	6	9	1	2	0	0	2	1	1	0	0
Y	0	11	19	1	10	0	1	0	0	3	0	0	0	0
NE	0	15	14	1	6	1	2	1	0	1	0	0	0	0
LY	0	21	10	0	20	0	0	1	0	0	0	0	0	0
G.	0	18	12	1	21	0	2	0	0	0	0	0	0	0
P.	0	21	9	0	15	0	0	0	0	0	0	0	0	0
T.	0	6	16	9	3	0	2	5	0	1	0	1	1	0
V.	0	3	16	11	4	6	0	7	0	1	0	0	3	0
C.	0	4	19	8	0	2	2	5	0	0	3	2	0	0
AR	2	106	174	84	95	28	17	19	0	14	4	5	4	3

Y E A R : 1942

Month	Frequency (%) of the wind direction															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	15.6	21.2	8.9	10.0	2.2	0.0	0.0	2.2	14.4	3.3	3.3	1.1	5.6	0.0	4.4	3.3
FEB.	2.4	13.1	14.2	3.6	7.1	3.6	4.8	6.0	17.8	1.2	3.6	2.4	3.6	2.4	3.6	1.2
MAR.	6.5	15.1	7.5	4.3	5.4	3.2	0.0	2.2	9.6	5.4	5.4	6.5	3.2	0.0	5.4	3.2
APR.	8.9	4.4	7.8	3.3	2.2	1.1	2.2	2.2	17.8	7.8	8.9	5.6	5.6	0.0	6.7	3.3
MAY	2.2	9.6	3.2	1.1	0.0	1.1	3.2	2.2	19.3	9.7	21.5	2.2	0.0	0.0	2.2	4.3
JUNE	2.2	5.6	4.4	3.3	3.3	0.0	0.0	5.6	17.8	15.6	12.2	6.7	12.3	2.2	4.4	3.3
JULY	6.5	16.1	26.8	2.2	0.0	0.0	1.1	0.0	7.5	14.0	3.2	3.2	3.2	2.2	2.2	2.2
AUG.	10.7	20.3	32.3	3.2	2.2	0.0	0.0	0.0	4.3	4.3	4.3	2.2	2.2	0.0	4.3	2.2
SEP.	8.9	17.8	27.8	1.1	1.1	0.0	1.1	0.0	10.0	7.8	2.2	2.2	0.0	0.0	0.0	1.1
OCT.	14.0	14.0	25.7	0.0	1.1	1.1	7.5	0.0	5.4	4.3	4.3	1.1	1.1	1.1	2.2	4.3
NOV.	9.4	16.8	8.3	1.8	2.1	0.3	2.5	1.3	4.5	6.4	6.1	3.6	2.8	1.6	5.1	4.3
DEC.	16.1	22.6	6.5	0.5	1.9	0.5	0.5	0.8	1.3	2.0	2.7	0.4	0.8	1.9	3.2	3.4
YEAR	10.9	17.5	10.7	1.9	2.2	0.6	1.7	1.4	6.5	5.4	5.3	2.5	2.5	1.4	3.8	3.4

REFERENCE NOTES

1) Average of 24 hourly values.

2) Day ending at 24 h.

3) Average of 8, 14 and 20 h observations.

4) Day ending at 20 h.

5) From Steffens-Hedde anemograph (mean instantaneous readings)

6) Monthly prevailing direction.

7) From Picho evaporimeter.

8) From Campbell- Stokes recorder.

9) Monthly possible sunshine uncorrected for the around topography.

110) At 14h observation.

YEAR 1943

Year : 1943 Month : January

Date	Air temperature (°C Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	(1) Wind (5) Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	13.9	17.3	7.7	11.5	4	0.3	0.50	75	8.4	753.5	SSW	1.8	1.7
2	13.1	16.5	9.4	9.9	5	0.0	0.02	70	7.2	47.7	SW	2.7	3.2
3	13.0	14.8	9.6	10.4	5	0.3	1.75	73	7.9	39.0	S	3.2	3.7
4	8.6	12.2	4.8	7.1	9	2.7	3.42	84	6.9	33.1	W	2.1	1.1
5	6.4	11.1	2.7	3.4	12	2.0	3.25	59	3.9	48.0	NW	1.8	2.1
6	8.6	11.5	2.7	6.5	9	0.0	0.50	71	5.8	53.6	NE	0.6	1.5
7	11.2	16.7	6.1	9.7	7	0.8	1.25	81	7.9	52.8	N	0.6	1.2
8	11.2	15.6	6.2	9.8	7	0.6	0.58	83	7.9	52.9	N	0.7	0.9
9	11.5	14.9	8.1	10.3	6	8.3	1.67	83	8.2	47.0	S	3.1	1.3
10	7.5	12.7	4.3	4.8	10	0.3	0.50	66	5.1	44.3	WSW	5.8	3.2
11	4.0	8.1	1.5	1.7	14	0.0	0.05	61	3.7	51.8	N	2.6	1.6
12	5.0	8.2	0.5	3.8	13	1.4	2.43	76	5.0	54.9	N	1.8	1.0
13	7.9	10.1	2.9	7.7	10	13.5	8.07	91	7.6	47.4	N	1.7	0.4
14	7.8	11.4	6.2	6.0	10	0.3	0.33	78	5.8	47.2	NW	3.0	1.1
15	8.0	10.2	4.6	6.7	10	0.4	3.92	80	6.6	50.5	N	1.1	1.0
16	10.0	12.4	5.4	8.3	8	6.1	3.50	79	6.9	44.8	WSW	1.8	1.4
17	6.6	10.2	3.7	4.7	11	1.5	1.50	78	5.5	49.0	N	1.9	1.1
18	5.3	7.6	2.8	4.3	13	0.0	0.50	80	5.3	51.4	N	0.8	0.7
19	5.3	7.9	3.0	3.5	13	0.0	2.17	71	4.6	52.4	NW	1.5	1.2
20	5.2	11.5	1.7	3.2	13			66	4.3	53.9	NNW	1.2	1.3
21	5.8	12.9	1.5	4.0	12			68	4.7	55.6	N	0.5	1.3
22	7.8	13.8	1.6	5.3	10			65	4.9	58.6	NNE	0.4	1.9
23	10.5	16.1	3.4	8.0	7			66	6.3	56.4	S	0.6	2.6
24	10.3	15.9	5.9	8.2	8			74	6.7	54.8	SE	0.2	1.8
25	10.4	16.4	6.2	8.8	8			76	7.1	54.9	N	0.2	1.4
26	6.3	10.4	3.4	4.5	12	4.7	8.33	82	5.6	51.1	N	2.7	0.7
27	1.0	4.4	-1.0	-0.7	17	3.7	9.00	75	3.4	52.3	N	7.7	1.1
28	2.3	6.3	-0.7	1.6	16			56	4.3	55.2	NW	1.5	1.7
29	3.6	7.9	-0.6	1.5	14	0.0	1.00	61	3.8	55.5	N	1.7	1.5
30	4.6	8.3	0.9	2.6	13			61	4.2	57.7	NNE	3.0	1.4
31	5.7	11.7	1.0	3.5	12			69	4.7	61.2	N	1.2	1.0
Sum					318	46.9	54.24				N		47.1
Avg.	7.7	11.8	3.7	5.8				73	5.8	751.2	(6)	1.9	1.5

r : 1943 Month : January

Total sunshine (hrs) (8)	Avg. Cloudiness (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green.	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
6.2	7.7	9	9	12.9	11.7	11.4	11.5	12.0	13.1	◍0-1 ⊕	1
6.1	4.3	8	9	11.6	10.9	11.6	11.7	12.2	13.2	◌1	2
0.8	7.3	8	6	10.7	11.6	11.7	11.8	12.3	13.2	◍0	3
1.3	9.7	7	8	7.7	8.1	11.4	11.6	12.2	13.3	◍1 ◌1 ∠0-1	4
7.3	2.0	8	9	4.9	4.8	10.1	10.9	11.7	12.9	◍0-1	5
0.2	8.7	6	7	7.1	7.8	9.9	10.6	11.5	12.7	◍0 ∠1	6
3.2	5.7	6	5	9.5	9.2	10.1	10.7	11.5	12.8	◍0 ≡ Ω2	7
1.5	5.7	7	7	9.8	9.7	10.6	10.9	11.5	12.7	◍0-1 ◌1 ⊕ ⊙0 Ω2	8
2.6	8.3	9	8	10.5	9.9	10.8	11.1	11.6	12.8	◍2 ◌0 ∠1 Ω1	9
2.6	7.3	8	8	5.8	6.1	10.2	10.8	11.6	13.0	◍0 ◌0	10
6.9	4.7	6	7	4.8	4.8	8.9	9.9	11.0	12.4	⚹	11
0.0	9.7	4	4	3.9	4.8	8.5	9.2	10.5	12.2	◍1 ◌1	12
0.0	10.0	3	2	6.6	7.1	8.2	9.2	10.6	12.2	◍1 ◌2 ∠0 ≡	13
5.2	6.7	8	9	7.2	7.5	9.1	9.4	10.4	12.0	◍0 Ψ0 Ω+2	14
1.0	9.7	6	6	6.4	7.2	9.0	9.4	10.4	11.7	◍1 ◌2 Ω0	15
1.0	7.7	9	9	8.6	8.5	9.4	9.8	10.5	11.9	◍1-2 Ψ0	16
1.6	4.7	6	7	5.4	6.1	9.1	9.5	10.4	11.5	◍0-1 Ω2	17
0.0	10.0	2	3	4.8	5.2	8.3	9.0	10.1	11.4	◌1-2 ∠0 Ω2	18
0.5	8.3	5	6	4.3	4.9	8.1	8.7	9.9	11.5	◌1 Ω0	19
8.7	1.7	7	8	5.2	4.3	7.5	8.4	9.6	11.3	⌴1-2	20
5.4	5.7	4	8	5.0	4.5	7.3	8.0	9.3	11.1	⌴1-2 Ω1	21
9.0	0.0	5	6	6.3	5.3	7.3	8.1	9.2	11.0	⌴2 Ω1	22
9.3	0.0	8	7	8.7	7.8	7.8	8.3	9.3	10.9	⌴0 Ω1	23
8.8	0.0	5	5	9.4	8.3	8.4	8.6	9.4	10.9	⌴0 Ω2	24
6.6	5.0	3	5	8.6	8.6	8.8	9.0	9.7	10.9	⊕0 Ω1	25
0.8	9.0	5	4	4.8	5.3	9.0	9.1	9.6	11.0	◍0 ◌1 ∠1	26
6.7	5.7	7	8	3.1	2.2	7.5	8.3	9.3	10.9	⚹0 ⊠	27
6.9	5.7	8	9	4.3	2.6	6.5	7.5	8.9	10.7	⌴2	28
5.8	5.3	6	6	4.1	3.3	6.2	7.1	8.7	10.5	⚹0 Ω1	29
4.0	4.3	4	4	2.9	3.4	6.3	7.1	8.5	10.4	⌴0 Ω1	30
8.3	4.3	6	7	5.2	4.5	6.6	7.1	8.3	10.2	⌴1 Ω1	31
128.3										◍16 ◌11 ⚹1, ⚹2, ⊼1, ⊻5	
	6.0	6.2	6.6	7.0	6.7	8.9	9.4	10.4	11.8	⊕3 ⊙1, Ψ2, Ω1, ≡2, Ω16, ⌴8, ⊠1.	

Year : 1943 Month : Februar

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	7.8	12.3	1.9	6.7	10			77	6.2	760.8	S	0.4	1.2
2	10.4	15.1	5.8	9.4	8			82	7.9	58.1	S	0.3	1.1
3	11.9	16.4	8.1	10.2	6			78	8.0	51.7	WSW	1.1	1.3
4	11.9	15.2	8.7	8.0	6			57	5.6	52.8	W	2.5	3.9
5	9.5	15.8	5.2	6.5	8			62	5.2	59.3	N	0.7	2.2
6	9.8	14.8	5.9	6.7	8			67	5.9	59.8	S	0.9	1.8
7	9.6	12.3	7.1	8.1	8	0.0	0.17	77	7.0	56.4	N	0.5	0.9
8	11.1	15.4	8.0	9.6	7			78	7.7	56.6	SSW	0.4	1.3
9	11.2	13.7	8.7	9.6	7	1.0	0.63	78	7.9	53.2	SE	4.7	1.9
10	8.0	9.6	5.2	5.6	10			69	5.4	54.9	N	4.5	1.8
11	7.2	8.2	5.9	5.7	11	4.5	5.77	75	5.8	52.7	N	7.1	1.3
12	8.3	9.2	6.1	6.1	10	7.9	5.75	72	5.7	49.1	N	10.0	1.6
13	7.6	12.9	4.0	4.8	10			63	4.5	49.0	NW	1.0	1.9
14	7.9	11.8	4.7	5.3	10			67	5.0	51.0	NE	1.6	1.3
15	7.9	13.0	2.9	4.1	10			54	4.0	56.3	W	0.8	2.3
16	9.3	14.9	3.9	6.8	9			65	5.7	54.4	SSW	0.8	1.8
17	11.7	16.8	5.0	10.0	6			76	7.7	57.3	SSE	1.6	1.5
18	12.8	16.6	8.3	10.2	5	0.0	0.45	75	7.5	59.2	SW	0.9	1.6
19	10.9	16.9	8.1	7.9	7			65	6.3	60.4	NE	2.8	2.0
20	9.0	13.2	5.4	6.4	9			63	5.4	59.7	N	4.0	2.4
21	8.9	15.6	3.9	5.7	9			58	4.6	55.9	NNE	4.7	2.4
22	7.2	9.8	5.4	4.0	11	0.0	0.13	55	4.3	61.5	NNE	7.0	2.8
23	8.2	14.2	3.9	5.6	10			55	4.6	61.6	NE	3.9	2.7
24	10.7	16.9	6.0	6.8	7			51	4.7	59.6	NE	4.5	3.0
25	8.8	12.4	7.1	5.5	9			59	4.7	61.0	NNE	7.5	3.1
26	8.6	16.2	2.4	5.7	9			61	4.9	61.1	N	1.3	2.0
27	8.9	15.2	2.8	5.8	9			56	4.9	60.7	SW	0.8	2.5
28	9.9	15.6	6.5	6.3	8			53	5.0	62.5	N	3.9	3.1
Sum					237	13.4	12.90				N		56.7
Avg.	9.5	13.9	5.6	6.9				66	5.8	757.0	(6)	2.9	2.0

Year : 1943 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
2.8	7.0	5	5	7.4	7.4	7.2	7.5	8.5	10.3		1
7.0	7.0	7	6	9.2	9.4	7.9	8.0	8.8	10.2		2
7.2	4.0	6	6	10.7	11.3	9.0	8.7	9.2	10.4		3
9.5	2.0	8	9	11.4	10.8	9.9	9.4	9.6	10.7		4
9.5	1.3	8	9	8.7	8.5	9.5	9.4	9.6	10.6		5
4.0	8.3	9	8	7.8	8.2	9.6	9.4	9.8	10.6		6
0.6	9.7	5	5	8.3	9.2	9.6	9.6	9.9	10.6		7
7.6	5.7	7	7	11.2	11.0	10.1	9.8	10.0	10.7		8
1.7	7.7	6	4	8.7	9.6	10.6	10.3	10.2	10.9		9
0.3	9.0	7	8	5.4	6.5	9.7	9.7	10.1	10.8		10
0.0	10.0	6	7	6.1	6.7	9.2	9.3	9.8	10.8		11
0.5	9.7	7	7	6.6	6.8	8.9	9.2	9.7	10.7		12
7.9	2.0	7	9	7.6	6.8	8.4	9.0	9.7	10.8		13
1.1	9.7	7	7	8.0	8.0	8.6	9.0	9.6	10.7		14
9.9	0.7	9	9	7.9	7.5	8.9	9.2	9.5	10.7		15
9.9	0.0	9	9	8.3	7.6	8.7	9.0	9.6	10.0		16
7.1	7.3	7	7	12.3	11.1	9.2	9.2	9.8	10.7		17
2.5	5.7	7	5	10.7	11.7	10.6	9.9	10.1	10.8		18
8.2	2.7	7	8	9.4	10.1	10.5	10.2	10.3	10.9		19
8.4	4.7	8	7	10.2	9.6	10.2	10.1	10.2	11.0		20
6.2	2.3	7	5	8.4	8.8	9.6	9.8	10.2	11.0		21
3.8	7.3	7	7	5.7	6.5	9.5	9.6	10.1	11.0		22
9.2	1.3	7	9	8.0	10.4	9.0	9.5	10.0	11.0		23
9.7	0.0	7	8	9.6	10.6	9.5	9.5	10.1	10.9		24
8.6	3.3	7	8	9.8	9.6	9.9	9.9	10.1	11.0		25
9.6	0.3	8	8	10.7	10.2	9.7	9.9	10.3	11.0		26
9.8	0.0	6	7	10.1	9.2	9.4	9.8	10.3	11.1		27
9.5	1.7	7	8	9.6	10.4	9.9	10.0	10.4	11.1		28
172.1										●4, ◍6, ☾2, ⊕2, ☋2, ∩1, ⌙4, Ω 24.	
	4.6	7.1	7.3	8.9	9.1	9.4	9.4	9.8	10.8		

Year : 1943 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1)	Wind (5)	Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	10.5	15.8	5.4	7.1	7			58	5.3	758.5	NW	2.1	2.3
2	11.1	14.8	7.7	7.1	7			57	5.2	53.6	N	3.9	2.8
3	10.9	16.2	5.5	8.4	7			67	6.5	53.4	N	1.5	2.4
4	10.2	15.2	8.3	6.3	8			57	4.5	56.9	NNE	6.4	2.8
5	3.8	7.9	1.6	0.7	14	0.1	2.20	54	2.9	66.0	NNE	7.4	2.7
6	7.2	11.9	-0.3	4.8	11			54	4.3	57.8	SSW	2.0	2.8
7	10.6	13.8	4.5	8.3	7	0.1	3.37	71	6.8	55.5	SSE	2.3	2.6
8	10.5	14.5	8.5	8.6	7	3.4	10.00	74	7.1	58.8	NNE	5.0	1.3
9	7.4	10.8	5.1	4.0	11			53	4.0	57.9	NNE	9.0	3.1
10	6.6	7.3	5.1	4.8	11	1.5	10.50	71	5.5	56.6	NNE	5.0	1.6
11	6.8	7.1	5.5	5.5	11	10.0	10.92	83	6.0	55.4	NNE	7.8	1.0
12	7.0	9.6	4.6	5.7	11	24.7	20.75	77	5.9	48.3	NNE	8.4	1.2
13	7.0	8.4	5.6	6.1	11	11.8	11.50	82	6.4	48.0	NW	3.7	0.9
14	8.5	12.3	6.0	6.6	9	1.1	3.50	73	6.1	49.5	N	3.0	1.3
15	8.6	12.1	6.8	5.7	9	0.0	0.07	63	5.0	51.5	ENE	7.4	2.1
16	7.7	7.7	5.4	4.3	10	0.0	0.50	64	4.9	52.8	ENE	7.0	2.1
17	7.2	10.5	5.4	4.5	11	0.0	0.36	61	4.5	54.8	NNE	3.5	1.8
18	7.5	12.5	2.7	4.7	10			60	4.6	55.1	NE	6.4	2.1
19	8.9	11.4	4.6	5.8	9			60	5.0	51.2	NE	11.5	3.0
20	8.7	10.9	7.3	6.3	9	0.0	1.72	66	5.6	50.3	NE	8.3	2.2
21	9.1	12.8	7.0	6.2	9			60	5.2	51.5	NNE	7.0	2.6
22	8.8	9.8	7.3	5.5	9			60	4.9	52.8	N	7.1	2.3
23	8.5	10.9	6.9	5.0	9			55	4.6	54.2	NE	9.3	4.2
24	6.1	8.9	4.0	3.1	12			56	3.9	58.0	NE	8.1	2.8
25	8.4	14.6	4.5	5.8	10			59	4.9	59.4	N	2.5	2.5
26	8.8	13.9	4.1	6.4	9			62	5.3	60.9	NE	5.0	2.3
27	9.7	14.7	4.9	7.5	8			65	6.1	59.7	N	2.6	2.4
28	11.4	15.2	6.5	9.5	7			73	7.2	57.7	S	2.5	2.3
29	13.9	17.6	10.1	11.6	4			79	8.8	56.3	S	1.8	2.1
30	14.5	18.6	10.5	13.1	3			81	10.0	55.4	SW	1.3	1.6
31	14.5	18.1	11.2	12.3	3			79	9.3	54.2	SW	1.1	1.7
Sum					273	52.7	75.39				NNE		68.9
Avg.	9.0	12.5	5.9	6.5				67	5.7	755.2	(6)	5.2	2.2

ar : 1943 Month : March

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
8.4	6.0	6	6	11.0	11.7	10.2	10.2	10.5	11.1		1
3.0	6.3	4	5	9.2	10.4	11.0	10.8	10.7	11.3		2
9.8	0.0	7	8	11.7	12.0	10.6	10.6	10.7	11.4		3
8.3	7.0	6	7	10.3	10.8	11.0	10.8	10.5	11.5		4
8.6	3.3	7	9	6.5	5.6	9.8	10.2	10.7	11.3		5
9.4	2.3	9	9	8.8	8.7	8.9	9.6	10.8	11.3		6
2.6	9.3	7	6	8.7	9.8	9.8	10.0	10.6	11.3		7
2.1	7.7	7	7	8.8	10.5	10.5	10.3	10.7	11.4		8
8.1	6.3	6	8	9.4	9.2	9.9	10.1	10.5	11.3		9
0.0	10.0	6	6	4.1	5.5	9.5	9.9	10.5	11.3		10
0.0	10.0	7	5	4.7	5.8	9.3	9.4	10.3	11.2		11
0.0	10.0	7	8	5.0	5.6	8.6	9.1	10.0	11.1		12
0.0	10.0	7	8	6.0	7.2	8.6	9.1	10.1	11.1		13
2.4	8.7	9	9	7.2	8.5	8.9	9.2	10.2	11.0		14
4.4	6.7	8	9	7.5	7.7	9.3	9.4	9.9	10.9		15
0.6	9.7	9	9	5.6	6.2	9.0	9.2	9.8	10.8		16
0.3	8.3	8	7	5.7	7.2	8.6	9.1	9.8	10.8		17
8.6	6.0	8	9	8.3	10.8	8.3	8.8	9.6	10.7		18
2.5	9.3	7	8	7.9	9.6	8.8	9.0	9.7	10.6		19
1.2	9.0	9	9	7.5	8.8	9.1	9.2	9.8	10.7		20
3.1	9.3	8	7	8.3	10.1	9.0	9.3	9.8	10.7		21
0.1	9.3	6	6	8.6	8.2	9.3	9.3	9.8	10.7		22
3.5	7.0	8	7	7.0	8.8	9.1	9.2	9.8	10.6		23
1.9	9.7	8	8	4.8	7.2	8.7	9.0	9.6	10.6		24
8.9	3.0	9	8	9.0	14.4	9.3	9.2	9.8	10.6		25
10.2	5.0	7	8	8.7	12.6	9.7	9.6	9.9	10.6		26
8.7	5.7	8	8	10.5	13.7	10.2	10.0	10.1	10.8		27
8.3	6.3	9	8	12.2	14.9	10.7	10.3	10.5	10.9		28
7.1	7.0	8	8	13.6	16.6	12.0	11.1	10.7	11.1		29
6.8	8.3	7	7	16.0	17.9	12.8	11.7	11.2	11.3		30
5.8	6.7	7	6	16.1	17.3	13.4	12.3	11.5	11.4		31
n 144.7										◍7, ◍11, ✳1, ≺5, ⊕1	
g.	7.2	7.4	7.5	8.7	10.1	9.8	9.8	10.3	11.0	Φ2, Ψ2, ⌴2, Ω21.	

Year : 1943 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	14.5	18.4	11.2	12.6	3			78	9.3	750.5	SW	1.1	1.7
2	15.3	19.0	12.1	12.0	3			65	8.0	45.0	SSW	2.4	3.6
3	9.2	13.6	5.7	5.7	9	4.0	5.83	61	4.8	48.8	NE	2.8	2.0
4	8.4	12.4	6.0	6.3	10	0.4	3.08	68	5.5	52.1	NE	3.7	1.7
5	7.5	10.6	4.5	5.8	10	2.9	1.42	73	5.4	54.8	NNE	3.6	1.4
6	9.5	16.3	4.5	6.8	8	0.3	0.33	65	5.5	52.8	NE	3.0	2.3
7	12.3	16.8	6.4	10.3	6			73	7.6	47.2	S	2.9	2.9
8	13.7	16.6	10.4	11.2	4	2.9	2.35	74	8.1	41.6	S	4.6	2.8
9	13.0	15.3	11.3	10.3	5	0.0	0.33	72	7.8	40.4	S	6.3	3.5
10	10.5	14.0	8.1	7.5	7	0.6	2.05	71	6.2	44.9	NW	2.0	1.8
11	10.6	15.0	7.7	7.2	7	0.0	0.33	56	5.2	53.3	N	3.6	2.4
12	12.3	16.9	7.0	8.7	6	0.0	0.12	56	5.8	55.4	S	0.9	2.8
13	12.2	18.0	8.9	9.7	6	2.2	0.83	68	7.6	56.2	SW	0.5	1.9
14	12.6	16.4	8.3	9.0	5			55	6.1	58.4	NNE	4.7	2.9
15	11.7	15.7	8.0	7.0	6			45	4.3	59.7	NE	6.2	5.6
16	13.5	19.5	7.2	8.0	4			36	4.1	58.0	NNE	3.6	3.3
17	15.6	23.8	10.1	11.3	2			48	6.9	54.8	S	0.9	3.6
18	15.8	21.0	11.4	10.3	2			48	5.9	54.2	SW	0.9	3.8
19	16.8	22.2	12.1	13.8	1			59	9.7	56.4	SW	0.7	3.6
20	17.5	22.8	13.0	14.6	0			64	9.9	57.7	SW	0.7	3.1
21	18.7	23.3	13.4	14.3	0			56	9.3	57.3	S	0.8	4.0
22	20.5	25.6	14.4	15.2	0			51	9.2	57.5	SSW	1.1	4.5
23	19.8	25.4	15.2	13.9	0			45	7.8	58.7	NE	4.3	4.8
24	18.6	25.2	13.7	10.7	0			31	4.7	58.3	NE	5.8	7.0
25	18.0	24.8	12.6	12.5	0			43	7.0	57.3	SSW	1.5	6.0
26	21.2	27.6	13.2	15.3	0			45	8.6	56.4	NE	2.9	5.8
27	20.4	24.9	14.7	14.7	0			47	8.8	54.1	S	1.5	5.9
28	20.7	25.5	15.6	16.5	0			55	10.8	53.4	SW	0.9	4.7
29	19.2	24.1	15.5	16.1	0			66	11.2	52.9	SW	0.8	4.0
30	19.9	24.1	14.0	16.5	0			69	11.9	50.0	SW	1.3	2.6
Sum					104	13.3	16.67				NE		106.0
Avg.	15.0	19.8	10.5	11.1				58	7.4	750.3	(6)	2.5	3.5

Year : 1943 Month : April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	9.3	4.7	6	6	20.5	20.9	13.9	12.4	11.9	11.7	
2	11.0	3.3	8	8	17.0	19.7	14.3	13.3	12.3	11.9	
3	2.9	7.3	7	8	8.6	9.6	13.6	13.2	12.3	12.1	
4	1.1	6.0	7	8	7.8	8.7	11.9	12.2	12.1	12.2	
5	3.6	9.0	8	8	10.7	10.2	11.0	11.5	11.9	12.2	
6	9.1	4.7	9	9	13.6	13.3	10.8	11.2	11.7	12.2	
7	10.3	1.7	8	7	14.3	16.5	11.5	11.5	11.8	12.3	
8	4.9	7.7	9	9	13.1	13.1	12.7	12.1	12.1	12.3	
9	3.8	5.7	8	7	11.8	13.4	12.7	12.3	12.2	12.4	
10	1.5	9.3	8	8	11.0	13.0	12.5	12.2	12.2	12.4	
11	5.9	5.7	8	9	14.7	15.5	12.3	12.4	12.3	12.5	
12	5.3	6.3	7	6	13.0	15.2	12.2	12.2	12.3	12.5	
13	4.2	5.7	7	5	10.4	12.3	12.5	12.3	12.3	12.6	
14	7.0	5.7	7	8	12.8	13.1	12.5	12.3	12.3	12.6	
15	11.2	4.0	9	9	15.3	17.4	12.3	12.2	12.3	12.5	
16	10.1	2.0	7	8	17.0	21.3	12.5	12.4	12.4	12.7	
17	8.1	7.0	8	8	17.0	23.2	13.6	13.0	12.7	12.8	
18	9.2	2.3	7	7	15.8	20.1	14.4	13.6	13.1	12.9	
19	11.4	0.0	6	6	17.3	23.0	14.9	14.1	13.4	13.1	
20	11.5	0.0	6	7	18.3	25.4	15.8	14.7	13.8	13.4	
21	11.4	0.0	6	5	18.6	25.5	16.6	15.3	14.2	13.6	
22	11.7	1.0	6	5	24.2	29.2	17.3	15.9	14.6	13.7	
23	9.2	3.7	6	6	26.1	28.3	17.8	16.4	15.0	14.3	
24	9.8	5.7	6	7	23.5	26.1	18.1	16.9	15.4	14.5	
25	11.0	3.0	8	8	22.9	27.8	18.0	17.1	15.7	14.7	
26	11.6	2.0	8	8	27.1	30.8	18.8	17.5	16.1	15.1	
27	11.6	0.0	7	7	22.7	27.6	19.3	18.0	16.5	15.3	
28	11.1	0.3	7	8	23.0	30.9	19.7	18.2	16.5	15.6	
29	9.4	5.7	7	8	23.8	27.8	19.9	18.4	17.3	15.9	
30	7.5	5.3	6	7	21.5	28.2	20.0	18.8	17.5	16.1	
Sum	245.7										◍7, ◍9, ⊕1, Ψ2, Φ1, ☖18.
Avg.		4.2	7.2	7.3	17.1	20.2	14.8	14.1	13.5	13.3	

Year : 1943 Month :

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	(1) Wind (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	19.7	23.9	15.7	15.0	0			57	9.9	753.1	NE	4.2	5.2
2	18.8	26.6	11.4	13.7	0			52	8.1	54.9	NE	3.3	5.5
3	18.4	22.8	14.4	13.8	0			54	8.8	52.8	SW	0.7	4.2
4	19.7	25.1	16.7	15.3	0	0.0	0.28	58	10.4	51.2	NE	0.9	4.2
5	22.8	29.3	17.2	17.9	0	0.0	0.05	56	11.9	50.0	SSW	2.2	5.9
6	20.9	25.4	16.1	17.3	0			65	12.3	50.8	WSW	0.9	4.3
7	19.4	25.4	15.5	17.6	0			83	13.6	50.9	WSW	0.9	3.1
8	19.3	24.5	15.1	15.9	0			71	10.3	47.2	S	3.4	4.2
9	19.2	23.1	16.5	15.1	0			61	10.1	49.4	W	4.3	6.8
10	19.7	25.6	14.8	14.9	0			59	10.2	50.2	W	3.9	4.6
11	17.5	22.0	14.7	12.9	0	0.6	1.33	55	7.9	51.8	WNW	2.5	5.7
12	20.6	26.8	14.0	14.4	0			46	8.0	54.6	NNW	5.2	5.9
13	19.4	23.2	17.1	15.5	0	2.9	5.83	64	10.6	54.7	N	4.7	4.2
14	16.2	18.0	15.1	14.3	2	2.9	9.75	83	11.1	53.1	NNE	5.3	2.0
15	18.1	22.5	14.8	15.1	0	0.9	4.00	70	10.7	52.5	NE	3.6	2.6
16	19.2	22.8	16.2	16.1	0	0.0	1.25	72	11.4	50.9	S	1.8	3.2
17	17.6	22.9	15.1	16.4	0	5.6	5.53	87	12.5	49.5	NNE	1.3	1.3
18	15.7	17.0	14.3	13.4	2	3.1	4.17	82	10.3	51.6	NE	4.4	1.3
19	18.1	23.9	13.3	14.4	0	0.1	3.00	64	9.6	52.4	N	1.9	3.4
20	19.6	24.9	14.4	16.0	0			62	11.0	53.8	NE	1.4	3.2
21	17.8	21.9	14.8	13.3	0			56	8.5	55.3	SW	3.4	4.3
22	17.2	20.6	14.0	13.5	1			64	9.0	54.4	SW	1.6	3.3
23	18.0	23.0	13.6	15.5	0			68	10.7	50.8	SSW	2.1	3.3
24	19.8	26.3	15.1	14.7	0			56	9.3	52.5	N	2.8	4.7
25	19.5	24.5	14.3	16.2	0			66	10.7	51.9	SW	1.7	4.0
26	21.7	26.2	17.5	16.5	0			57	10.6	46.6	SW	1.9	5.6
27	19.5	24.0	15.6	14.2	0			52	8.6	48.0	SW	2.0	5.5
28	19.4	23.8	15.7	14.3	0	0.0	0.13	53	8.7	51.0	N	3.0	6.4
29	19.6	25.0	14.4	15.2	0	0.0	0.42	57	9.6	52.8	SSW	1.2	4.5
30	19.9	24.1	14.9	15.9	0			65	10.5	52.0	SW	2.1	4.5
31	20.7	28.2	16.6	15.4	0			52	8.9	52.4	S	3.4	5.7
Sum					5	16.1	35.74				SW		132.6
Avg.	19.1	24.0	15.1	15.2				63	10.1	751.7	(6)	2.6	4.3

Year : 1943 Month : May

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
1	10.7	3.3	7	8	23.3	29.4	20.3	19.1	17.7	16.5	Ω¹	1
2	9.3	1.7	7	8	24.3	29.0	20.1	19.3	18.0	16.6		2
3	4.4	0.7	8	6	17.9	23.7	20.1	19.3	18.2	16.8	Ω¹	3
4	1.5	1.0	6	6	18.7	20.8	19.7	19.1	18.2	17.0	◍° Ω¹	4
5	8.6	2.7	6	6	21.7	27.2	19.8	19.0	18.3	17.2	◍ Ω°	5
6	10.6	0.3	6	7	22.9	29.5	20.8	19.5	18.4	17.2	Ω¹	6
7	10.2	1.0	6	5	21.9	26.6	21.1	19.9	18.6	17.3	Ω¹	7
8	5.6	3.7	6	5	20.4	26.3	21.1	20.2	18.9	17.6	Ω⁰⁻¹	8
9	6.1	3.0	7	7	20.9	29.3	20.8	20.0	18.8	17.6		9
10	10.6	3.7	8	8	22.6	29.8	20.9	20.1	19.1	17.7	Ω°	10
11	8.8	3.3	7	8	18.5	25.2	21.1	20.3	19.1	17.9	◍° ◍¹	11
12	10.7	4.7	7	8	23.4	32.0	20.7	20.1	19.2	18.1		12
13	3.2	8.3	7	8	16.9	19.9	21.1	20.3	19.2	18.2	◍⁰⁻¹ ◍° ☾°	13
14	0.2	10.0	7	6	13.4	14.3	19.4	19.4	19.0	18.2	◍° ◍¹	14
15	3.6	8.0	8	9	17.9	19.9	18.7	18.8	18.8	18.3	◍° ◍° ☾° Ω°	15
16	1.6	8.7	8	8	19.4	22.8	19.3	18.8	18.8	18.2	◍° ◍	16
17	0.8	9.3	7	7	17.3	19.7	18.8	18.5	18.6	18.2	◍¹ ◍¹ ☈° ☋° ☫°	17
18	0.0	9.7	7	7	13.1	14.3	18.2	18.3	18.3	18.1	◍ ◍°	18
19	10.0	4.0	7	6	20.1	22.8	17.8	17.9	18.2	18.0	◍° ◍ Ω°	19
20	9.3	3.7	7	7	21.8	27.3	18.7	18.2	18.2	18.0	Ω°	20
21	9.3	3.7	8	8	25.0	25.7	19.4	18.7	18.3	17.9		21
22	6.9	5.0	7	6	18.0	21.6	19.6	19.0	18.5	17.9	Ω°	22
23	3.6	6.0	7	7	19.9	22.6	19.4	19.0	18.6	18.1	⊕⁰⁻¹ Ω°	23
24	11.5	1.3	8	8	21.6	28.8	20.2	19.3	18.6	18.1		24
25	10.4	3.7	7	7	22.8	28.2	20.7	19.9	19.0	18.2	Ω°	25
26	6.6	6.3	7	6	22.7	27.2	21.3	20.3	19.2	18.3		26
27	9.4	4.7	9	8	22.3	28.6	21.5	20.5	19.4	18.5		27
28	6.9	6.0	7	8	19.9	24.3	21.5	20.3	19.6	18.6	◍°	28
29	6.3	5.3	8	8	20.8	25.9	21.3	20.7	19.8	18.7	◍ ☾° ☾°	29
30	10.5	1.3	8	8	23.2	24.3	21.3	20.7	19.8	18.5		30
31	10.4	3.3	7	8	23.5	33.6	22.1	21.1	20.0	19.0		31
Sum	217.6										◍8, ◍12, ☾2, ⊕1, ☫1, ☋1, ☾3, Ω 14.	
Avg.		4.4	7.2	7.4	20.5	25.2	20.2	19.5	18.8	17.9		

Year : 1943 Month : June

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	19.9	23.5	15.3	17.3	0			69	12.7	753.2	SW	1.8	4.4
2	21.6	26.2	16.4	17.9	0			68	12.7	51.8	S	1.1	3.8
3	22.2	26.4	18.8	17.2	0	0.0	0.03	62	10.8	50.0	S	2.0	5.5
4	22.8	27.3	17.7	17.7	0			60	11.5	49.7	S	2.2	5.7
5	21.6	26.0	17.6	15.9	0			52	9.7	50.3	WSW	2.6	6.0
6	20.7	25.0	16.6	16.5	0	0.2	0.17	58	11.0	53.0	S	2.2	5.6
7	21.7	29.6	17.8	16.0				55	10.0	55.9	N	1.6	4.8
8	22.0	26.3	16.7	16.2	0			52	9.6	56.2	SSW	1.3	5.8
9	22.5	27.9	17.0	16.4	0			49	9.5	53.7	S	1.4	6.3
10	23.1	28.1	18.5	18.0	0			53	11.9	50.8	SSW	1.1	5.9
11	23.5	28.4	18.7	17.9	0			56	11.1	51.0	S	1.2	5.3
12	24.5	29.4	19.4	19.1	0			53	12.2	51.2	S	0.9	5.6
13	23.8	28.3	20.0	18.9	0	0.0	0.05	58	13.1	52.3	S	1.4	4.7
14	25.3	31.6	19.1	18.2	0			47	10.8	51.8	NW	2.1	5.5
15	26.3	32.6	20.5	18.6	0			41	10.4	51.7	N	3.8	6.5
16	25.8	33.9	19.7	19.2	0			47	12.2	49.6	N	2.2	7,4
17	27.4	34.5	21.2	18.7	0			44	10.6	47.5	S	2.0	7.5
18	26.1	30.9	21.1	17.5	0			43	10.7	47.2	SSW	1.4	7.9
19	25.1	30.3	19.7	18.0	0			46	10.6	46.7	SSW	1.8	7.4
20	19.6	26.4	16.0	16.4	0	18.2	5.18	76	12.8	47.9	W	2.4	3.1
21	22.2	27.9	17.2	18.3	0			64	12.5	50.9	WNW	3.1	3.9
22	23.3	29.5	17.9	18.4	0			61	12.4	52.8	N	1.8	4.4
23	25.4	31.4	20.8	18.5	0			46	11.1	53.9	N	5.5	5.7
24	25.8	30.9	20.3	17.7	0			39	9.5	54.1	N	6.6	8.4
25	26.9	34.9	20.4	20.3	0			46	12.7	53.5	NNE	1.9	7.3
26	26.4	31.1	21.9	19.6	0			49	12.2	51.6	S	1.8	7.5
27	27.2	34.2	22.9	21.1	0			55	14.8	51.3	S	1.1	7.9
28	25.6	33.4	21.0	20.5	0			57	14.1	51.2	SSW	1.3	5.5
29	24.8	28.6	20.7	20.7	0			62	14.9	50.8	SSW	1.3	5.2
30	24.8	29.3	20.7	20.4	0			64	14.7	50.2	S	1.6	4.8
Sum					0	18,4	5.43				S		175.3
Avg.	23.9	29.5	19.1	18.3				54	11.8	751.4	(6)	2.1	5.8

ar : 1943 Month : June

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	10.1	1.3	7	6	22.2	27.5	22.1	21.3	20.2	19.1	D^{1-2}
2	10.6	1.3	6	6	24.4	30.7	22.4	21.5	20.4	19.2	D^{1}
3	5.1	7.3	7	7	22.9	25.7	22.9	21.8	20.6	19.4	$\mathcal{9}$ D^{0-1}
4	10.6	2.7	7	7	25.3	28.8	23.1	22.0	20.7	19.5	
5	11.6	1.0	7	7	27.1	31.8	29.5	22.3	21.0	19.6	
6	8.5	4.7	9	8	22.5	28.3	23.3	22.4	21.1	19.7	$\mathcal{9}^{1}$
7	8.0	4.0	8	8	23.1	28.4	23.2	22.4	21.2	19.9	
8	12.4	1.3	7	8	26.0	32.6	23.3	22.5	21.4	20.0	
9	8.8	1.7	8	7	26.5	30.4	23.5	22.6	21.4	20.1	
10	12.0	1.3	8	8	30.3	30.5	24.0	22.9	21.6	20.2	
11	11.6	0.3	7	8	27.6	34.1	24.1	23.4	21.7	20.3	
12	11.4	0.3	8	7	28.5	35.6	24.9	23.5	22.0	20.5	
13	6.4	4.0	7	7	24.8	29.9	24.9	23.8	22.3	20.7	$\mathcal{9}^{0}$ R^{0} $\cap^{2}$
14	10.6	1.7	8	7	29.4	37.3	24.9	23.9	22.5	20.8	
15	11.2	0.7	7	8	28.9	39.6	25.9	24.4	22.7	21.1	
16	12.6	0.3	8	8	30.3	39.6	26.5	24.9	23.2	21.3	
17	10.8	0.0	8	8	30.9	38.1	26.9	25.3	23.6	21.5	
18	12.4	0.3	8	7	30.0	37.0	26.9	25.5	23.6	21.6	
19	12.7	1.0	8	7	29.8	36.6	26.7	25.6	24.0	21.9	
20	4.6	7.7	7	5	16.1	18.8	25.5	25.2	23.8	22.0	$\mathcal{9}^{1}$ R^{0}
21	7.7	5.0	9	9	22.8	24.9	24.0	24.1	23.6	22.1	
22	8.4	3.3	8	8	26.9	29.6	24.0	23.7	23.2	22.1	
23	12.1	1.0	7	8	28.8	33.0	24.8	24.0	23.1	22.0	
24	12.6	0.3	9	9	28.2	34.7	25.8	24.4	23.2	22.1	
25	12.6	0.7	8	8	32.5	38.9	26.4	25.2	23.5	22.1	
26	11.8	1.3	8	7	29.8	36.1	27.1	25.7	24.3	22.3	
27	11.7	1.0	8	8	28.6	34.3	27.6	26.1	24.4	22.5	
28	9.8	1.7	7	7	27.9	34.6	27.7	26.3	24.6	22.6	
29	9.7	3.7	7	7	27.6	33.7	27.7	26.3	24.8	22.9	
30	9.3	2.7	6	5	29.0	32.0	27.2	26.2	24.8	22.9	
	307.7										$\mathcal{9}_2, \mathcal{9}_2, R_2, \cap_1, \Omega_3.$
		2.1	7.6	7.3	27.0	32.4	25.0	24.0	22.6	21.1	

Year : 1943 Month : Jul

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	25.3	29.2	20.6	19.9	0			57	13.4	750.0	S	1.8	5.4
2	27.5	31.4	22.2	20.7	0			50	13.4	50.0	S	2.2	8.5
3	27.5	31.5	23.3	21.4	0			52	14.6	52.5	SSW	1.7	6.8
4	26.1	31.0	21.9	20.2	0			56	13.9	51.6	S	2.2	6.2
5	27.9	34.0	22.2	19.7	0	0.0	0.25	43	11.6	50.6	N	3.0	6.7
6	26.9	31.9	21.3	19.3	0			41	11.3	50.3	S	1.1	7.9
7	28.1	32.0	23.5	19.7	0			42	11.4	50.4	S	1.4	8.0
8	30.8	40.6	24.3	22.1	0			43	13.9	47.2	S	2.4	9.6
9	29.9	36.9	24.6	19.4	0			36	9.5	45.6	W	4.0	13.7
10	25.2	30.0	22.4	17.6	0			43	10.3	47.8	NNW	5.1	9.0
11	24.2	30.4	20.9	17.2	0			44	9.9	51.1	NW	3.5	8.2
12	24.8	31.9	19.3	19.9	0			57	13.9	51.3	S	1.4	6.2
13	25.2	30.4	20.1	19.1	0			56	12.5	51.9	S	1.5	5.7
14	26.8	31.4	21.2	17.6	0			56	14.4	51.0	S	1.1	6.4
15	26.5	30.2	23.5	20.2	0			52	13.5	53.4	N	8.3	7.0
16	25.6	30.8	22.2	18.2	0			44	10.5	53.1	N	7.4	8.6
17	26.0	32.2	21.0	18.7	0			44	11.1	49.5	NNE	5.6	8.4
18	25.7	31.5	20.2	20.3	0			55	14.1	47.4	SSW	1.1	7.5
19	26.7	34.4	19.8	20.3	0			53	12.9	48.4	NNE	1.1	6.0
20	28.7	37.6	20.9	19.9	0			38	10.8	50.8	NNE	1.8	7.7
21	29.4	38.0	22.8	20.6	0			41	12.5	52.2	S	1.2	8.0
22	30.1	36.8	23.7	21.7	0			44	13.2	50.2	S	1.1	7.4
23	31.0	37.4	26.5	20.7	0			35	11.7	46.4	S	1.8	12.0
24	30.4	38.0	25.0	19.9	0			35	9.9	45.6	S	2.4	10.4
25	29.3	35.2	24.6	20.8	0			41	12.5	45.8	S	1.6	9.5
26	27.6	33.6	23.0	20.8	0			51	14.2	50.3	SW	1.8	6.6
27	27.2	31.7	22.9	21.0	0			54	14.6	52.5	SSW	1.0	6.0
28	27.8	32.2	23.0	20.3	0			47	12.4	52.4	S	1.5	7.0
29	27.8	32.5	23.1	19.8	0	0.0	0.03	43	12.0	49.5	SW	1.9	7.2
30	26.5	32.3	22.8	18.6	0			48	11.1	49.1	NNE	6.0	5.7
31	26.8	35.2	21.4	19.2	0			43	11.3	49.9	N	2.7	7.5
Sum					0	0.0	0.28				S		240.8
Avg.	27.4	32.3	22.4	20.0				46	12.3	749.9	(6)	2.6	7.8

ar : 1943 Month : July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Miscellaneous phenomena (4)	Date
		Toward sea	Toward land	Surface		In cm. depth as indicated below (in cups)					
				Green	Bare	30	60	90	120		
11.4	0.3	7	7	28.4	34.7	27.2	26.2	25.0	23.1	☾°	1
11.3	0.0	8	7	28.4	35.9	27.3	26.3	25.0	23.2		2
11.4	0.0	7	6	33.1	37.4	27.8	26.4	25.1	23.3		3
11.5	0.3	7	6	26.5	35.8	27.8	26.6	25.3	23.4	☾°	4
11.6	1.0	8	8	30.0	39.5	28.1	26.8	25.3	23.7	●° ☾°	5
11.4	0.0	7	7	30.5	37.3	28.3	27.2	25.6	23.7		6
10.8	0.0	6	5	28.6	37.4	28.5	27.4	25.8	23.8		7
10.9	0.3	6	6	32.3	40.0	28.5	27.4	26.0	24.1		8
12.3	0.7	9	8	30.1	40.9	29.4	28.0	26.2	24.1		9
11.4	1.3	8	8	29.0	38.4	29.3	27.9	26.2	24.2		10
10.7	1.7	8	8	30.7	38.0	28.8	28.0	26.4	24.3		11
11.3	4.0	7	8	27.6	36.5	28.6	27.7	26.5	24.5	☾° ☊°	12
11.4	1.3	9	9	27.2	34.1	28.3	27.4	26.5	24.5		13
11.9	1.0	9	8	26.7	32.1	28.3	27.6	26.5	24.6		14
11.1	1.0	7	7	28.7	34.8	28.6	27.5	26.4	24.8		15
12.8	0.0	8	8	30.0	36.6	28.7	27.4	26.4	24.7		16
12.4	1.0	8	9	26.6	38.2	28.3	27.5	26.4	24.7		17
12.2	0.7	8	8	25.9	34.4	28.3	27.8	26.7	24.9		18
12.1	1.0	7	8	24.0	37.7	28.6	27.8	26.9	25.0		19
11.2	0.7	8	8	30.4	39.9	29.0	28.0	26.7	25.0		20
11.8	0.3	7	7	27.8	37.2	29.5	28.4	27.0	25.4		21
11.3	1.0	8	7	34.2	38.6	29.8	28.5	27.1	25.2		22
11.6	0.7	7	8	30.5	39.6	30.3	29.1	27.3	25.2		23
11.4	0.3	8	9	31.8	42.4	30.5	29.1	27.5	25.4		24
11.1	1.3	7	8	28.9	37.3	30.5	29.3	27.6	25.5		25
12.4	1.0	7	7	28.8	36.5	30.2	29.2	27.7	25.6		26
11.7	0.7	7	7	29.7	34.6	29.7	29.0	27.7	25.7		27
11.5	0.3	6	7	27.9	35.4	29.4	28.6	27.5	25.7		28
7.0	5.7	7	7	26.9	34.5	29.1	28.6	27.5	25.8	☾°	29
9.4	4.3	7	8	26.4	32.2	28.9	28.1	27.2	25.6		30
10.7	3.0	7	8	25.8	35.1	28.9	28.2	27.1	25.7		31
351.0										●1, ☾1, ☈1, ☇2, ☋1, ☊1.	
	1.1	7.4	7.5	28.8	36.9	28.9	27.8	26.5	24.7		

Year : 1943 Month : Augu

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	27.4	33.3	21.7	18.9	0			38	10.5	750.4	N	2.9	7.0
2	26.9	31.8	22.3	19.8	0			44	12.3	50.2	N	5.2	6.8
3	27.0	31.2	22.9	20.3	0	0.0	0.02	51	13.3	49.8	N	7.5	6.3
4	27.6	32.8	23.5	20.3	0	0.0	0.02	48	13.0	49.9	N	5.7	6.8
5	26.3	33.3	22.0	20.4	0			55	13.6	50.1	S	1.5	7.2
6	26.6	31.3	22.2	21.4	0			59	15.3	49.9	S	1.1	5.7
7	29.4	34.7	23.7	21.2	0			44	13.5	48.8	S	1.0	7.8
8	31.8	39.1	24.9	20.9	0			36	11.1	47.3	N	4.1	8.8
9	27.9	34.5	23.7	21.0	0			49	13.7	48.5	NNE	7.7	7.4
10	28.3	35.1	21.6	20.8	0			47	13.5	48.8	N	1.7	6.7
11	28.2	32.8	23.6	19.2	0			39	10.6	51.2	N	5.7	7.8
12	28.4	34.4	24.1	19.4	0			35	10.6	50.0	N	5.3	8.4
13	27.9	34.3	22.1	19.4	0			39	11.0	48.1	N	4.6	8.0
14	27.5	32.4	23.1	19.7	0			43	11.9	49.8	NNE	7.3	9.1
15	28.6	34.0	23.9	20.1	0			42	12.0	51.4	N	6.1	7.4
16	29.0	37.3	22.8	20.8	0			43	12.7	53.1	N	5.2	7.7
17	30.1	34.6	27.0	20.8	0			38	12.2	52.5	N	11.0	10.9
18	28.1	31.6	25.9	19.8	0			42	12.1	51.3	N	10.8	10.1
19	27.0	30.1	23.2	18.4	0			39	10.4	51.4	N	12.4	10.7
20	26.5	31.6	23.4	18.0	0			40	10.0	51.6	N	8.7	8.8
21	28.0	33.4	22.9	18.7	0			35	9.9	50.0	NNE	4.9	8.6
22	28.7	35.7	24.1	20.7	0			43	13.0	49.5	N	2.0	7.7
23	29.0	36.9	23.0	20.2	0			41	11.8	49.4	NW	1.4	7.5
24	29.8	36.8	29.5	21.0	0			41	12.8	48.8	N	3.5	8.5
25	29.1	33.3	25.5	19.6	0			40	11.1	49.2	N	7.9	9.9
26	28.1	35.7	22.2	20.1	0			43	12.3	50.5	NW	1.8	8.1
27	25.3	30.5	19.4	19.6	0			59	13.7	51.4	S	1.1	6.0
28	26.7	32.6	22.0	21.5	0			62	15.5	51.0	S	0.8	5.2
29	28.6	37.6	21.6	19.6	0			43	11.0	49.2	N	1.6	7.4
30	28.0	33.0	22.3	19.7	0			42	11.5	47.6	NNE	4.1	7.8
31	26.5	33.3	22.9	19.9	0			52	13.0	45.2	S	2.0	6.6
Sum					0	0.0	0.04				N		243.2
Avg.	28.0	33.8	23.1	20.1				44	12.2	749.9	(6)	4.7	7.8

r : 1913 Month : August

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)
1	9.4	2.3	8	9	26.3	34.4	28.9	28.2	27.2	25.7	
2	10.7	1.7	8	8	31.1	36.8	28.8	28.2	27.3	25.8	
3	11.9	2.0	7	8	31.3	37.5	28.9	28.3	27.3	25.8	9°
4	11.9	0.3	7	7	32.8	37.4	29.3	28.3	27.3	25.9	9° R
5	12.1	1.0	7	7	27.5	29.0	29.3	28.5	27.5	25.9	
6	12.6	1.0	7	8	27.5	33.6	28.9	28.4	27.5	26.0	
7	11.9	0.0	8	7	29.4	35.6	29.1	28.3	27.5	26.0	
8	11.8	1.7	8	7	34.8	29.3	29.6	28.5	27.4	25.9	
9	11.3	2.0	8	8	32.1	38.0	30.0	28.7	27.6	25.9	
10	11.8	2.0	7	8	27.3	34.2	29.8	29.0	27.8	26.3	
11	12.4	0.0	6	7	28.3	36.9	29.7	28.8	27.8	26.0	
12	12.4	0.0	8	8	31.5	36.8	29.7	28.9	27.8	26.3	
13	12.6	0.0	8	9	30.4	37.3	29.6	28.8	27.8	26.2	
14	12.3	0.0	7	6	26.2	35.3	29.3	28.8	27.9	26.2	
15	12.3	0.0	8	8	27.8	36.2	29.5	28.7	27.9	26.4	
16	12.4	1.0	7	8	30.1	38.0	29.5	28.9	28.0	26.3	
17	12.3	0.3	5	7	28.1	38.4	30.3	29.1	28.1	26.5	
18	12.6	0.0	6	7	28.2	35.7	29.8	29.0	28.1	26.4	
19	12.2	0.3	6	7	27.7	34.2	29.4	28.8	28.1	26.9	
20	12.3	0.3	9	9	26.2	34.6	29.0	28.6	27.9	26.7	
21	12.6	0.0	8	9	30.0	37.7	28.8	28.6	27.9	26.5	
22	12.5	0.0	7	8	33.3	39.8	29.4	28.8	28.1	26.7	
23	12.3	1.0	7	8	29.5	40.0	29.8	29.0	28.1	26.9	
24	12.2	0.0	7	8	31.2	40.2	30.1	29.2	28.2	26.8	
25	12.5	0.0	7	8	32.2	36.9	30.1	29.2	28.3	26.5	
26	12.4	0.3	8	9	27.3	38.7	29.8	29.3	28.4	27.1	
27	12.3	0.3	7	7	27.7	34.8	29.3	29.1	28.5	27.0	
28	12.4	0.3	8	8	26.3	34.9	28.9	28.8	28.3	26.9	
29	12.1	0.0	7	8	29.5	37.8	28.8	28.5	28.0	26.9	
30	12.3	0.0	8	8	31.5	37.3	29.1	28.5	28.0	26.8	
31	12.2	1.7	8	8	25.7	33.6	28.7	28.7	28.1	26.8	
Sum	375.0										9 2, R 1.
Avg.		0.6	7.3	7.8	29.3	36.5	29.4	28.7	27.9	26.4	

Year : 1943 Month : Septembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	25.3	28.6	20.9	21.6	0	0.0	0.02	65	16.0	745.3	SS	1.3	4.3
2	24.0	29.7	20.0	19.4	0			62	13.7	48.5	S	1.6	4.8
3	23.8	29.0	19.6	19.4	0			62	14.1	51.0	S	1.1	4.6
4	25.5	32.4	20.1	20.1	0			56	13.8	51.0	W	1.1	5.1
5	25.2	30.0	20.9	19.7	0			61	13.6	49.4	SSW	1.5	5.4
6	22.1	29.9	17.6	18.9	0	20.0	3.02	75	14.1	46.7	W	1.7	2.8
7	21.2	25.5	17.8	18.7	0	1.7	4.67	78	14.6	47.8	NNE	2.7	1.8
8	21.4	24.5	19.3	17.3	0			67	12.2	51.7	N	7.1	3.4
9	22.6	29.4	17.3	17.2	0			54	11.0	54.3	N	1.7	4.2
10	23.3	30.4	17.3	16.5	0			44	9.2	54.6	NNE	2.7	5.5
11	24.6	31.8	18.8	18.2	0			47	11.4	52.2	S	1.2	6.4
12	25.8	32.2	21.1	19.0	0			52	13.0	51.3	NE	2.1	5.4
13	23.9	28.7	20.4	16.3	0			45	9.1	54.0	N	6.7	6.4
14	22.8	27.5	18.6	16.9	0			50	10.5	56.3	N	7.4	6.0
15	23.0	28.8	18.5	17.7	0			55	11.5	57.1	N	5.5	6.1
16	26.3	33.6	19.5	19.8	0			48	12.5	55.4	NE	3.2	6.2
17	28.9	34.9	23.7	20.8	0			43	12.7	52.3	N	4.1	7.9
18	29.0	37.1	24.4	20.2	0			41	12.4	50.6	NE	3.4	6.9
19	24.4	29.4	21.0	18.1	0			52	11.8	54.0	NE	6.8	6.9
20	23.9	29.6	19.4	17.2	0			48	10.1	53.5	N	3.8	5.4
21	23.1	27.9	18.3	18.7	0			60	12.7	51.3	SSW	0.9	4.7
22	25.0	30.9	20.7	20.7	0			66	15.2	53.1	SW	0.6	3.8
23	27.0	32.8	21.3	20.5	0			52	13.4	54.6	SW	0.7	4.9
24	28.7	34.4	23.9	20.9	0			46	13.5	54.0	SW	0.8	7.0
25	27.6	34.9	23.1	20.7	0			48	13.6	52.8	NE	3.5	6.2
26	24.5	30.0	21.5	19.4	0			62	13.8	53.3	N	2.1	5.2
27	24.5	30.0	20.4	20.9	0			70	15.5	53.6	SW	0.5	3.4
28	26.6	32.8	21.8	20.8	0			62	14.3	53.3	SW	0.5	4.8
29	25.2	30.3	21.2	19.0	0			61	13.5	52.3	SW	0.6	4.3
30	26.4	32.3	21.4	21.0	0			57	14.6	52.7	SW	0.5	5.3
Sum					0	21.7	7.71				N		155.1
Avg.	24.9	30.6	20.3	19.2				56	12.9	752.3	(6)	2.6	5.2

r : 1943 Month : September

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
8.9	4.7	7	6	25.9	32.7	28.2	28.3	28.0	26.9	◎⁰	1
11.3	3.0	7	7	26.5	32.8	27.6	27.8	27.7	26.8		2
12.3	1.3	6	7	26.7	29.6	27.1	27.5	27.5	26.6		3
11.9	1.0	7	6	26.0	31.5	27.3	27.3	27.3	26.5		4
11.2	0.7	8	8	25.0	31.1	27.2	27.3	27.2	26.4		5
0.4	9.3	7	7	22.7	25.9	26.8	26.9	27.1	26.2	◎² ◎⁰ R°	6
0.5	8.3	6	6	18.6	19.6	24.9	25.8	26.1	25.8	◎ ◎ ≺ ∈	7
6.4	4.3	7	7	19.3	19.8	23.9	24.9	25.7	25.6		8
11.7	1.0	7	8	22.9	24.8	23.6	24.4	25.0	25.2		9
11.8	0.3	7	8	25.0	26.8	24.4	24.6	25.1	25.1		10
11.6	0.3	7	8	27.3	28.5	25.0	25.0	25.3	25.2		11
11.2	0.7	8	8	27.6	28.7	25.6	25.3	25.3	25.1		12
11.1	1.0	7	8	26.3	28.1	25.7	25.4	25.2	24.8		13
11.3	0.3	8	8	25.2	28.7	25.4	25.4	25.3	24.8		14
11.4	0.0	7	7	24.5	27.9	24.9	25.4	25.3	24.8		15
10.7	0.7	7	8	25.5	31.4	25.5	25.4	25.3	24.9		16
10.5	0.0	6	7	27.8	32.3	26.8	25.9	25.5	24.9		17
10.7	0.0	7	7	27.4	31.4	27.1	26.4	25.8	25.0		18
10.6	1.0	8	8	25.9	28.6	27.0	26.5	25.8	25.1		19
11.2	1.0	8	7	24.5	29.3	26.3	26.3	25.9	25.2		20
11.1	1.3	8	7	23.3	27.6	26.0	26.1	25.9	25.2		21
10.7	0.0	7	6	25.9	27.3	25.9	25.9	26.0	25.2		22
10.8	0.7	7	6	25.2	30.0	26.2	26.1	25.8	25.2		23
6.8	6.0	7	6	27.2	29.4	26.7	26.2	25.8	25.1	⊕¹	24
10.3	0.7	6	7	27.9	31.7	27.1	26.4	25.8	25.1		25
10.4	5.0	7	8	24.0	27.9	26.8	26.5	26.0	25.2		26
10.5	0.0	7	6	24.6	28.4	26.4	26.2	26.0	25.2		27
10.4	0.0	7	6	25.8	28.6	26.3	26.0	26.2	25.2		28
10.5	0.0	7	6	24.9	27.3	26.2	26.1	25.8	25.1		29
10.6	0.0	6	6	27.0	28.8	26.1	25.9	25.8	25.2		30
um 298.8										◎2, ◎3, R1, ≺3, ⊕1, Ψ1.	
vg.	1.8	7.0	7.0	25.2	28.6	26.1	26.1	26.0	25.4		

Year : 1943 Month : October

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	26.6	32.6	21.7	20.3	0			55	13.2	754.2	SW	0.7	5.9
2	27.2	35.0	21.3	18.5	0			46	10.0	54.5	N	1.8	6.4
3	25.9	33.2	20.6	19.0	0			49	12.1	53.7	NE	3.4	6.0
4	25.4	31.8	22.1	19.4	0	0.0	0.08	54	12.7	52.2	NNE	5.3	5.4
5	22.8	27.8	18.5	19.8	0			69	14.1	51.3	N	1.8	4.0
6	23.4	27.9	19.7	20.4	0	0.5	0.65	76	15.5	52.2	SW	1.4	3.0
7	23.4	26.9	19.3	20.2	0			75	15.5	52.4	S	1.8	3.1
8	23.8	29.3	20.5	21.5	0	3.3	2.97	80	17.3	53.8	SW	1.3	2.4
9	24.5	30.3	20.4	20.7	0	0.0	0.05	66	15.5	52.4	SW	0.8	3.9
10	23.0	27.4	20.8	18.3	0			61	12.9	54.1	NNE	3.9	4.0
11	21.1	27.3	17.5	16.6	0			60	10.9	54.0	NNE	6.1	3.9
12	15.8	19.8	15.2	13.1	2	3.4	11.75	78	10.0	52.2	NNE	10.7	2.4
13	16.0	19.2	13.9	13.4	2	0.2	0.83	74	9.8	50.5	NNE	6.6	2.5
14	17.4	22.2	13.4	14.7	1			71	10.3	52.4	NE	1.2	2.5
15	18.4	23.8	14.8	14.9	0			66	9.9	52.1	N	2.6	2.6
16	18.2	25.2	13.3	15.1	0			68	10.6	53.0	N	1.6	2.5
17	18.7	25.4	14.3	14.9	0			61	9.9	54.1	N	2.8	3.1
18	17.9	23.8	13.3	14.2	0			62	9.2	55.2	NNE	2.0	2.9
19	17.8	24.6	13.4	14.0	0			61	9.2	54.4	NE	2.6	2.7
20	18.2	23.3	13.8	13.7	0			60	8.9	53.6	N	3.8	3.4
21	18.5	24.8	14.7	14.9	0			63	9.9	54.4	N	3.1	2.9
22	18.4	23.8	13.4	14.4	0			60	9.2	55.1	N	3.4	3.4
23	17.9	22.4	15.6	13.8	0			61	9.0	54.7	NNE	5.9	3.7
24	16.6	20.8	13.6	14.4	1	0.0	0.08	70	10.2	53.5	NNE	2.3	2.2
25	18.3	24.0	15.2	15.0	0	0.1	0.50	71	10.7	52.6	W	1.0	2.3
26	19.0	24.4	15.0	16.0	0			73	11.5	52.3	S	0.9	2.5
27	18.5	23.4	15.3	16.6	0	1.7	5.00	77	12.8	51.9	NE	1.2	1.5
28	18.7	22.8	16.1	14.9	0	0.2	-	64	10.1	54.3	NNE	5.8	3.0
29	18.4	22.8	16.0	15.2	0			68	10.7	56.9	NE	4.8	2.7
30	17.0	20.4	15.0	13.9	1			70	9.9	57.5	NE	9.1	3.1
31	16.0	19.0	14.1	12.7	2			66	8.8	57.6	NNE	10.9	3.6
Sum					9	9.4	-				NNE		103.5
Avg.	20.1	25.3	16.5	16.3				66	11.3	753.6	(6)	3.7	3.3

r : 1943 Month : OCtober

Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
10.4	0.0	7	6	26.0	28.6	26.2	25.9	25.7	25.1		1
10.6	0.0	6	7	25.8	30.4	26.3	26.0	25.7	25.1		2
9.5	3.3	7	8	25.3	28.9	26.5	26.1	25.7	25.1		3
8.6	4.0	7	7	24.2	29.3	26.5	26.1	25.7	25.0	◍°	4
10.4	2.0	7	7	23.1	25.9	25.9	25.9	25.8	25.1	≺¹	5
8.6	6.0	8	6	23.5	25.6	25.5	25.6	25.6	25.0	◍¹ ☈	6
9.4	7.0	7	7	24.7	26.9	25.3	25.5	25.5	24.9	≺ ☈° ☋	7
8.0	5.7	7	8	24.7	25.1	25.2	25.3	25.2	24.8	◍¹ ◍° ☈°	8
7.8	4.7	9	8	25.0	25.1	25.0	24.9	25.1	24.8	◍°	9
5.7	8.3	7	7	23.5	25.1	24.7	24.7	24.9	24.6		10
8.5	5.3	7	7	22.1	24.7	24.0	24.3	24.7	24.5	⊕°	11
0.0	10.0	8	8	13.2	14.1	22.3	23.3	24.0	23.8	◍° ◍¹	12
0.8	8.7	7	8	14.9	15.9	20.6	22.1	23.4	23.9	◍° ◍ ☋°	13
6.7	6.7	8	8	16.5	17.8	20.3	21.5	23.0	23.7		14
2.5	6.7	9	9	19.0	20.4	20.7	21.6	22.7	23.4		15
8.1	4.7	8	8	19.2	20.6	20.9	21.6	22.6	23.2	Ω¹	16
7.3	4.3	8	9	19.6	20.6	21.2	21.7	22.4	22.9	⊕²	17
8.1	3.3	9	8	21.3	20.5	20.9	21.6	22.4	22.6		18
7.7	4.3	8	8	19.4	19.3	20.7	21.4	22.1	22.6		19
9.4	7.0	7	8	18.7	19.8	20.6	21.2	22.1	22.3	⊕°	20
7.8	3.7	7	8	20.5	20.9	20.6	21.2	21.9	22.3		21
8.9	3.7	7	8	19.0	20.0	20.5	21.0	21.8	22.2		22
10.7	1.0	8	8	18.0	20.0	20.7	21.0	21.7	22.0		23
4.4	4.7	7	8	14.9	17.2	20.2	20.9	21.6	21.9	◍° Ω°	24
4.6	5.7	7	8	17.9	19.8	20.2	20.8	21.5	22.0	◍° ◍°	25
9.8	1.3	7	7	18.2	19.6	20.3	20.7	21.4	21.8	Ω²	26
4.4	7.7	8	7	17.4	19.3	20.5	20.8	21.4	21.7	◍¹ ≺° Ω°	27
6.1	8.3	7	7	18.5	18.2	20.2	20.5	21.2	21.6	◍° ≺°	28
3.8	9.0	7	8	17.2	18.2	20.1	20.4	21.1	21.5		29
6.8	7.3	7	8	16.7	18.0	20.0	20.3	20.9	21.2		30
9.6	5.0	7	7	15.7	16.8	19.5	20.0	20.7	21.2		31
m 225.0										◍5, ◍9, ☈2, ≺4, ☋2, ⊕3, Ω5.	
g.	5.1	7.4	7.6	20.1	21.7	22.3	22.7	23.2	23.3		

Year : 1943 Month : Novem

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	15.9	19.4	13.6	12.7	2			67	9.0	758.5	NNE	10.4	3.4
2	16.8	20.8	13.4	13.4	1	-	-	66	9.2	58.4	NNE	6.3	3.2
3	16.4	19.3	14.9	12.8	2	0.0	0.17	63	8.6	55.6	NNE	4.9	2.8
4	15.9	20.5	12.5	12.3	2	0.0	0.08	61	8.2	53.4	NE	2.8	2.8
5	15.4	17.6	13.8	12.7	3	0.0	0.08	68	9.1	54.3	NE	6.1	2.8
6	16.4	19.1	13.7	13.5	2	0.5	3.08	72	9.7	54.0	N	2.3	2.0
7	21.3	23.1	15.2	18.8	0			77	14.4	48.0	S	5.3	3.5
8	20.9	24.3	18.5	17.0	0			71	12.3	48.3	S	2.7	3.8
9	18.2	22.2	15.3	13.4	0	-		59	8.6	50.6	SW	1.7	5.0
10	16.6	22.6	12.0	13.1	1	0.0	0.55	67	9.2	54.7	NNE	2.2	2.6
11	16.3	20.6	13.9	13.8	2	0.2	1.20	76	10.4	55.0	N	1.2	1.9
12	16.5	18.1	14.7	15.2	1	3.4	2.75	83	12.1	53.7	NNE	0.6	1.1
13	19.4	23.5	16.1	16.1	0	0.0	0.08	67	11.4	43.4	S	7.0	3.9
14	17.8	22.1	15.1	14.0	0	0.0	-	61	9.3	48.8	W	2.4	5.5
15	18.3	22.5	13.8	15.5	0			73	11.2	51.6	S	2.8	3.4
16	20.0	23.7	18.1	17.8	0			78	13.7	54.1	S	2.6	3.0
17	18.6	23.8	15.0	16.4	0			77	12.1	55.1	SW	0.6	2.1
18	19.3	23.0	16.1	16.1	0			76	12.6	53.9	S	0.9	2.1
19	18.0	21.3	16.5	16.8	0	16.5	6.08	87	13.4	55.9	NE	0.6	1.0
20	18.3	21.8	16.2	16.8	0	0.0	2.03	87	13.0	58.7	N	0.0	0.9
21	17.6	21.5	15.2	16.0	0			84	12.5	58.3	N	0.1	1.1
22	17.4	20.1	14.7	16.1	1	0.0	0.17	87	12.8	56.1	S	1.7	1.0
23	19.6	21.6	17.3	18.3	0			86	14.8	54.9	S	4.3	2.0
24	18.5	20.4	15.7	15.6	0	2.3	1.42	74	11.5	52.9	S	3.8	1.5
25	16.4	19.8	14.1	12.1	2			59	7.8	51.7	W	2.5	4.0
26	16.7	19.5	14.7	12.4	1	0.0	0.17	59	8.4	48.1	W	4.9	3.7
27	15.2	19.1	11.8	11.9	3		-	65	8.4	51.2	SSW	1.2	2.9
28	16.8	20.2	14.7	14.7	1	0.0	0.55	75	10.9	51.8	S	2.2	2.7
29	14.9	18.5	12.8	12.7	3	0.0	-	75	9.4	56.7	NNE	2.2	1.5
30	15.6	19.7	12.5	12.1	2			70	8.3	54.7	W	1.4	2.7
Sum					29	22.9	-				S		79.9
Avg.	17.5	21.0	14.7	14.7				72	10.8	753.4	(6)	2.9	2.7

r : 1943 Month : November

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil. temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenomena (4)	Date
9.2	5.3	6	7	15.9	17.0	19.2	19.6	20.5	21.0	⊕°	1
9.2	3.3	7	8	16.9	14.1	19.0	19.5	20.4	20.9		2
3.5	9.3	7	7	15.4	14.0	19.1	19.5	20.3	21.0	◍° ≤	3
5.3	7.7	7	8	15.4	16.8	19.3	18.6	20.1	20.7	◍°	4
0.4	8.7	7	7	14.3	16.3	18.5	19.0	19.8	20.5	◍°	5
1.9	9.3	7	7	15.5	17.0	18.4	18.9	19.8	20.6	◍° ◍° ϵ° Θ°	6
3.5	8.7	6	5	18.6	20.4	19.3	19.3	19.8	20.5	ϵ°	7
7.8	3.3	9	8	20.0	18.5	20.0	19.4	20.0	20.5	ϵ° D^{1-2}	8
8.8	2.0	8	8	15.4	18.0	20.1	19.8	20.0	20.4	ϵ°	9
3.3	9.3	7	7	15.3	17.0	19.0	19.4	19.9	20.3	◍° ϵ°	10
2.6	10.0	8	6	16.3	16.1	18.9	19.3	19.8	20.3	◍° ϵ°	11
0.0	10.0	8	7	15.5	15.9	18.7	19.0	19.6	20.1	◍¹ ◍¹	12
6.5	6.7	7	8	19.4	19.2	18.6	18.9	19.6	20.2	◍°	13
8.4	1.7	8	8	16.9	17.2	18.6	18.8	19.4	19.9	◍°	14
8.8	1.3	9	9	17.4	17.7	18.4	18.7	19.4	19.7	D^{0}	15
8.7	0.3	7	8	18.3	19.3	19.2	19.2	19.3	19.7	D^{2}	16
8.3	4.3	7	6	17.1	18.6	19.1	19.0	19.2	19.6	D^{0}	17
7.2	5.0	7	7	17.3	18.9	19.2	19.2	19.2	19.7	≤° D^{2}	18
0.0	9.7	6	5	16.7	17.3	19.1	19.1	19.3	19.6	◍¹ ◍¹ ≤	19
1.1	9.3	4	5	18.3	18.4	18.7	18.8	19.2	19.5	◍°	20
7.6	5.7	6	5	16.7	17.0	18.4	18.6	19.0	19.5	D^{2}	21
2.4	8.7	8	8	16.4	16.8	18.2	18.5	19.0	19.5	◍° D^{2}	22
3.6	7.7	8	7	18.3	18.5	18.4	18.5	18.9	19.3	D^{1}	23
0.7	8.0	6	4	17.0	16.4	18.7	18.6	19.0	19.5	◍° ◍ D^{0}	24
7.8	3.7	7	8	15.2	15.0	17.9	18.0	18.7	19.3		25
2.8	7.3	9	9	14.1	15.2	17.3	17.9	18.6	19.2	◍°	26
6.2	7.0	8	8	14.3	15.0	16.6	17.2	18.1	18.6		27
2.3	10.0	8	7	15.9	16.9	17.2	17.4	18.0	18.7	◍°	28
1.8	8.0	8	8	16.8	16.4	17.0	17.3	17.7	18.5	◍°	29
8.8	2.0	8	8	13.4	14.4	16.7	17.1	17.8	18.4	Ω^{2}	30
148.5										◍5, ◍15, ≤1, ≤2, ⊕1	
	6.4	7.3	7.1	16.2	17.2	18.5	18.8	19.3	19.8	Θ1 Ψ6, Ω10.	

Year : 1943 Month : December

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailings direction	Avg. speed (met.p.s.	Total evaporation (mm) (3)(7)
1	16.5	19.2	12.1	13.2	1			66	9.1	751.2	S	3.1	2.8
2	14.5	18.0	11.9	9.9	3			55	6.4	51.2	W	3.2	4.9
3	10.9	16.7	7.3	6.[illegible]	7			49	4.4	58.3	ENE	1.6	3.1
4	10.9	16.7	6.9	7.5	7			57	5.5	59.8	NE	1.1	2.4
5	12.9	19.1	8.1	9.8	5			67	7.3	59.5	NE	0.9	2.2
6	14.2	20.5	10.2	11.8	4			72	8.5	58.7	ENE	0.8	1.8
7	14.3	19.6	9.4	11.7	4			73	8.6	58.9	SW	0.7	2.1
8	15.6	19.6	11.6	13.7	2		-	83	10.5	56.9	SSW	0.8	1.3
9	16.5	18.8	14.4	15.1	1	0.0	0.03	86	11.8	54.9	N	0.7	0.7
10	16.0	18.8	12.8	14.6	2	4.7	5.62	83	11.3	55.2	S	1.0	1.3
11	18.3	20.1	16.6	16.2	0	0.2	0.25	84	12.[illegible]	54.5	S	4.4	2.6
12	16.4	21.2	14.5	14.3	2	0.0	0.08	78	10.6	55.6	WSW	0.8	1.9
13	14.5	19.1	11.5	12.3	3			74	9.0	58.7	NE	5.0	1.9
14	12.5	16.8	10.9	10.0	5			73	7.7	59.0	NE	3.0	2.0
15	10.1	12.0	8.[illegible]	8.1	8	0.1	3.33	76	6.9	59.3	NNE	4.6	1.4
16	9.2	11.8	7.6	7.3	9	1.4	6.00	74	6.3	58.7	N	2.0	1.4
17	8.2	9.6	8.0	5.0	10	0.1	0.57	64	4.8	60.3	NNE	5.8	2.0
18	6.8	10.2	5.2	12.6	11	0.0	0.42	69	4.8	60.3	NNE	4.4	1.7
19	6.6	11.2	4.1	12.3	11	0.1	0.67	66	4.7	61.4	NNE	3.0	1.6
20	7.1	12.3	2.6	12.8	11		-	67	5.0	60.4	ENE	1.0	1.8
21	11.5	16.9	6.9	10.5	6	0.0	0.08	79	8.5	57.7	NE	0.6	1.1
22	13.4	19.2	9.3	12.1	5			82	9.5	54.9	SSW	0.5	1.2
23	14.2	18.1	11.4	12.7	4			83	9.9	54.2	SSW	1.1	0.9
24	14.9	17.8	13.4	13.7	3	9.1	3.17	86	10.6	56.2	S	2.1	1.6
25	15.1	18.6	12.7	13.8	3	0.9	1.50	82	10.5	56.5	S	1.1	1.5
26	14.7	19.9	11.6	13.7	3		-	83	10.2	56.2	SW	0.5	1.2
27	11.3	14.6	7.6	9.9	7	5.9	7.00	83	8.3	49.7	N	1.2	0.7
28	5.8	9.4	3.2	3.6	12	8.3	8.00	71	4.7	48.6	NW	1.7	1.2
29	5.4	8.4	3.4	3.8	13	6.0	6.08	74	5.0	50.3	NW	3.4	1.0
30	5.4	8.8	2.6	4.3	13	0.8	7.40	80	5.4	50.3	NE	1.9	0.9
31	7.4	12.6	2.0	5.8	11	0.9	1.20	76	5,6	49.2	ENE	2.1	0.9
Sum					186	38.5	51.40				NNE		53.1
Avg.	12.0	16.0	9.0	9.8				74	7.9	756.0	(6)	2.1	1.7

Year : 1943 Month : December

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Miscellaneous phenoemena (4)	Date
1	1.9	9.0	8	7	15.2	15.7	16,6	17.0	17.6	18.4	☊°	1
2	4.1	4.0	8	9	14.3	16.7	17.0	17.0	17.6	18.5		2
3	8.7	0.0	8	9	9.3	10.6	14.8	15.7	17.1	17.9		3
4	8.7	0.3	8	7	9.6	10.1	14.4	15.5	16.7	17.6		4
5	8.7	0.0	6	4	9.7	13.3	14.0	15.0	16.3	17.4	☊°	5
6	8.2	0.7	6	6	12.7	15.1	14.2	15.0	16.2	17.1	☊¹	6
7	8.4	2.0	7	4	13.6	13.5	14.4	15.1	16.2	17.5	⊕° ☊¹	7
8	7.4	6.7	6	5	15.3	16.4	14.9	15.3	16.2	17.2	⊕° ☊²	8
9	0.0	10.0	5	4	15.0	16.2	16.4	16.1	16.3	17.2	☊²	9
10	1.1	10.0	6	5	14.4	14.8	15.8	15.9	16.4	17.1	◍¹ ◍°	10
11	0.0	10.0	7	7	16.2	16.6	16.3	16.2	16.6	17.2	◍°	11
12	3.8	8.3	5	5	15.8	15.3	16.3	15.9	16.4	17.3	◍° ☊¹⁻²	12
13	7.2	3.7	8	9	13.8	14.4	15.4	15.9	16.4	17.1		13
14	5.8	5.3	8	8	10.7	11.5	14.9	15.3	16.2	17.0		14
15	0.7	7.3	7	7	8.1	9.0	14.0	14.7	15.8	16.7	◍	15
16	1.8	6.7	9	8	7.2	7.9	13.0	14.0	15.5	16.5	◍⁰⁻¹	16
17	0.6	9.7	8	7	6.3	7.0	12.1	13.2	14.7	16.2	◍° ☾°	17
18	3.2	7.7	7	7	7.6	7.3	11.2	12.6	14.4	15.9	◍°	18
19	6.6	5.7	7	7	8.8	8.5	10.6	12.1	13.9	15.5	⁎°	19
20	8.6	1.0	7	6	5.9	6.9	10.3	11.7	13.5	14.8	☊°	20
21	1.1	8.3	6	7	10.5	11.1	11.0	12.0	13.3	15.0	◍°	21
22	7.3	4.7	6	5	13.1	12.8	11.9	12.5	13.6	15.2	☊²	22
23	6.1	4.3	8	8	13.2	13.6	12.8	13.1	14.0	15.3	☊²	23
24	0.4	10.0	8	8	14.5	14.8	13.8	13.7	14.3	15.3	◍⁰⁻¹ ◍¹	24
25	4.7	6.3	8	7	14.0	13.7	13.9	14.0	14.4	15.4	◍° ◍° ☾°	25
26	6.8	7.7	8	6	10.6	10.9	13.9	14.1	14.5	15.5	☊²	26
27	0.8	9.7	7	7	10.1	11.2	13.9	14.1	14.6	15.5	◍¹ ◍¹ ☈° ☾°	27
28	5.8	6.0	7	8	5.1	5.9	12.0	13.0	14.1	15.3	◍⁰⁻¹ ◍	28
29	0.2	7.7	7	7	4.8	6.2	10.9	12.2	13.7	15.3	◍¹ ◍°	29
30	2.4	8.7	3	3	4.3	4.6	9.6	11.2	13.0	14.4	◍¹ ◍¹ ⌙° ☊°	30
31	4.8	6.7	7	6	6.1	6.4	9.3	10.7	12.5	14.3	◍¹ ◍° ⌙¹ ☊¹	31
Sum	135.9										◍8, ◍16, ⁎1, ☈1, ☾3, ⊕1, ☋2, ☋3, ⌙2, ☊13.	
Avg.		6.3	7.0	6.5	10.8	11.5	13.5	14.2	15.2	16.3		

YEAR : 1943

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (base 18°C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid.(%) (1)	Average of Vapor pressure (mm) (3)	Sunshine hr (8) Total	Sunshine hr (8) Possible (9)
JAN.	7.7	11.8	3.7	17.3	1	-1.0	27	318	5.8	73	5.8	128.3	303
FEB.	9.5	13.9	5.6	16.9	19/24	1.9	1	237	6.9	66	5.8	172.1	300
MAR.	9.0	12.5	5.9	18.6	30	5.4	5/6	104	11.1	58	7.4	241.7	393
APR.	15.0	19.8	10.5	27.6	26	-0.3	6	273	6.5	67	5.7	144.7	368
MAY	19.1	24.0	15.1	29.3	5	11.4	2	5	15.2	63	10.1	217.6	438
JUNE	23.9	29.5	19.1	34.9	15	15.3	1	0	18.3	54	11.8	307.7	439
JULY	27.4	33.3	22.4	40.6	8	19.3	12	0	20.0	46	12.3	351.0	446
AUG.	28.0	33.8	23.1	39.1	8	19.4	27	0	20.1	44	12.2	375.0	418
SEP.	24.9	30.6	20.3	37.1	18	17.3	9/10	0	19.2	56	12.9	298.8	370
OCT.	20.1	25.3	16.7	35.0	2	13.3	16/18	9	16.3	66	11.3	225.0	344
NOV.	17.5	21.0	14.7	24.3	8	11.8	27	29	14.7	72	10.8	148.5	301
DEC.	12.0	16.0	9.0	21.2	12	2.0	31	186	9.8	74	7.9	135.9	294
YEAR	17.8	22.6	13.8	40.6	July 8	-1.0	Jan. 27	116.1	13.7	62	9.5	7750.3	4421

Month	Avg. Cloudiness (tenths) (3)	Avg. Visibility (11) Toward sea	Avg. Visibility (11) Toward land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summer days)	Maximum ≥ 30.0°C (Tropical days)	Minimum ≥ 20.0°C (Tropical nights)
JAN.	6.0	6.2	6.6	7.0	6.7	8.9	9.4	10.4	11.8	3	0	0	0	0
FEB.	4.6	7.1	7.3	8.9	9.1	9.4	9.4	9.8	10.8	0	0	0	0	0
MAR.	7.2	7.4	7.5	8.7	10.1	9.8	9.8	10.3	11.0	1	0	0	0	0
APR.	4.2	7.2	7.3	17.1	20.2	14.8	14.1	13.5	13.3	0	0	5	0	0
MAY	4.4	7.2	7.4	20.5	25.2	20.2	19.5	18.8	17.9	0	0	11	0	0
JUNE	2.1	7.6	7.3	27.0	32.4	25.0	24.0	22.6	21.1	0	0	29	12	12
JULY	1.1	7.4	7.5	28.8	36.9	28.9	27.8	26.5	24.7	0	0	31	30	29
AUG.	0.6	7.3	7.8	29.3	36.5	29.4	28.7	27.9	26.4	0	0	31	31	30
SEP.	1.8	7.0	7.0	25.2	28.6	26.1	26.1	26.0	25.4	0	0	29	17	18
OCT.	5.1	7.4	7.6	20.1	21.7	22.3	22.7	23.2	23.3	0	0	13	5	7
NOV.	6.4	7.3	7.1	16.2	17.2	18.5	18.8	19.3	19.8	0	0	0	0	0
DEC.	6.3	7.0	6.5	10.8	11.5	13.5	14.2	15.2	16.3	0	0	0	0	0
YEAR	4.2	7.2	7.2	18.3	21.3	18.9	18.7	18.6	18.5	4	0	149	95	96

Y E A R : 1943

Month	Average Pressure (mm) at 0°C (1)	Wind (1) (5) Avg. speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitaion Total (mm) (4)	Precipitaion Maximum in 24 hrs	Precipitaion Date	Total evaporation (mm) (4).(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipit. (4)	Dew (4)	Hoarfrost (4)
JAN.	751.2	1.9	N	46.9	13.5	13	47.1	16	11	1	2	0	22	16	8
FEB.	57.0	2.9	N	13.4	7.9	12	56.7	4	6	0	0	0	6	24	4
MAR.	55.2	5.2	NNE	52.7	24,7	12	68.9	7	11	1	0	0	12	21	5
APR.	53.3	2.5	NE	13.3	4.0	3	106.0	7	9	0	0	0	10	18	0
MAY	51.7	2.6	SW	16.1	5.6	17	132.6	8	12	0	0	0	12	14	0
JUNE	51.4	2.1	S	18.4	18.2	20	175.3	2	2	0	0	0	4	3	0
JULY	49.9	2.6	S	0.0	0.0	5/29	240.8	1	1	0	0	0	2	1	0
AUG.	49.9	4.7	N	0.0	0.0	3/4	243.2	0	2	0	0	0	10	5	0
SEP.	52.3	2.6	N	21.7	20.0	6	155.1	2	3	0	0	0	10	0	0
OCT.	53.6	3.7	NNE	9.4	3.4	12	103.5	5	9	0	0	0	10	0	0
NOV.	53.4	2.9	S	22.9	16.5	19	79.9	5	15	0	0	0	16	10	0
DEC.	56.0	2.1	NNE	38.5	9.1	24	53.1	8	16	0	1	0	17	13	2
YEAR	752.9	3.0	N	253.3	24.7	March 12	1462.2	65	97	2	3	0	116	125	16

Month	Number of days: Snow cover	Clear (0.0-1.9 tenths) (3)	Partly cloudy 2.0-8.0 tenths (3)	Cloudy 8.1-10.0 tenths (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)	
JAN.	1	4	18	9	3	3	1	5	1	3	2	0	1	2	
FEB.	0	8	14	6	9	1	0	2	0	2	2	0	1	0	
MAR.	0	1	16	14	3	4	0	5	0	1	2	2	0	0	
APR.	0	7	21	2	9	0	0	0	0	1	2	1	0	0	
MAY	0	7	19	5	3	1	2	0	0	1	1	1	3	0	
JUNE	0	20	10	0	9	0	2	0	0	0	0	0	1	0	
JULY	0	27	4	0	27	0	1	2	0	0	1	0	0	0	
AUG.	0	27	4	0	26	0	1	0	0	0	0	0	0	0	
SEP.	0	23	5	2	23	0	1	3	0	1	1	0	0	0	
OCT.	0	4	22	5	7	1	2	4	0	3	2	0	0	0	
NOV.	0	3	16	11	6	2	1	2	0	1	6	1	0	0	
DEC.	0	5	16	10	4	2	1	0	0	1	3	2	3	0	
YEAR	1	136	165	64	129	14	12	23	1	14	22	7	9	2	

YEAR : 1943

Month	Frequency (%) of the wind direction (24 hourly observation) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	
JAN.	18.5	4.8	6.0	1.1	0.4	0.9	1.2	0.7	6.8	3.2	4.2	4.3	5.5	4.8	9.7	9.5	18
FEB.	16.7	10.9	10.7	1.6	1.6	0.7	2.5	1.3	4.0	3.3	3.0	1.6	4.6	0.9	3.3	2.7	30
MAR.	14.9	24.9	19.2	4.0	1.2	0.8	1.3	1.6	4.6	3.3	3.8	1.9	1.3	2.0	4.6	4.7	5
APR.	7.5	8.3	13.1	2.1	0.1	0.0	0.6	0.4	8.9	7.5	9.7	1.9	2.5	1.1	3.5	4.0	28
MAY	10.6	7.8	9.4	1.9	0.5	0.1	0.4	0.3	6.6	6.9	10.8	3.5	6.5	3.2	3.0	3.5	25
JUNE	13.3	2.1	1.0	0.4	0.3	0.8	1.0	0.7	15.4	10.8	5.8	2.1	3.2	2.8	3.5	2.5	34
JULY	13.0	8.1	2.4	0.4	0.4	0.1	0.9	0.8	16.4	7.3	5.6	3.4	3.6	1.5	4.0	2.3	28
AUG.	39.5	13.6	1.7	0.1	0.3	0.0	0.3	0.0	4.8	2.4	2.4	0.7	1.9	0.9	5.9	4.2	21
SEP.	15.7	11.7	10.3	1.0	0.7	0.3	0.3	0.3	5.3	4.9	7.1	1.0	3.1	1.1	2.9	2.6	31
OCT.	17.9	24.5	18.8	2.2	1.3	0.3	0.7	0.1	3.2	2.4	4.4	1.1	2.3	0.8	2.6	0.9	16
NOV.	8.3	9.7	10.4	1.7	1.3	1.0	1.1	1.4	17.2	5.8	6.9	3.8	9.9	2.5	1.4	1.1	16
DEC.	8.1	16.7	9.9	5.2	4.0	0.8	0.9	0.9	8.6	5.1	3.8	3.1	3.5	0.9	5.0	3.1	20
YEAR	15.4	12.0	9.4	1.8	1.0	0.5	0.9	0.7	8.5	5.2	5.7	2.4	4.0	1.9	4.1	3.4	23

REFERENCE NOTES

1) Average of 24 hourly values.

2) Day ending at 24 h.

3) Average of 8,14 and 20 h. observations

4) Day ending at 20 h.

5) From Steffens-Hedde anemograph (mean instantaneous readings)

6) Monthly prevailing direction

7) From Piche evaporimeter

8) From Campbell-Stokes recorder.

9) Monthly possible sunshine uncorrected for the around topography.

10) At 14 h obsrevation.

YEAR 1944

Year : 1944 Month : Janua

Date	Air temperature (°C)				Dergee days (base 18°)	Precipit.		Average of		Avg.Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	(1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	9.5	11.9	7.9	8.2	8	4.1	6.18	81	7.2	746.3	NE	5.1	1,3
2	9.4	12.9	7.3	7.3	9			72	6.3	52.2	NE	5.1	1,6
3	9.6	13.6	6.1	7.3	8			68	6.0	53.7	NE	3.2	1.7
4	10.1	14.1	6.7	7.4	8			66	5.8	48.1	W	2.7	2.1
5	13.1	17.4	8.1	9.9	5	0.0	0.08	63	6.9	46.8	WSW	3.3	3.2
6	10.8	14.8	5.2	8.4	7	3.1	5.22	75	7.1	49.5	NE	3.6	2,8
7	4.7	5.8	3.4	3.3	13	16.5	15.17	79	4.9	50.2	WNW	4.4	0.8
8	5.7	9.6	1.9	3.2	12			62	4.1	53.3	NW	2.9	1.8
9	8.2	13.0	4.1	5.7	10			65	5.2	58.6	SSW	0.9	1.9
10	11.4	15.3	7.8	8.5	7			67	6.5	56.1	W	1.5	2.3
11	12.2	15.2	10.1	9.8	6			72	7.5	54.8	W	1.9	2.3
12	11.1	16.8	8.1	8.9	7			72	7.0	56.6	NNE	1.1	1.8
13	11.7	16.7	8.3	8.7	6			64	6.3	54.5	NNE	3.1	2.1
14	4.7	5.9	1.8	2.8	13	0.5	0.75	74	4.6	61.6	NNE	5.4	1.8
15	5.0	10.0	0.5	3.6	13			73	4.8	59.7	NNE	1.5	1.0
16	4.9	7.3	2.4	2.2	13			62	3.6	59.2	NE	10.0	1.5
17	0.8	2.2	-0.3	-0.3	17	7.1	15.17	90	4.3	57.8	NNW	5.2	2.2
18	1.5	4.4	-1.2	0.9	16	8.1	2.25	88	4.2	55.5	NW	3.9	0.7
19	5.2	10.2	1.9	3.1	13			69	4.5	56.1	N	2.8	1.4
20	5.1	9.1	2.8	3.3	13	0.0	0.05	74	4.8	58.9	N	1.3	0.9
21	5.8	11.2	2.3	4.8	12	0.0	0.23	79	5.5	60.6	NNE	1.2	0.9
22	6.7	12.0	3.2	5.4	11			76	5.6	60.0	NNE	0.6	1.0
23	7.9	13.8	5.3	6.0	10			73	5.6	58.7	ENE	0.5	1.3
24	9.4	13.5	4.9	7.8	9			71	6.5	53.3	SW	1.0	1.9
25	10.6	14.7	7.0	7.7	7			69	6.2	53.0	W	1.6	1.9
26	11.1	14.9	7.5	9.2	7			73	7.4	52.5	S	1.7	1.9
27	9.7	13.4	7.3	6.8	8	0.7	2.83	68	5.8	51.4	NNE	4.0	2.0
28	9.0	12.9	7.1	5.5	9	0.4	1.00	58	4.7	54.2	NNE	7.7	2.6
29	12.4	17.9	7.9	7.8	6			48	5.0	53.9	NW	3.6	2.4
30	10.2	13.9	7.0	7.2	8			64	6.0	57.4	NE	3.0	2.8
31	11.2	18.2	6.1	9.1	7			68	6.9	57.6	SSW	0.8	2.0
Sum					298	40.5	48.93				NNE		56.9
Avg.	8.3	12.4	5.1	6.1				70	5.7	754.9	(6)	3.0	1.8

Year : 1944 Month : January

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h	Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)						
			Toward sea	Toward land	Green	Bare	30	60	90	120			
1	0.1	9.7	6	7	8.0	8.7	10.2	11.1	12.5	14.2	2	◍° ◍° ☋°	1
2	6.3	5.3	6	7	8.2	8.0	10.5	11.2	12.5	14.1	1	☋° ☊¹	2
3	2.8	8.0	6	7	9.4	9.5	10.5	11.3	12.5	14.0	1	☋	3
4	7.7	2.3	9	9	10.0	8.9	10.5	11.2	12.5	14.0	1		4
5	4.2	3.7	8	8	10.4	10.4	10.8	11.4	12.5	14.0	1	◍° ☊°	5
6	0.2	9.7	6	7	8.4	9.2	11.4	11.7	12.5	13.8	1	◍ ◍	6
7	0.0	10.0	8	6	4.1	4.8	10.0	10.9	12.3	13.6	2	◍² ◍	7
8	7.8	3.0	8	9	5.0	6.6	8.9	10.1	11.8	13.4	2	☊°	8
9	8.4	0.0	6	6	6.2	6.2	8.7	9.9	11.5	13.1	1	☊°	9
10	7.2	1.3	8	7	8.7	8.7	9.2	10.0	11.5	13.1	1	☊°	10
11	5.8	7.0	9	9	10.5	10.7	10.2	10.6	11.6	13.1	1	☊	11
12	5.1	6.0	7	8	8.9	10.4	10.6	10.8	11.6	13.0	1	☊°	12
13	8.8	3.0	9	9	11.1	11.2	10.7	11.0	11.7	13.0	1	☊	13
14	2.3	4.7	6	5	4.1	4.8	9.9	11.0	11.5	12.7	1	⚹	14
15	1.2	7.7	5	4	3.7	4.4	8.3	9.6	11.1	12.5	0	⌴° ☊¹	15
16	5.1	6.3	6	7	4.4	4.5	8.1	9.2	10.7	12.5	0		16
17	0.9	8.7	2	2	-0.4	0.1	6.6	8.2	10.1	11.9	7	⚹² ⚹° ▣	17
18	3.6	7.3	7	5	0.7	1.2	5.9	7.5	9.7	12.0	6	⚹¹ ▣	18
19	8.4	2.7	7	7	6.4	5.1	5.8	7.6	9.7	11.8	4	▣	19
20	2.1	7.0	7	7	3.4	3.8	6.4	7.8	9.4	11.4	4	◍° ⌴° ☊¹	20
21	3.4	6.0	8	9	6.1	6.1	6.5	7.9	9.4	11.3	5	◍° ⚹	21
22	2.1	5.7	4	5	6.7	6.4	7.2	8.2	9.4	11.1	1	☊¹	22
23	6.3	3.3	6	8	8.7	8.3	7.7	8.4	9.6	11.1	1	☊¹	23
24	7.9	4.3	6	7	8.8	7.9	7.8	8.7	9.6	11.2	1	☊°	24
25	8.6	2.3	7	8	8.6	8.6	8.8	9.2	9.9	11.2	1	☊¹	25
26	5.1	7.3	8	8	9.1	8.8	9.1	9.5	10.1	11.3	0	☊¹	26
27	0.7	10.0	5	7	8.1	8.1	9.2	9.6	10.2	11.3	1	◍⁰⁻¹ ☋° ☊°	27
28	5.4	5.7	6	7	8.8	8.3	8.9	9.5	10.3	11.3	1	◍⁰⁻¹	28
29	9.1	0.7	8	8	10.8	10.5	8.9	9.5	10.3	11.3	1	⊕ ☊°	29
30	5.1	2.7	6	7	9.6	8.8	9.5	9.9	10.5	11.4	0	☊°	30
31	9.5	0.3	6	8	12.6	11.1	9.2	9.9	10.5	11.4	0	☊²	31
Sum	151.2											◍4, ◍7, ⚹2, ⚹3, ☋2,	
Avg.		5.2	6.6	7.0	7.4	7.4	8.9	9.8	10.9	12.4		☋3, ⊕1, ▣3, ⌴2, ☊19.	

Year : 1944 Month : February

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	12.4	18.1	8.3	8.7	6			62	6.2	758.8	E	1.3	2.0
2	11.8	16.4	8.1	10.0	6			76	7.9	57.5	SSW	0.9	1.9
3	13.1	17.1	9.1	9.8	5			68	6.9	55.4	SW	2.4	2.6
4	12.5	16.3	9.4	9.6	5			67	7.0	51.5	W	3.3	3.4
5	12.1	15.8	9.0	10.1	6	1.0	1.75	72	8.0	43.1	S	7.8	3.6
6	8.7	11.0	6.8	5.2	9	0.6	0.67	60	4.5	40.8	W	4.3	3.2
7	7.4	11.6	4.4	4.2	11	0.2	0.25	59	4.1	47.4	W	1.9	2.4
8	5.3	10.1	2.4	3.2	13	0.0	0.07	67	4.4	46.5	NNE	1.0	1.5
9	9.4	13.0	3.4	6.9	9			66	5.8	45.9	SSW	3.5	2.3
10	10.1	12.9	8.5	6.5	8	0.7	2.92	62	5.5	42.6	W	4.9	3.6
11	11.2	15.2	5.7	8.9	7			67	7.3	45.5	SSW	6.2	3.7
12	13.5	15.9	10.7	11.0	4	3.2	1.17	72	8.4	40.1	S	12.8	5.8
13	8.5	11.7	5.8	6.3	9	0.4	1.50	71	5.9	42.9	W	2.5	2.9
14	9.7	14.7	5.8	7.4	8			71	6.2	48.0	WSW	1.0	2.3
15	7.9	10.9	4.9	7.6	10	36.9	19.33	91	7.2	43.2	NNE	3.2	0.6
16	7.4	10.3	5.2	6.4	11	2.5	3.33	82	6.5	40.9	NNE	1.5	0.9
17	6.7	11.4	5.1	4.9	11			78	5.7	38.5	N	3.2	1.3
18	7.4	11.8	3.1	5.7	11			77	5.8	45.5	S	1.6	1.5
19	9.7	13.5	5.6	8.5	8	10.2	6.53	82	7.2	48.0	ESE	3.6	1.8
20	11.2	14.1	7.0	9.6	7	15.5	1.33	83	7.9	47.0	ENE	2.3	1.4
21	9.9	14.3	6.3	7.2	8	0.2	0.22	76	6.5	43.2	NW	1.3	1.8
22	8.6	12.6	5.1	6.8	9	0.3	0.25	74	6.1	47.7	W	1.3	1.7
23	9.2	14.1	5.0	7.0	9			68	5.9	52.2	W	1.7	3.5
24	8.8	13.5	4.4	6.7	9			75	6.1	56.2	NNE	1.1	1.4
25	9.1	12.5	6.0	6.8	9	0.1	0.50	73	6.2	56.1	N	1.6	1.4
26	12.0	16.3	8.4	9.3	6	12.4	2.08	72	7.1	48.4	S	4.6	3.2
27	12.9	14.6	8.6	11.0	5	0.0	0.30	76	8.6	48.3	S	4.0	2.8
28	14.0	16.7	12.3	10.1	4	0.0	0.05	65	7.1	46.3	W	4.0	3.6
29	13.8	16.0	10.3	10.8	4			69	8.0	47.6	S	4.0	2.8
..													
Sum					227	84.5	42.25				S/W		70.9
Avg.	10.1	13.9	6.7	7.9				72	6.6	747.4	(6)	3.2	2.4

r : 1944 Month : February

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
9.2	0.7	7	7	11.0	12.0	10.0	10.2	10.6	11.5	0		1
9.4	0.0	7	6	11.8	11.1	10.2	10.4	10.8	11.6	0		2
9.1	4.3	7	6	14.9	12.2	10.5	10.8	11.0	11.8	0		3
8.6	2.3	5	7	12.8	12.4	11.1	11.1	11.3	12.0	0		4
6.9	6.7	7	6	12.0	12.1	11.3	11.2	11.5	12.0	0		5
8.4	4.3	8	8	11.1	13.5	10.7	11.2	11.5	12.1	1		6
8.1	5.7	6	8	7.9	11.8	10.0	10.8	11.3	12.0	0		7
2.3	7.0	6.	7	4.9	8.9	9.1	10.3	10.9	11.8	0		8
4.8	9.0	8	8	8.7	9.6	8.8	9.8	10.8	11.7	1		9
3.2	6.7	8	8	8.0	8.5	9.9	10.3	11.0	11.9	1		10
7.3	6.7	7	7	10.2	10.5	9.6	10.4	10.8	11.6	0		11
2.4	8.0	7	6	12.4	12.4	11.1	11.1	11.0	11.6	0		12
5.7	7.0	7	7	7.7	8.6	10.1	10.7	11.0	11.6	1		13
3.7	8.7	7	8	9.0	11.4	9.9	10.4	10.9	11.5	0		14
0.0	10.0	4	3	7.2	7.7	10.1	10.4	11.8	11.5	2		15
0.3	10.0	7	7	9.0	9.3	9.4	10.1	11.7	11.4	2		16
4.8	8.0	8	7	6.1	6.3	9.1	9.8	10.5	11.3	2		17
4.4	5.7	7	6	6.6	7.8	8.7	9.5	10.4	11.3	1		18
0.0	10.0	4	6	8.9	8.1	8.8	9.5	10.3	11.2	2		19
1.8	9.7	5	6	9.5	9.7	9.4	9.7	10.3	11.2	1		20
5.5	7.0	7	8	9.0	10.7	10.1	10.1	10.5	11.3	0		21
5.9	3.3	7	8	8.6	10.8	9.9	10.3	10.7	11.3	1		22
9.7	3.7	8	8	8.9	11.4	9.4	10.1	10.7	11.4	1		23
6.3	7.7	7	5	8.1	9.6	9.4	10.1	10.6	11.4	1		24
0.0	9.7	6	6	8.6	9.8	9.7	10.2	10.7	11.4	1		25
7.1	6.0	8	9	12.4	13.1	10.2	10.5	10.8	11.5	2		26
3.7	8.0	6	5	10.9	10.4	10.5	10.5	10.9	11.5	0		27
7.9	3.0	7	8	13.3	14.7	11.3	11.0	11.1	11.7	0		28
2.2	9.0	7	6	12.7	13.1	11.4	11.3	11.2	11.7	0		29
148.7											●12, ◍12, ◭1, ⊼3, ⊀3,	
	6.5	6.7	6.8	9.7	10.6	10.6	10.0	10.4	10.9		∩2, ψ2, ⊽1, Ω17.	

Year : 1944 Month : March

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	15.5	18.4	11.6	12.7	2	1.7	2.67	70	9.4	744.4	S	4.8	6.3
2	12.3	16.0	9.3	10.3	6	0.4	0.50	77	8.1	47.3	S	1.5	1.6
3	11.3	14.8	8.3	8.1	7			64	6.0	48.9	W	3.9	3.4
4	12.4	15.9	8.4	9.7	6			70	7.2	51.0	S	2.5	2.7
5	13.6	14.7	10.2	11.5	4	0.3	0.05	74	8.7	49.8	S	5.6	3.1
6	14.6	17.3	13.2	12.3	3	0.2	0.33	71	9.0	49.1	S	7.3	5.4
7	11.3	15.4	10.4	8.1	7			62	5.8	52.8	SW	1.6	3.1
8	11.7	16.8	6.5	8.3	6			60	5.9	53.6	SSW	1.2	2.6
9	12.4	19.2	7.4	10.1	6	9.7	8.92	75	7.8	49.7	SW	1.6	2.2
10	10.0	12.3	9.5	9.3	8	1.4	8.50	90	8.3	49.2	NW	0.9	0.7
11	9.6	15.7	6.0	7.6	8	0.2	1.53	75	6.6	47.1	W	1.1	1.5
12	10.2	14.3	5.6	8.4	8	0.5	0.42	72	6.5	44.5	S	1.9	2.0
13	10.8	12.7	9.5	9.4	7	1.9	2.75	79	8.0	42.5	S	4.7	2.3
14	11.5	15.3	7.9	9.0	6			73	7.1	39.8	SW	1.9	2.2
15	10.8	14.4	9.6	7.0	7	0.1	0.67	58	5.1	46.1	W	3.5	4.1
16	10.3	14.4	5.4	7.8	8	0.0	0.58	73	7.2	49.7	S	3.2	1.7
17	8.2	12.4	5.7	5.3	10			65	4.9	50.7	NW	3.7	2.0
18	8.7	14.6	3.6	5.6	9			56	4.6	55.7	W	1.3	2.7
19	9.3	16.4	4.5	6.4	9			59	5.0	55.7	NNE	1.3	2.7
20	10.4	14.6	6.0	9.3	8			70	7.1	52.6	SSW	2.6	2.5
21	12.1	15.6	8.4	9.4	6			68	7.1	47.3	SSW	3.7	3.2
22	13.6	16.7	10.0	10.7	4	0.0	0.05	67	7.7	42.9	SW	3.2	3.9
23	14.4	17.7	9.9	12.3	4			72	8.9	45.2	S	4.9	3.8
24	9.3	15.3	6.0	5.2	9			59	5.0	46.7	NNW	4.2	2.9
25	8.9	13.9	3.3	5.8	9			53	4.7	49.7	S	2.0	3.1
26	10.1	12.9	3.8	7.8	8	2.1	2.35	74	7.2	46.7	NE	3.6	2.3
27	7.6	9.5	5.9	7.1	10	0.0	0.75	69	5.1	38.4	NNE	9.3	2.5
28	4.8	6.8	2.9	3.5	13	3.6	5.05	81	5.2	41.5	N	3.5	1.2
29	6.3	10.0	2.3	4.4	12	2.3	4.00	74	4.9	48.3	S	1.9	1.8
30	9.9	13.8	5.6	7.3	8			65	5.7	51.1	SW	1.5	2.8
31	13.4	17.1	9.1	11.2	5			72	8.2	50.9	S	2.3	2.8
Sum					223	24.4	39.12				S		85.1
Avg.	10.8	14.7	7.3	8.3				69	6.7	748.0	(6)	3.1	2.7

Year : 1944 Month : March

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
1	0.0	10.0	6	5	14.3	14.4	12.3	11.7	11.5	11.8	0		1
2	7.1	6.0	7	6	10.9	13.8	12.0	11.8	11.7	11.9	2		2
3	10.8	1.7	7	8	11.5	15.5	11.8	11.8	11.8	12.1	0		3
4	7.3	8.0	8	8	12.6	14.0	11.5	11.8	11.8	12.1	0		4
5	0.7	9.0	6	6	13.0	13.6	12.2	12.0	12.0	12.2	0		5
6	3.1	8.7	7	7	14.0	15.8	12.5	12.2	12.1	12.3	0		6
7	10.9	3.3	8	8	10.6	15.7	12.3	12.7	12.1	12.4	0		7
8	10.6	4.3	8	8	10.3	16.7	12.1	12.1	12.1	12.4	0		8
9	5.8	8.0	8	7	12.4	14.7	12.6	12.3	12.3	12.5	1		9
10	0.0	10.0	6	4	10.2	10.6	12.1	12.2	12.3	12.6	2		10
11	8.3	9.0	8	8	12.3	12.8	11.5	12.0	12.2	12.6	1		11
12	10.3	1.7	8	8	11.1	13.8	11.4	11.8	12.1	12.6	1		12
13	0.0	10.0	6	6	9.8	9.8	11.5	11.8	12.1	12.6	2		13
14	8.1	5.0	8	9	10.9	11.9	11.3	11.6	12.1	12.6	1		14
15	5.8	6.7	8	9	11.1	13.1	11.4	11.8	12.2	12.7	0		15
16	3.6	8.3	7	6	11.7	13.7	11.4	11.7	12.0	12.5	1		16
17	5.3	5.3	7	7	10.0	14.6	11.5	11.5	11.9	12.5	0		17
18	10.0	3.0	8	7	11.9	15.5	10.8	11.3	11.8	12.5	0		18
19	8.0	5.3	6	6	11.6	15.2	11.3	11.5	11.8	12.5	0		19
20	10.3	1.7	6	7	12.4	16.0	11.3	11.5	11.9	12.5	0		20
21	7.7	5.0	7	7	12.8	16.8	11.8	11.8	12.0	12.5	0		21
22	5.9	4.3	8	8	13.2	15.9	13.1	12.2	12.2	12.6	0		22
23	8.8	3.0	7	6	15.2	17.7	13.1	12.6	12.6	12.6	0		23
24	5.8	6.0	7	7	7.8	9.9	13.1	12.9	12.6	12.7	0		24
25	8.4	7.3	7	7	10.1	12.7	11.8	12.2	12.4	12.8	0		25
26	0.0	9.7	6	5	8.5	9.1	11.9	12.2	12.4	12.7	2		26
27	0.6	9.3	8	7	8.0	8.4	10.9	11.7	12.0	12.7	1		27
28	0.4	9.0	7	6	6.3	6.9	9.9	11.0	11.7	12.6	1		28
29	5.6	7.0	8	8	7.3	7.8	9.4	10.4	11.4	12.4	1		29
30	8.7	5.7	8	7	11.3	14.7	9.5	10.5	11.4	12.4	1		30
31	3.1	9.0	7	7	14.4	16.5	11.1	11.1	11.6	12.4	0		31
	181.0											●10, ◎13, R2, ↜1, Ψ3, ⌴3, Ω12.	
		6.5	7.2	6.9	11.2	13.5	11.6	11.8	12.0	12.5			

Year : 1944 Month : April

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	15.0	17.3	13.1	12.8	3	5.4	0.75	77	9.5	743.8	W	7.2	3.3
2	10.6	14.9	8.2	5.4	7			44	3.9	48.6	NW	4.9	6.4
3	9.9	14.2	4.1	6.7	8			57	5.1	53.9	SW	2.3	3.3
4	13.4	18.4	8.1	10.5	5			63	7.3	52.5	SSW	1.7	3.4
5	13.7	18.7	10.0	11.2	4			74	8.2	53.4	S	0.8	2.3
6	12.3	15.1	11.2	11.5	6	12.2	7.00	86	9.5	52.1	S	0.8	1.0
7	15.1	22.2	11.8	12.8	3	0.1	1.00	74	9.3	54.0	W	1.9	1.9
8	15.5	21.5	11.2	12.3	2			66	8.5	57.4	E	0.3	2.6
9	14.8	19.3	10.8	12.6	3			76	9.4	56.7	SSW	1.3	2.0
10	14.8	20.6	12.1	12.7	3	1.6	5.08	77	9.7	52.3	SW	2.5	1.8
11	15.0	20.9	10.9	13.5	3	9.9	1.83	81	10.3	49.1	SW	1.0	1.8
12	14.0	17.1	13.0	12.8	4	12.7	2.83	86	10.4	50.0	S	0.7	0.8
13	14.3	18.9	10.0	13.5	4	-		85	10.4	52.3	S	0.4	1.4
14	13.0	15.0	11.7	11.4	5	2.0	5.08	86	9.3	50.4	NE	0.5	1.0
15	15.5	21.8	11.0	12.5	2	0.9	2.00	64	8.2	51.9	NNW	4.3	3.2
16	15.8	21.9	11.4	13.9	2			67	9.5	54.2	SSW	0.9	3.6
17	16.0	21.5	11.3	13.3	2			72	9.5	53.6	SW	0.9	2.9
18	18.0	24.0	13.2	15.3	0			68	10.7	54.8	SSW	0.5	3.1
19	18.8	23.7	14.6	15.4	0			63	10.8	56.4	SSW	1.0	3.8
20	19.7	25.1	16.4	15.9	0			65	11.1	55.5	NNW	0.5	3.7
21	18.9	23.6	15.5	15.8	0			69	11.0	52.8	SSW	0.6	3.1
22	19.2	24.7	15.7	15.2	0			66	10.5	53.7	S	0.8	3.5
23	20.3	26.6	14.8	16.4	0			62	11.1	56.2	E	2.9	3.5
24	21.0	25.7	19.0	15.0	0			50	8.8	56.7	NE	11.7	6.5
25	21.2	26.9	17.7	14.6	0			44	8.4	52.9	NNE	3.7	6.0
26	17.4	19.8	16.4	14.2	1	2.8	3.37	71	10.7	48.7	NNE	0.8	3.7
27	17.5	21.6	13.6	15.7	0			79	11.6	48.4	SSW	1.7	2.7
28	16.4	19.9	14.3	15.1	2	10.7	3.08	83	11.6	47.1	S	3.7	2.3
29	16.3	20.6	13.2	14.3	2	0.7	1.87	76	10.6	45.3	N	1.0	2.0
30	15.0	18.3	13.8	15.0	3	2.9	4.39	68	8.6	40.3	W	3.4	2.1
Sum					74	61.9	38.28				S		89.1
Avg.	15.9	20.7	12.6	13.0				70	9.5	751.8	(6)	2.3	3.0

r : 1944 Month : April

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
3.5	6.3	6	5	17.5	16.4	12.5	11.8	11.9	12.5	0	$\bigcirc^{1}$ $\bigcirc$ ≡	1
10.4	3.7	8	9	14.1	16.0	12.1	12.0	12.1	12.5	0		2
11.3	2.7	8	8	11.0	15.3	11.6	11.8	12.1	12.5	0		3
10.5	1.3	7	7	14.4	17.4	12.2	12.2	12.2	12.6	0	⊖°	4
7.7	3.3	7	6	15.7	19.1	13.1	12.7	12.5	12.7	0	D^{2}	5
0.2	10.0	6	6	12.3	13.1	13.1	12.9	12.7	12.8	2	$\bigcirc^{0-1}$ $\bigcirc^{2}$	6
9.5	6.0	7	7	15.0	16.1	13.6	13.1	12.3	12.9	2	$\bigcirc$	7
9.2	3.7	8	8	14.7	15.0	13.9	13.2	13.1	13.0	0	∈° D^{2}	8
6.5	10.0	6	6	15.9	18.7	14.4	13.7	13.3	13.3	0	D^{0}	9
6.9	6.0	6	7	15.0	16.8	14.7	14.1	13.5	13.4	2	$\bigcirc^{0}$ $\bigcirc$	10
3.8	10.0	8	6	17.2	19.1	14.6	14.1	13.8	13.5	1	$\bigcirc^{2}$ $\bigcirc$ D^{1}	11
0.3	9.0	5	5	13.8	14.0	14.6	14.3	13.9	13.6	2	$\bigcirc^{2}$ $\bigcirc$	12
8.3	7.0	8	6	16.0	18.8	14.2	14.0	14.1	13.8	1		13
0.0	10.0	8	7	11.9	12.1	14.0	13.6	13.9	13.9	2	$\bigcirc^{0}$ $\bigcirc$	14
10.9	2.3	8	8	18.7	20.3	14.1	13.8	14.0	14.0	0	$\bigcirc^{0}$	15
11.4	3.7	7	8	17.8	19.1	14.8	14.2	14.1	14.0	0	D^{0}	16
10.6	1.7	7	8	16.5	22.0	15.5	14.7	14.4	14.2	0	$D D^{1}$	17
10.1	0.7	7	6	19.6	25.6	16.3	15.3	14.7	14.4	0	D^{0}	18
5.8	8.3	7	6	19.2	21.4	17.1	15.8	15.0	14.5	0		19
6.6	5.7	6	4	20.5	24.9	17.7	16.4	15.4	14.7	0		20
5.4	9.3	7	7	21.3	25.0	18.3	16.7	15.7	15.0	0		21
4.6	6.0	8	6	20.0	22.4	18.5	17.1	15.7	15.2	0		22
9.6	3.3	6	6	24.8	27.5	18.9	17.4	16.4	15.4	0		23
3.5	9.7	7	7	21.3	23.9	19.5	17.9	16.7	15.7	0		24
6.1	7.3	6	8	22.0	25.6	19.8	18.2	17.0	16.0	0		25
0.0	9.7	7	7	17.1	16.8	18.9	18.1	17.2	16.1	1	$\bigcirc^{1}$ $\bigcirc^{0}$	26
8.4	5.7	7	6	20.7	24.8	18.0	17.6	17.2	16.3	1		27
3.1	7.3	7	7	17.9	18.1	18.0	17.5	17.1	16.4	1	$\bigcirc^{1}$ $\bigcirc^{0-1}$	28
0.0	9.3	8	7	19.3	20.9	17.5	17.1	17.1	16.5	0	$\bigcirc^{0}$ $\bigcirc^{1}$	29
4.1	6.7	8	8	13.9	14.0	16.9	16.9	16.9	16.5	2	$\bigcirc^{1}$ $\bigcirc^{1}$	30
88.3											$\bigcirc_{11}$, $\bigcirc_{11}$, K_{1}, Ψ_{1}, Φ_{1},	
	6.2	7.0	6.7	17.1	19.4	15.6	14.9	14.5	14.3		Ω_{7}.	

Year : 1944 Month : M

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (3)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	
1	12.1	16.1	9.9	8.8	6	0.0	0.08	61	6.4	748.0	NNE	3.6	3.4
2	11.4	16.1	7.5	8.4	7	0.0	0.17	62	6.0	53.7	NE	3.8	2.7
3	11.7	16.6	6.2	9.2	6	0.0	0.08	66	6.6	54.6	S	1.5	3.1
4	14.0	18.6	9.5	11.8	4			69	8.2	51.4	SSW	1.8	3.0
5	16.5	20.6	11.6	13.9	1			73	9.8	53.4	SW	1.5	3.1
6	16.1	20.1	12.0	14.5	2			77	10.4	57.0	S	3.6	2.8
7	17.8	22.6	12.9	15.6	0			73	11.4	58.0	SW	0.5	3.2
8	20.3	26.5	15.3	16.3	0			65	10.9	55.2	SW	1.1	3.4
9	25.5	34.0	17.6	17.7	0			44	9.4	52.9	NE	1.3	5.6
10	23.3	28.2	20.6	15.9	0			41	8.5	55.1	NE	9.7	7.5
11	21.7	28.1	16.2	15.7	0			49	9.1	54.7	NNE	4.4	5.8
12	22.0	28.3	15.8	15.9	0			45	9.2	53.0	SSW	0.9	6.1
13	19.6	25.4	16.2	16.4	0			66	11.6	52.5	SW	1.4	3.1
14	19.8	25.3	15.0	16.5	0			69	11.3	49.0	SW	1.8	2.1
15	20.0	27.1	14.2	15.5	0			62	10.4	48.1	SW	1.6	4.1
16	19.9	27.0	16.2	16.6	0	0.0	0.02	67	11.3	49.0	SW	0.5	3.1
17	19.3	23.6	15.0	15.4	0	0.0	0.37	67	10.1	49.5	SSW	1.0	2.1
18	20.8	27.2	16.5	17.1	0			65	11.8	50.1	S	1.5	3.1
19	21.3	26.2	16.8	17.5	0			66	12.1	51.7	SSW	2.1	3.1
20	21.5	26.7	17.0	17.6	0			64	12.0	51.1	SSW	1.3	3.1
21	21.7	25.4	17.9	16.6	0			58	10.3	47.7	S	5.1	5.1
22	23.3	31.0	18.7	18.0	0			59	11.1	47.7	WSW	4.5	4.1
23	23.0	28.1	19.7	15.9	0			46	8.9	46.6	WNW	5.2	8.1
24	19.5	24.8	15.8	13.7	0			52	8.4	54.6	NE	4.9	5
25	16.4	20.0	14.7	12.9	2	0.0	0.25	62	8.6	56.5	NNE	6.6	4
26	18.2	23.4	12.6	13.1	0			52	7.4	56.5	NNW	4.1	4
27	18.2	16.4	14.1	13.2	0			56	8.4	52.9	N	6.5	4
28	16.1	20.5	13.1	12.5	2	0.1	0.25	62	8.4	55.5	NE	7.2	3
29	16.5	21.3	12.8	13.3	1	0.2	0.50	69	9.2	56.7	NE	3.6	3
30	21.3	26.4	16.6	15.9	0			50	9.4	55.8	NE	5.1	5
31	21.8	26.9	17.2	16.9	0			56	10.8	54.5	SSW	2.1	2
Sum					31	0.3	1.72				NE/SW		132
Avg.	19.0	24.5	14.7	14.8				60	9.6	752.7	(6)	3.2	4

r : 1944

Month : May

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h	Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)						
		Toward sea	Toward land	Green	Bare	30	60	90	120			
5.3	8.0	8	6	14.6	17.0	15.6	15.9	16.3	16.4	1	◎°	1
7.7	5.3	7	8	16.0	20.4	15.3	15.5	16.0	16.3	1	◎°	2
5.7	6.7	9	9	14.8	15.8	15.0	15.4	15.9	16.3	0	◎°	3
5.3	6.0	7	6	17.2	19.5	15.6	15.5	16.0	16.2	0		4
11.3	1.7	7	6	17.9	22.6	16.8	16.3	16.2	16.2	0		5
11.3	3.7	6	7	21.6	21.9	17.2	16.7	16.4	16.3	0		6
8.4	2.3	7	6	22.8	24.2	18.2	17.1	16.7	16.3	0		7
9.1	4.7	7	6	20.9	25.6	19.5	18.0	17.3	16.7	0		8
7.6	0.0	6	7	23.9	26.5	20.4	18.5	17.5	16.7	0		9
10.4	0.7	8	8	24.5	31.2	21.8	19.6	18.0	17.0	0		10
11.0	4.3	6	7	22.8	32.9	22.0	20.2	18.6	17.3	0		11
5.6	7.3	7	7	22.0	27.0	22.4	20.7	19.1	17.5	0		12
8.3	9.0	7	6	21.8	26.7	21.1	21.1	19.5	17.8	0		13
11.3	6.3	7	7	21.7	28.6	22.5	21.2	19.7	18.1	0		14
12.1	3.7	8	8	22.6	28.7	22.3	21.3	19.9	18.3	0		15
7.2	5.7	8	7	22.3	30.1	22.7	21.5	20.1	18.5	0	◎°	16
8.1	5.0	8	7	19.9	23.4	21.9	21.3	20.2	18.7	0	◎°	17
0.0	6.0	9	8	22.5	27.4	22.0	21.2	20.2	19.2	0	≋$^{0-1}$	18
10.8	4.7	7	6	23.2	28.0	22.6	21.6	20.4	19.0	0		19
7.7	7.3	7	7	23.0	24.7	22.8	21.8	20.5	19.1	0		20
3.8	8.7	7	7	20.4	24.6	22.6	21.8	20.7	19.3	0		21
8.8	5.7	7	6	26.8	30.9	22.9	21.7	20.7	19.3	0	⊕°	22
10.2	4.7	5	6	25.4	31.5	23.5	22.1	20.8	19.5	0	⊖°	23
6.7	9.3	8	7	19.4	24.9	23.0	22.3	21.0	19.4	0	⊕°	24
4.5	8.3	7	7	19.6	25.6	22.2	21.9	21.0	18.9	0	◎° ∩°	25
11.1	3.3	6	6	23.2	29.0	21.8	21.6	21.0	19.8	0		26
3.1	9.0	5	6	18.0	20.6	21.9	21.6	20.9	19.9	0		27
9.9	8.7	8	8	17.0	22.6	20.9	21.1	20.8	19.9	0	◎°	28
3.4	9.7	8	8	15.5	17.9	20.2	20.7	20.6	19.9	0	◍°	29
8.4	4.0	8	8	24.7	31.4	20.9	20.6	20.5	19.9	0		30
12.2	2.7	8	8	23.1	26.9	22.2	21.3	20.6	19.8	0		31
246.3											◍1, ◎7, ≋1, ⊖1, ⊕2, ∩1, ∩ 3.	
	5.6	7.2	7.0	20.9	25.4	20.7	19.9	19.1	18.2			

Year : 1944 Month : Jun

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	21.4	26.4	17.6	18.2	0			64	13.0	753.0	SW	1.3	5.
2	21.7	26.3	17.4	13.9	0			59	10.9	51.6	SW	1.4	4.
3	22.0	27.4	18.1	18.1	0			56	11.8	49.9	SSW	1.3	5.
4	22.3	27.6	18.8	18.7	0			59	12.5	49.9	SW	1.0	5.
5	24.4	29.8	19.8	19.5	0			60	12.9	49.8	SW	1.2	5.
6	23.9	31.0	20.2	20.1	0	0.2	0.39	66	15.1	49.1	NE	2.1	4.
7	25.0	29.2	21.2	19.2	0	0.4	1.47	56	12.9	45.8	NE	5.2	5.
8	25.1	28.8	21.5	16.7	0			53	12.6	45.4	SSW	2.2	5.
9	25.0	29.9	21.6	19.6	0			56	13.3	45.8	SSW	1.7	6.
10	26.1	33.6	20.8	21.0	0			59	14.2	47.4	NNE	3.0	5.
11	24.1	29.4	19.7	19.6	0			66	13.7	50.2	SSW	1.3	4.
12	24.8	30.3	20.2	18.9	0	0.0	0.05	53	11.7	50.9	SW	2.2	5.
13	26.9	32.3	22.7	19.7	0			47	12.4	49.5	NNE	7.7	7.
14	26.6	30.2	23.9	17.9	0	0.0	0.12	41	10.3	47.1	NE	8.5	9.
15	27.7	32.8	23.6	19.7	0			42	13.1	46.1	NNE	6.0	9.
16	26.4	33.5	22.8	20.4	0	0.0	0.67	55	14.3	48.9	E	1.4	6.
17	23.9	28.6	20.2	20.0	0			66	14.4	50.1	SSW	1.7	4.
18	23.8	28.6	19.9	19.6	0			65	13.7	47.7	SSW	1.3	3.
19	23.6	28.1	19.2	19.4	0			66	13.5	47.1	SSW	1.6	4.
20	25.2	31.3	20.0	18.8	0			57	11.7	46.8	SSW	1.6	6.
21	26.1	31.0	21.3	19.1	0			47	11.5	45.5	SW	1.5	7.
22	27.4	33.8	20.0	18.7	0			42	10.1	44.9	W	2.2	8.
23	27.0	32.9	21.5	18.3	0			41	10.1	45.9	W	3.0	10.
24	25.7	31.2	21.1	18.1	0			45	10.3	46.6	SSW	1.9	7.
25	26.6	32.8	20.6	19.6	0	0.0	0.02	46	12.1	47.8	NNE	1.8	4.
26	24.9	30.7	21.7	18.3	0			51	11.3	51.8	NE	6.7	6.
27	25.1	31.9	19.5	17.2	0			42	9.0	53.3	NE	4.4	6.
28	23.9	30.3	19.1	19.2	0			56	12.9	53.2	SW	1.5	5.
29	27.8	34.5	21.6	20.9	0			50	13.4	51.0	SSW	2.7	6.
30	26.5	33.0	22.4	20.2	0			55	13.6	50.9	SW	3.2	7.
31													
Sum					0	0.6	2.72				SW		186
Avg.	25.1	30.6	20.6	19.0				54	12.4	748.8	(6)	2.8	6.

: 1944 Month : June

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
12.5	1.0	7	7	23.9	29.0	22.8	21.8	20.9	19.9	0		1
12.5	0.7	7	7	24.3	30.0	23.3	22.2	21.1	19.9	0		2
11.9	0.7	8	7	23.2	29.0	23.8	22.6	21.4	20.1	0		3
9.1	5.7	7	8	25.6	30.3	24.3	23.0	21.7	20.2	0	⊕° ⊖°	4
8.2	6.0	8	7	25.3	30.7	24.7	23.3	21.9	20.3	0		5
3.8	9.0	7	7	27.6	29.1	24.8	23.6	22.1	20.5	0	◍0-1 ◍ ⊕° ⊖°	6
2.3	7.7	7	8	23.1	24.7	24.1	23.4	22.1	20.8	0	◍ ◍	7
11.3	1.0	7	7	27.2	31.8	24.8	23.4	22.3	20.9	0		8
9.9	0.7	7	6	26.6	32.4	25.3	23.7	22.5	20.9	0		9
9.6	1.7	8	8	31.3	39.1	26.0	24.3	22.7	21.2	0		10
10.8	1.3	7	7	27.6	32.2	26.4	24.8	23.1	21.3	0		11
0.0	9.0	7	7	28.2	31.8	26.1	24.9	23.2	21.5	0	◍	12
7.9	7.7	7	8	29.6	37.3	26.3	24.9	23.4	21.8	0	⊕°	13
2.0	8.3	5	7	26.0	26.8	26.2	24.9	23.5	21.9	0	◍	14
11.5	3.3	8	8	31.5	37.2	26.9	25.1	23.7	22.1	0	⊖°	15
6.3	6.3	7	7	29.9	26.6	27.2	25.7	24.1	22.2	0	◍ ◍	16
9.4	4.0	8	8	28.1	32.9	27.0	25.8	24.3	22.4	0		17
11.6	7.3	7	8	27.0	33.0	26.8	25.7	24.4	22.5	0		18
12.2	0.3	7	7	26.8	31.8	26.5	25.6	24.4	22.6	0		19
12.1	1.0	9	8	29.6	32.6	26.8	25.7	24.5	22.6	0		20
11.2	3.0	9	8	29.0	33.5	27.1	25.9	24.6	22.3	0		21
12.2	0.3	8	8	31.2	33.7	27.6	26.2	24.7	22.9	0		22
12.5	0.0	9	9	29.1	35.6	28.1	26.5	24.8	23.0	0		23
8.2	4.7	9	9	30.8	35.9	27.8	26.6	25.1	23.0	0	⊕	24
10.8	3.3	8	8	29.9	37.4	28.1	26.6	25.1	23.2	0	◍	25
10.4	2.3	7	8	27.7	37.0	28.0	26.7	25.2	23.4	0	◺	26
–	0.3	8	8	29.8	38.8	27.8	26.9	25.3	23.4	0		27
13.3	0.0	7	7	27.1	33.8	27.9	27.1	25.6	23.6	0		28
7.7	2.3	7	7	30.4	34.8	28.1	27.1	25.7	23.8	0		29
11.4	0.0	7	7	28.7	34.6	28,5	27.2	25.8	23.9	0		30
272.6											◍3, ◍6, ◺1, ⊕3, ⊖3, ⊖1.	
	3.3	7.5	7.5	27.9	33.1	26.3	25.1	23.6	22.0			

Year : 1944 Month : July

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure(mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	25.2	29.1	20.6	20.4	0			65	14.6	748.1	SSW	1.1	4.2
2	28.4	35.5	21.7	21.4	0			50	14.0	49.4	NE	1.9	6.1
3	26.5	30.3	22.7	21.5	0			60	15.8	50.7	SW	1.3	5.6
4	27.2	32.0	23.0	20.8	0			54	13.9	49.0	SW	2.0	5.9
5	28.4	33.1	23.2	20.1	0			44	11.9	44.8	WSW	2.9	8.4
6	27.4	35.2	22.3	19.3	0			45	11.1	45.5	NW	3.8	9.0
7	26.7	34.2	22.4	20.6	0			54	13.6	47.9	NW	2.2	6.5
8	25.8	30.4	21.3	21.0	0			63	14.9	50.5	SW	1.9	5.1
9	27.1	33.2	22.2	21.1	0			54	15.0	51.6	NNE	2.1	5.5
10	26.5	30.8	21.6	19.4	0			50	12.1	48.2	SSW	1.9	6.6
11	27.5	34.0	22.9	19.9	0			49	12.2	45.3	S	2.6	7.9
12	26.5	30.5	23.0	20.1	0			53	13.2	45.0	SW	1.8	7.1
13	24.5	30.8	21.1	18.4	0	9.5	2.08	57	11.4	43.9	W	3.2	6.2
14	24.4	33.1	19.4	18.1	0	0.1	0.15	52	10.9	48.1	E	2.6	4.2
15	25.1	30.4	20.2	18.5	0			48	11.3	50.1	NE	4.1	5.8
16	25.3	30.3	20.3	18.9	0	0.0	0.05	48	12.0	50.4	NE	2.7	6.0
17	26.1	33.0	20.3	19.5	0			49	12.7	49.2	NE	2.1	6.3
18	26.4	30.7	21.8	19.7	0			54	13.3	48.3	SSW	2.1	5.7
19	26.9	32.8	23.0	21.1	0	0.0	0.03	57	15.1	48.6	SW	1.9	5.9
20	25.6	33.3	21.7	20.7	0			62	14.9	49.3	SSW	1.3	4.5
21	27.1	33.9	22.2	20.9	0			56	14.5	50.3	SSW	1.2	5.9
22	27.7	33.1	22.5	20.5	0			53	13.1	50.7	SSW	1.4	6.2
23	30.8	37.2	25.3	21.3	0			41	12.8	48.3	SSW	2.2	9.1
24	30.7	35.4	25.6	22.3	0			43	14.3	47.1	SSW	2.4	9.9
25	28.3	33.8	25.1	22.3	0			54	16.1	49.5	NE	5.1	7.4
26	26.7	31.5	22.7	19.1	0			50	11.6	51.5	NNE	7.2	5.3
27	26.0	31.0	22.5	17.8	0			43	10.0	51.7	NNE	8.5	8.1
28	26.3	32.5	20.2	17.9	0			38	9.4	51.0	NNE	4.6	7.7
29	27.5	35.1	20.3	19.1	0			38	10.5	50.1	NE	4.7	8.1
30	27.9	33.9	22.1	20.2	0			45	12.6	50.8	SSW	2.2	8.6
31	27.9	33.1	22.3	20.6	0			49	13.0	50.3	SSW	1.5	6.6
Sum					0	9.6	2.31				SSW		205.4
Avg.	26.9	32.7	22.7	20.1				51	13.0	748.9	(6)	2.8	6.6

ar : 1944 Month : July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
11.5	1.7	8	7	30.5	34.3	28.2	27.3	25.8	24.0	0		1
11.7	3.0	8	8	34.1	38.1	28.6	27.3	25.9	24.1	0		2
10.7	3.0	7	7	28.4	36.0	29.1	27.7	26.1	24.2	0	⊖¹	3
11.6	2.0	8	8	33.5	33.0	29.0	27.8	26.3	24.3	0		4
12.9	0.3	8	8	30.8	36.0	29.1	28.0	26.5	24.6	0		5
11.0	0.7	8	8	31.8	37.6	29.5	28.1	26.5	24.5	0		6
11.7	4.0	8	8	34.3	39.0	29.7	28.3	26.6	24.6	0	⊖°	7
10.8	4.3	7	8	29.6	34.6	29.3	28.3	26.8	24.8	0		8
12.2	3.0	8	8	32.5	36.8	29.1	28.2	26.8	24.9	0		9
12.0	0.3	8	8	30.1	35.1	29.0	28.2	26.7	24.9	0		10
12.3	1.3	7	8	32.9	36.8	29.4	28.2	26.8	25.0	0		11
12.6	0.7	8	8	30.0	35.7	29.1	28.2	26.9	25.0	0		12
8.8	5.3	8	8	28.6	34.0	28.8	28.0	26.8	25.0	0	◍¹ ◍¹	13
10.7	3.0	8	8	30.0	33.7	27.3	27.2	26.5	24.9	0	◍°	14
9.4	3.7	7	8	28.7	33.0	27.3	26.9	26.2	25.0	0		15
9.1	3.3	8	8	26.9	31.1	26.8	26.7	26.1	25.0	0	◍° ⊖°	16
12.8	3.0	7	7	29.3	30.0	27.3	26.8	26.1	24.9	0		17
11.6	1.7	7	7	30.1	35.1	27.8	27.0	26.1	24.9	0		18
11.1	2.3	7	7	33.6	36.2	28.2	27.3	26.3	24.9	0	◍° ∩°	19
11.8	2.7	6	7	28.9	35.3	28.5	27.5	26.4	25.0	0		20
9.8	2.7	8	8	30.6	34.5	28.6	27.7	26.6	25.0	0		21
12.2	0.3	8	7	34.4	37.3	28.7	27.9	26.6	25.1	0		22
11.4	0.3	8	7	32.5	37.5	29.3	28.0	26.8	25.2	0		23
12.1	0.7	7	7	32.6	37.7	29.9	28.5	27.0	25.2	0		24
10.7	3.7	7	8	30.5	37.8	29.9	28.6	27.2	25.4	0		25
9.3	3.0	7	8	28.6	34.9	29.6	28.7	27.3	25.5	0		26
11.2	2.7	7	8	29.2	37.8	29.3	28.6	27.4	25.7	0		27
12.7	1.0	8	8	32.2	36.2	29.2	28.5	27.3	25.6	0		28
12.9	1.0	7	8	30.9	37.0	29.3	28.6	27.5	25.8	0		29
12.3	0.7	7	8	29.7	35.9	30.0	28.8	27.7	26.1	0		30
12.1	1.3	8	8	30.2	36.1	29.6	28.9	27.7	26.0	0		31
353.0											◍2, ◍3, ⊖2, ⊖1, ∩1.	
	2.1	7.5	7.7	30.8	35.6	28.9	27.9	26.7	25.0			

Year : 1944 Month : August

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	27.6	32.4	23.7	21.5	0			55	15.0	747.4	SW	1.4	6.7
2	27.1	32.7	22.9	21.7	0			62	15.6	46.0	SW	1.4	5.3
3	27.0	31.4	22.8	23.3	0			69	18.5	47.1	SSW	1.1	4.4
4	28.3	35.7	23.1	21.7	0			56	15.2	48.6	E	1.2	6.2
5	28.1	33.7	22.7	20.6	0			51	12.8	49.8	NE	1.6	6.2
6	25.2	30.2	22.3	19.3	0			55	12.9	52.1	NNE	7.0	5.9
7	24.4	30.4	20.3	18.2	0			52	11.4	51.9	NNE	4.6	5.8
8	25.1	30.8	20.0	18.9	0			51	11.9	50.4	NW	3.4	5.3
9	26.7	33.0	21.2	19.2	0			46	11.6	51.4	NE	2.2	6.6
10	27.1	33.8	20.7	19.8	0			44	12.2	53.2	NNE	2.9	6.8
11	27.5	33.4	21.6	19.2	0			40	10.9	53.4	NNE	4.4	7.7
12	27.9	33.5	23.2	17.6	0			32	8.9	52.9	NNE	7.1	9.3
13	28.1	34.6	22.5	18.6	0			35	9.6	51.1	NNE	3.6	8.8
14	28.6	34.7	23.4	18.4	0			32	8.8	49.7	NE	4.1	8.9
15	30.0	36.8	24.2	21.0	0			39	12.5	49.3	NNE	2.4	8.1
16	29.5	34.3	25.6	20.8	0			43	12.6	50.3	NNE	6.0	9.1
17	26.4	30.9	22.7	18.9	0			46	11.5	52.1	NNE	7.2	7.9
18	25.6	31.6	21.4	18.0	0			45	10.4	51.5	NE	5.1	7.1
19	26.6	34.4	20.8	18.3	0			41	10.2	50.3	NE	2.5	7.0
20	26.1	32.5	21.1	20.1	0			53	13.8	49.0	SW	1.1	6.2
21	27.1	34.1	21.2	18.9	0			44	10.7	48.2	NNE	3.8	7.5
22	27.7	33.5	23.3	19.4	0			41	11.2	48.3	NNE	7.9	8.6
23	27.9	35.1	22.7	20.9	0			49	13.6	48.5	NE	1.2	6.9
24	22.1	29.2	23.0	18.3	0	20.1	4.90	75	14.2	49.8	NNE	3.4	3.6
25	20.8	26.7	17.4	18.4	0	10.4	3.83	81	13.8	50.9	W	1.5	2.9
26	19.2	21.3	16.1	16.9	0	38.8	5.25	79	12.8	51.1	NNE	8.7	1.5
27	19.4	22.2	17.3	14.7	0	0.1	0.12	58	9.6	51.4	NNE	14.8	6.0
28	20.9	25.0	17.5	15.8	0	.		54	10.0	52.5	NNE	10.3	5.7
29	23.6	28.8	19.4	17.7	0	.		51	10.9	52.6	NNE	5.4	5.6
30	24.9	31.5	20.0	17.9	0	.		45	10.6	53.6	NNW	2.4	4.8
31	26.3	34.0	20.2	18.8	0	.		43	11.1	53.8	NE	1.6	6.5
Sum					0	69.4	14.10				NNE		198.9
Avg.	25.9	31.7	21.4	18.9				51	12.1	750.6	(6)	4.1	6.4

ear : 1944 Month : August

Date	Total sunshine (hrs) (8)	Avg.Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg.Soil.temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
1	12.9	0.3	8	7	32.6	36.8	29.5	28.7	27.7	26.1	0		1
2	12.8	1.0	8	8	29.8	36.0	29.6	28.8	27.7	26.1	0		2
3	12.7	1.3	7	7	29.0	35.5	29.6	28.7	27.7	26.1	0		3
4	12.8	2.3	8	8	30.1	35.9	29.6	28.7	27.7	26.0	0		4
5	12.5	2.7	8	8	30.9	37.8	29.9	28.9	27.7	26.2	0		5
6	11.4	4.7	8	8	26.0	34.9	29.4	28.4	27.7	26.1	0		6
7	13.1	3.0	8	8	26.4	32.4	28.8	28.5	27.7	26.3	0		7
8	12.8	2.3	8	8	29.2	37.7	28.8	28.5	27.7	26.3	0		8
9	11.9	2.0	8	8	29.2	37.7	29.0	28.6	27.6	26.2	0		9
10	12.9	1.7	8	8	31.7	38.9	29.3	28.7	27.7	26.2	0		10
11	13.0	0.7	7	8	30.9	39.1	29.4	28.8	27.8	26.4	0		11
12	12.8	0.3	8	9	32.2	39.7	29.4	28.8	28.0	26.4	0		12
13	13.1	0.7	8	9	33.8	40.3	29.6	29.0	28.1	26.6	0		13
14	12.5	2.0	8	8	32.5	38.0	29.8	29.0	28.1	26.4	0		14
15	12.2	1.3	7	7	34.0	40.7	29.9	29.3	28.3	26.7	0		15
16	12.7	1.0	7	7	32.8	38.5	30.1	29.7	28.4	26.6	0		16
17	11.9	1.7	7	8	28.8	38.5	29.9	29.4	28.4	26.8	0		17
18	12.5	0.7	8	8	29.3	38.3	29.3	29.1	28.3	26.8	0		18
19	12.2	0.7	8	8	31.0	39.4	29.2	29.0	28.3	27.0	0		19
20	11.8	1.0	8	8	28.6	36.1	29.3	29.1	28.4	27.1	0		20
21	11.3	1.0	8	9	30.3	38.8	29.2	28.9	28.3	26.9	0		21
22	11.9	0.7	7	7	30.8	37.7	29.3	29.0	28.3	26.8	0		22
23	8.1	3.0	7	8	31.9	37.5	29.4	29.1	28.4	27.0	0		23
24	3.6	6.7	6	6	20.3	22.0	28.2	28.4	28.1	26.9	1	$\oplus^{1}$ $\circledcirc$ $R^{2}\cap^{0}$	24
25	2.9	9.7	8	7	22.8	24.3	25.9	27.0	27.6	26.7	1	$\oplus^{0}$ $\circledcirc^{0}$ $R^{2}\cap^{0}$	25
26	0.5	9.7	7	7	19.5	20.7	24.0	25.3	26.2	26.2	1	$\oplus$ $\circledcirc$ $R\cap^{0}$	26
27	1.8	8.0	7	8	19.6	18.0	22.2	24.1	25.5	25.6	1	$\circledcirc$ Ψ^{0}	27
28	10.3	4.3	8	8	22.7	24.4	22.1	23.4	24.7	25.3	0		28
29	10.7	1.3	8	8	25.2	27.6	23.2	23.7	24.6	25.2	0		29
30	11.1	1.3	8	8	27.3	31.1	24.5	24.4	24.7	25.1	0		30
31	11.1	0.7	7	8	28.1	32.4	25.6	25.1	24.9	24.8	0		31
Sum	333.8											$\oplus$3, $\circledcirc$4, R3, $\cap$3, Ψ1.	
Avg.		2.5	7.6	7.8	28.6	34.4	28.2	27.9	27.4	26.3			

Year : 1944 Month : September

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	27.6	34.2	21.7	20.	0			45	12.5	752.4	NNE	2.8	5.6
2	26.5	32.5	22.9	21.1	0			59	15.1	51.5	SW	0.8	6.9
3	26.6	31.4	22.0	22.1	0	0.0	0.02	64	16.7	51.2	SSW	0.8	4.2
4	26.6	33.1	22.6	21.6	0			61	16.1	49.6	SSW	0.9	5.7
5	26.1	30.5	23.2	21.8	0			66	16.5	50.2	SSW	1.2	4.7
6	26.1	33.2	21.2	21.3	0			65	15.8	51.9	SSW	1.0	4.0
7	27.3	34.0	21.7	19.5	0			50	12.3	52.0	N	2.8	5.4
8	27.8	33.3	23.1	19.6	0			42	11.2	51.3	NNE	5.3	7.6
9	28.9	34.3	24.9	19.8	0			39	11.5	50.5	N	6.0	8.6
10	28.5	34.5	23.9	19.4	0			40	11.0	50.9	NNE	4.1	7.6
11	28.4	35.3	24.0	19.1	0			39	10.9	52.2	NNE	3.7	7.7
12	27.4	33.0	23.5	20.0	0			48	13.3	51.9	NE	3.7	6.9
13	25.2	29.9	22.9	20.1	0			61	14.1	51.6	NNE	8.6	5.7
14	22.5	26.9	20.1	18.0	0			63	12.3	54.5	NNE	10.2	5.4
15	21.7	27.7	18.2	15.9	0			55	10.3	56.5	NNE	7.2	5.2
16	20.4	24.9	17.0	16.4	0			61	11.0	56.1	NNE	9.5	5.5
17	19.0	22.0	17.4	14.8	0	0.0	0.02	62	9.9	56.4	NNE	11.6	5.2
18	19.2	22.2	16.7	14.5	0			58	9.3	55.7	NNE	12.3	5.6
19	18.3	23.1	15.3	14.1	0			54	8.1	56.2	NNE	8.3	5.7
20	18.5	25.0	14.0	13.9	0			54	8.5	57.7	NNE	4.2	4.1
21	19.7	25.9	14.1	14.5	0			50	8.6	56.9	NE	4.8	5.3
22	20.8	28.5	16.0	15.1	0			51	8.8	56.2	NE	3.4	5.6
23	20.9	28.3	15.8	15.5	0			52	9.5	56.6	NE	3.5	4.4
24	22.5	30.2	16.3	17.0	0			51	10.4	55.5	NNE	1.4	4.4
25	21.8	29.3	15.4	17.2	0			57	11.3	53.4	SSW	1.6	4.7
26	22.3	27.2	18.5	19.4	0	0.8	0.83	70	14.3	49.2	S	2.2	3.6
27	20.9	26.4	16.9	14.8	0			51	8.7	48.6	W	2.7	5.6
28	20.7	24.4	16.9	16.8	0			65	11.7	50.6	S	1.7	3.7
29	22.2	24.8	19.3	19.8	0			79	15.5	51.6	S	5.6	2.9
30	23.0	27.9	18.3	19.8	0			70	15.3	51.8	SW	1.2	3.0
Sum					0	0.8	0.87				NNE		160.5
Avg.	23.6	29.1	19.5	18.1				56	12.0	753.0	(6)	4.4	5.3

ar : 1944 Month : September

Date	Total sunshine (hrs) (3)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
1	10.7	0.7	7	7	29.7	32.7	26.3	25.9	25.3	25.0	0		1
2	10.1	0.3	7	8	26.9	31.2	27.0	26.3	25.6	25.0	0		2
3	9.7	0.7	7	7	26.6	31.2	27.4	26.6	25.9	25.1	0		3
4	10.6	0.0	7	7	26.6	30.4	27.3	26.7	26.0	25.2	0		4
5	10.5	0.3	7	7	28.5	32.5	27.3	26.8	26.2	25.2	0		5
6	10.6	0.7	7	7	26.1	31.5	27.4	26.8	26.2	25.3	0		6
7	10.9	0.7	8	9	28.6	36.4	27.6	27.0	26.2	25.3	0		7
8	11.0	0.0	7	8	27.6	36.5	27.8	27.2	26.4	25.4	0		8
9	10.8	0.3	8	9	29.6	38.1	28.2	27.5	26.6	25.5	0		9
10	10.7	0.0	8	8	29.8	36.6	28.3	27.6	26.7	25.5	0		10
11	10.8	0.0	8	8	30.1	38.3	28.4	27.8	26.9	25.7	0		11
12	10.2	0.3	7	8	30.7	37.9	28.3	27.8	27.0	25.8	0		12
13	9.0	3.0	7	7	27.5	34.5	27.8	27.7	27.0	25.9	0		13
14	9.2	2.7	7	8	25.5	29.7	26.8	27.1	26.8	25.8	0		14
15	10.2	0.7	8	7	24.2	30.5	25.6	26.5	26.7	25.9	0		15
16	9.7	5.3	8	8	23.1	28.4	25.2	26.0	26.4	25.7	0		16
17	8.6	6.0	8	8	19.5	19.1	24.8	25.3	25.8	25.5	0	◎°	17
18	4.5	4.0	7	7	20.2	23.4	23.8	24.5	25.5	25.3	0		18
19	9.8	2.0	7	8	22.5	21.6	23.0	24.1	25.1	25.3	0		19
20	10.2	1.3	8	8	22.2	25.9	23.0	23.9	24.8	25.0	0		20
21	9.8	6.0	7	8	24.5	27.9	23.0	23.8	24.5	24.7	0		21
22	9.9	0.7	8	9	22.9	27.5	23.3	23.9	24.6	24.6	0		22
23	1.7	5.3	7	7	25.1	28.6	23.7	24.1	24.5	24.6	0		23
24	10.1	0.3	8	8	26.7	29.3	24.0	24.2	24.5	24.5	0		24
25	6.8	0.0	7	8	28.3	24.1	24.1	24.2	24.5	24.5	0		25
26	6.8	4.7	7	7	27.4	24.4	24.2	24.6	24.6	24.3	0	◎' ◎'Ҝ'Ψ°Ω°	26
27	8.0	1.3	8	9	27.1	24.2	23.6	24.0	24.2	24.4	0		27
28	7.8	4.0	6	7	24.4	22.2	23.8	23.9	24.3	24.1	0	Ψ° Ω°	28
29	8.0	6.7	6	6	25.6	23.5	24.0	24.1	24.3	24.1	0	Ψ°	29
30	10.5	7.0	8	8	27.6	24.7	24.2	24.2	24.3	24.1	0	Ω²	30
m	277.2												
g.		2.2	7.3	7.7	26.2	29.4	25.6	25.7	25.6	25.1		◎1, ◎3, Ҝ1, Ψ3, Ω5.	

Year : 1944 Month : Octob

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	22.3	25.0	20.8	-	0	0.7	1.70	70	-	747.8	S	3.1	4.0
2	21.2	25.5	17.5	17.7	0			70	12.5	46.8	S	2.0	3.3
3	21.9	25.8	18.6	16.7	0			57	12.0	48.0	SW	5.0	6.6
4	20.4	25.4	16.9	15.6	0			54	9.3	52.8	W	2.8	4.8
5	20.2	25.2	15.7	15.7	0			59	10.2	57.1	SW	1.4	5.5
6	21.7	27.5	16.9	17.8	0			66	12.5	58.5	SW	0.6	3.6
7	21.7	29.4	17.5	18.3	0			68	13.1	56.5	SW	0.6	3.3
8	22.6	30.8	17.4	18.4	0			62	12.7	53.0	NNE	1.9	3.9
9	22.1	28.8	17.5	18.4	0			68	13.2	51.8	SW	1.2	4.9
10	21.2	23.9	19.5	19.1	0	0.9	0.17	80	14.9	52.8	S	1.1	2.1
11	20.7	25.2	17.5	17.5	0	0.3	0.85	73	12.8	50.9	SSW	1.3	2.1
12	20.1	24.7	16.4	14.2	0			52	8.9	50.2	W	2.5	6.1
13	19.7	26.2	15.6	14.5	0			53	8.7	50.0	SSW	1.5	5.1
14	19.2	23.4	15.7	15.6	0	0.3	0.30	64	10.5	50.3	S	0.8	3.0
15	16.9	22.4	13.4	15.1	1	7.6	2.95	84	12.0	46.5	WNW	1.7	1.4
16	18.6	24.0	15.6	15.2	0	0.0	0.08	70	10.5	49.0	WNW	2.8	2.6
17	19.0	23.3	15.1	17.0	0			76	12.7	50.9	S	1.2	2.4
18	19.7	24.5	13.8	16.9	0			74	12.3	52.3	SSW	0.8	3.4
19	20.1	23.7	16.3	17.8	0			77	13.6	48.9	S	3.1	2.6
20	18.4	21.2	15.5	15.7	0	12.0	4.00	82	12.4	44.5	S	7.4	1.6
21	16.7	21.4	12.9	13.0	1			67	9.1	46.6	W	1.4	2.9
22	17.5	22.4	14.0	13.8	0			66	9.3	51.2	SW	0.9	3.3
23	17.9	21.9	14.2	15.2	0			74	10.9	50.9	S	1.3	2.7
24	18.0	20.4	16.5	16.2	0	4.7	5.13	87	12.4	48.3	S	2.2	1.8
25	18.4	23.6	14.3	15.3	0			69	10.8	51.4	S	0.6	2.8
26	18.0	21.8	14.1	15.7	0			77	11.9	53.3	S	1.2	2.0
27	18.9	22.1	16.1	17.3	0	0.0	0.25	80	13.3	48.0	S	3.4	2.2
28	18.4	20.3	16.7	16.4	0	14.5	8.83	87	13.6	46.7	S	3.1	1.6
29	17.9	22.1	13.2	15.6	0			74	11.3	50.3	S	1.1	2.8
30	17.9	23.6	14.6	15.7	0			77	11.5	54.2	NNE	0.8	2.1
31	17.4	23.8	13.5	14.8	1			75	11.3	55.8	NNE	2.9	2.0
Sum					3	41.0	24.26				S		98.5
Avg.	19.5	24.2	15.9	16.2				71	11.3	750.8	(6)	2.0	3.2

r : 1944 Month : October

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)
1	7.4	-	7	7	21.4	22.1	24.1	24.1	24.1	23.9	0	$\bigcirc^{0}$ $\bigcirc$
2	5.7	2.0	7	7	22.4	23.6	23.0	23.5	24.0	23.8	1	
3	-	3.3	7	8	22.8	23.7	22.9	22.9	23.8	23.8	0	
4	10.3	0.7	8	9	24.6	25.5	22.9	23.3	23.6	23.5	0	
5	8.7	3.7	8	9	23.2	24.5	22.9	22.8	23.2	23.1	0	
6	7.9	3.3	8	6	22.8	25.0	22.9	23.0	23.2	23.0	0	
7	2.9	6.7	5	6	22.2	25.3	23.1	23.2	23.2	23.0	0	
8	9.2	0.3	7	8	24.8	27.1	23.1	23.2	23.1	22.9	0	
9	8.3	2.7	6	6	22.4	23.1	23.2	23.3	23.1	22.9	0	
10	0.3	9.3	7	7	21.7	21.2	23.1	23.2	23.2	23.0	0	$\bigcirc$
11	9.3	3.7	6	6	20.8	22.0	22.5	22.8	23.0	22.9	1	$\bigcirc$ $\bigcirc$
12	4.8	1.7	8	8	23.7	23.2	21.6	22.4	22.8	22.8	0	
13	9.2	1.0	9	9	23.1	21.4	22.1	22.4	22.5	22.6	0	
14	3.3	7.1	7	7	17.6	19.8	21.5	22.1	22.5	22.4	0	$\bigcirc^{1}$ $\bigcirc^{0}$
15	1.4	7.1	6	6	15.8	15.4	20.6	21.4	22.1	22.3	1	$\bigcirc^{2}$ $\bigcirc^{1}$ R
16	8.9	4.0	8	9	20.4	21.6	20.3	21.0	21.6	22.1	2	$\bigcirc$
17	6.6	1.0	8	7	19.9	21.9	20.3	20.9	21.5	22.0	0	
18	8.9	1.0	8	7	21.8	21.8	20.5	20.9	21.5	21.9	0	
19	7.7	6.0	8	7	21.2	21.3	21.0	21.1	21.4	21.7	0	
20	0.0	7.0	4	3	17.2	16.5	20.8	21.1	21.3	21.7	2	$\bigcirc^{2}$ $\bigcirc^{1-2}$ R
21	7.3	4.0	8	9	16.5	15.5	19.1	20.2	21.2	21.3	1	
22	9.4	1.0	9	9	18.6	16.5	18.8	19.6	20.4	21.0	0	D^{0}
23	8.3	4.3	8	8	19.4	18.7	19.2	19.7	20.4	20.9	0	D^{1}
24	0.8	6.7	8	7	16.3	17.0	19.4	19.8	20.3	20.8	1	$\bigcirc$ $\bigcirc$
25	0.6	4.7	8	8	18.3	16.6	18.3	19.3	20.1	20.6	1	D^{2}
26	1.4	8.0	9	8	17.1	16.4	18.4	19.2	19.9	20.5	1	D^{2}
27	0.1	10.0	7	6	19.4	18.4	18.7	19.4	19.8	20.2	1	$\bigcirc^{0}$
28	0.5	7.7	7	6	17.1	17.0	18.9	19.2	19.9	20.5	2	$\bigcirc^{2}$ $\bigcirc^{0}$
29	8.5	0.3	8	7	18.0	16.0	18.1	18.7	19.5	20.1	0	D^{1}
30	5.7	4.7	7	6	19.4	17.2	18.0	18.8	19.5	19.8	0	D^{2}
31	-	4.0	8	8	17.9	15.6	18.1	18.6	19.3	19.9	0	D^{0}
m	163.4											$\bigcirc$8, $\bigcirc$9, R2, D7.
g.		4.2	7.4	7.2	20.3	20.3	20.9	21.3	21.8	22.0		

Year : 1944 Month : Nover

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction)	Avg. speed (met.p.s.)	(4)(7)
1	16.9	22.6	12.7	14.1	1			74	10.3	755.8	N	2.4	2.1
2	16.7	22.3	12.4	15.6	1			74	10.6	54.9	NE	0.5	2.2
3	17.7	21.4	14.7	16.0	0			83	12.1	52.4	S	1.4	1.7
4	18.3	22.7	15.6	14.8	0			71	10.3	50.7	WSW	2.7	2.8
5	15.7	20.5	13.3	11.7	2			60	7.8	52.1	NNE	3.4	3.3
6	12.4	16.5	10.6	9.6	6	0.0	0.03	68	7.4	52.5	NNE	3.5	2.3
7	13.1	18.5	8.6	9.7	5			61	6.6	50.1	S	1.0	2.7
8	15.9	19.9	11.7	12.4	2			66	8.4	45.7	S	1.5	3.0
9	17.6	21.6	14.0	15.9	0			76	11.9	45.7	S	1.7	2.4
10	19.2	22.4	15.9	14.9	0			64	9.6	44.4	SWS	6.3	5.0
11	13.5	19.5	9.9	9.8	4	2.2	2.83	70	7.4	45.1	W	4.3	4.1
12	11.5	17.1	7.5	8.6	6	0.0	0.50	67	6.7	51.0	WSW	2.5	2.5
13	13.2	17.4	8.5	11.2	5	1.5	1.83	72	8.6	49.7	WSW	2.5	2.5
14	14.0	19.0	10.6	11.8	4			74	8.7	50.7	S	1.0	2.4
15	16.9	20.5	11.4	14.7	1			78	11.2	51.3	S	6.1	3.4
16	18.1	22.5	13.9	14.3	0			68	10.0	53.0	W	1.5	3.2
17	16.2	20.4	13.5	12.9	2			65	8.8	52.8	WSW	4.0	3.8
18	11.0	15.7	8.4	7.3	7			56	5.4	56.6	NNE	4.8	3.6
19	11.2	17.9	7.1	8.4	7			64	6.1	57.8	NE	1.4	2.1
20	13.0	18.9	7.3	10.4	5			67	7.4	57.0	SW	0.7	2.3
21	14.9	20.2	10.4	13.1	3			77	9.5	53.1	SSW	1.5	2.0
22	13.5	17.3	11.1	11.3	4	5.4	2.17	79	9.1	46.6	S	3.0	1.7
23	9.8	12.7	7.3	7.4	8	0.2	0.17	68	6.0	46.8	NW	5.0	2.2
24	10.7	15.2	6.7	8.6	7			73	7.0	46.1	W	0.6	1.7
25	13.0	18.4	8.2	10.0	5	0.0	0.17	69	7.5	48.4	SW	0.9	2.4
26	15.5	20.1	11.2	13.8	2			79	10.4	51.6	SSW	1.0	2.2
27	15.5	20.7	11.4	14.0	2			84	10.8	55.1	ENE	0.6	1.2
28	14.6	20.2	11.1	13.4	3			86	10.4	56.5	NNE	0.9	1.2
29	15.0	17.1	11.8	12.3	3			79	9.4	53.3	NE	4.4	1.7
30	13.8	14.9	13.0	11.5	4	0.0	0.12	77	8.8	52.4	ENE	9.9	2.5
Sum					99	9.3	7.82				S		76.0
Avg.	14.6	19.1	11.0	12.0				72	8.8	751.3	(6)	2.6	2.5

ar : 1944 Month : November

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
	8.0	3.0	8	8	16.2	16.2	17.8	18.5	19.2	19.8	0	Ω^{1}	1
	6.3	7.7	7	7	17.4	16.1	17.6	18.3	19.0	19.7	0	Ω^{1}	2
	3.5	5.7	8	7	18.4	17.6	17.9	18.4	19.0	19.7	0	Ω^{2}	3
	7.7	4.7	8	8	17.5	16.7	18.2	18.5	19.1	19.8	0	Ω^{2}	4
	1.2	3.0	8	8	16.1	15.4	17.6	18.2	18.8	19.5	0		5
	3.2	6.3	8	8	13.1	12.2	16.8	17.2	18.5	19.2	0	◍	6
	7.6	3.7	8	8	14.9	14.4	16.0	17.2	18.2	19.2	0	Ω^{1}	7
	4.4	9.0	7	7	15.2	15.0	16.2	17.2	18.1	19.2	0		8
	6.0	5.7	8	8	18.2	17.4	16.9	17.4	18.1	19.0	0	Ω^{2}	9
	6.2	5.7	7	7	19.5	18.4	17.6	18.4	18.3	19.2	0	Ω^{1}	10
	6.2	7.0	6	6	12.3	12.5	17.3	17.8	18.2	18.9	0	◍$^{0-1}$ ◍$^{0-1}$	11
	8.0	3.3	8	8	11.7	11.7	14.7	16.4	17.3	18.3	0	◍^{0} Ω^{1}	12
	6.5	7.0	8	8	12.9	12.1	14.7	15.7	17.2	18.4	0	◍^{1}	13
	6.5	3.7	7	8	15.4	14.6	15.0	15.7	16.8	18.1	0	Ω^{1}	14
	3.8	5.0	7	7	16.4	15.3	15.3	16.1	16.9	18.0	0	Ω^{0}	15
	8.2	0.7	7	8	16.8	16.7	16.5	16.5	17.0	17.9	0	Ω^{2}	16
	7.1	3.7	8	8	17.6	15.9	16.3	16.7	17.1	17.6	0	Ω^{0-1}	17
	8.6	2.3	7	8	17.5	13.1	15.3	16.2	16.8	17.4	0		18
	8.1	3.0	7	7	12.0	12.1	14.3	15.9	16.4	17.1	0		19
	8.4	0.3	7	6	13.7	13.4	14.2	15.3	16.2	17.2	0	Ω^{1}	20
	5.8	8.7	8	8	15.5	15.2	14.9	15.4	16.2	17.2	0	Ω^{2}	21
	1.2	9.0	8	6	12.4	12.4	14.8	15.6	16.3	17.1	0	◍^{1} ◍ ☈	22
	2.6	4.0	8	8	12.4	9.4	13.3	14.8	15.9	16.8	0	◍^{0} ☾^{0}	23
	7.5	9.0	7	7	10.4	9.9	12.7	14.2	15.5	16.6	1	Ω^{2}	24
	8.6	1.3	7	7	14.1	11.0	13.3	14.0	15.3	16.6	0	◍^{0} Ω^{2}	25
	6.2	4.0	7	7	15.7	14.3	13.9	14.4	15.4	16.5	0	Ω^{0}	26
	5.1	8.3	6	6	16.2	14.8	14.3	14.8	15.5	16.5	0	⊕^{2} Ω^{2}	27
	3.1	6.3	7	8	15.3	15.0	14.5	15.0	15.6	16.5	0	Ω^{2}	28
	1.3	9.7	6	7	14.0	13.4	14.6	15.0	15.5	16.4	0	⊕^{2} Ω^{2}	29
	1.7	9.0	7	7	13.5	13.1	14.6	15.1	15.5	16.3	0	◍^{0} ☾^{0}	30
m	168.6											○3, ○7, ☈1, ⊕2,	
g.		5.3	7.3	7.4	15.1	14.2	15.6	16.3	17.1	18.0		☾2, Ω20.	

Year : 1944 Month : December

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met. p.s.)	(4)(7)
1	13.2	15.4	11.5	11.1	5			80	8.6	756.4	NE	6.5	2.2
2	11.0	12.7	9.7	9.7	7	6.7	9.83	85	8.3	55.0	NE	5.7	1.2
3	11.5	15.6	9.8	9.3	6	0.4	2.00	72	7.2	51.8	N	3.0	1.9
4	10.7	15.9	8.6	8.6	7			70	6.8	50.7	W	0.7	1.5
5	12.7	16.9	8.4	10.6	5			71	7.9	50.3	S	1.5	2.4
6	14.6	20.3	10.9	12.6	3			74	9.1	51.4	SW	1.1	2.2
7	14.2	17.6	11.3	12.8	4	0.0	0.33	82	9.7	52.7	SSW	1.7	1.5
8	14.4	16.5	12.8	13.7	4	34.7	13.67	94	11.4	50.8	SSW	2.6	0.9
9	14.9	17.6	11.7	13.6	3	0.4	-	89	10.5	51.0	SSW	4.1	0.9
10	16.6	18.6	15.2	14.2	1			79	10.6	49.8	S	9.0	3.0
11	13.9	17.5	11.3	11.2	4	12.0	-	72	7.5	50.4	W	3.0	2.8
12	11.7	16.9	8.0	9.1	6			72	7.1	54.0	NW	1.3	1.9
13	11.3	14.6	7.7	9.0	7			76	7.2	52.9	E	1.1	1.4
14	12.4	14.3	10.3	11.2	6	2.8	1.50	84	9.0	50.2	SE	1.8	0.7
15	10.4	14.4	7.1	7.6	8	18.0	3.50	81	7.2	48.3	NW	3.6	1.9
16	10.2	14.7	6.7	8.6	8			78	7.2	56.3	NW	2.9	1.6
17	10.7	13.5	9.6	9.3	7			83	7.9	61.0	NE	1.0	0.9
18	9.8	12.7	7.4	-	8	-	-	82	-	-	-	-	1.4
19	9.1	10.4	8.4	-	9	-	-	71	-	-	-	-	1.4
20	7.8	9.8	6.8	-	10	-	-	73	-	-	-	-	1.2
21	6.8	9.2	5.9	-	11	-	-	74	-	-	-	-	1.4
22	6.9	7.9	5.6	-	11	-	-	74	-	-	-	-	1.4
23	7.6	9.4	6.4	-	10	0.5	-	78	-	-	-	-	1.6
24	7.2	9.8	5.6	5.9	11	0.0	2.50	79	6.8	-	NE	7.6	1.9
25	5.4	7.8	4.7	2.8	13			66	4.2	-	NNE	10.0	2.2
26	5.0	8.1	3.3	3.2	13			68	4.4	55.3	NNE	10.2	2.3
27	4.8	6.7	3.7	2.4	13			64	3.9	56.7	NNE	6.3	2.3
28	4.9	9.3	3.1	2.9	13			67	4.2	55.3	NW	3.2	1.7
29	5.9	12.1	1.4	4.5	12			74	5.4	52.3	-	-	1.5
30	5.2	8.5	3.7	3.8	13	16.1	-	82	5.5	43.7	-	-	1.3
31	5.1	8.2	3.3	4.1	13			80	5.3	41.6	NNE	1.5	0.8
Sum					251	91.62	-				NE		51.1
Avg.	9.9	13.0	7.7	8.4				77	7.3	752.1	(6)	3.9	1.6

: 1944

Month : December

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h	Miscellaneous phenomena (4)	Date
2.0	9.0	8	8	12.7	12.6	14.2	14.8	15.5	16.0	0		1
0.0	9.7	6	6	10.3	10.4	13.9	14.6	15.3	16.3	2	◍⁰ 9	2
2.4	[illegible]	[illegible]	9	12.2	11.6	13.0	14.1	15.1	16.2	1	◍⁰	3
2.4	6.0	9	9	10.6	10.0	12.7	13.8	14.7	16.1	1		4
7.7	1.0	7	7	12.3	11.0	12.3	13.5	14.7	16.0	0		5
-	4.3	7	7	15.3	14.1	13.6	13.8	15.0	15.9	0		6
0.4	9.7	6	6	14.0	13.4	13.3	13.8	14.7	15.8	0	9¹	7
0.3	9.3	6	6	13.8	13.6	14.0	14.3	14.9	15.8	0	◍²	8
4.7	5.0	7	7	15.8	13.6	13.9	14.3	15.0	15.9	1	◍⁰	9
5.2	2.3	7	8	16.6	14.4	14.7	14.7	15.2	15.9	1		10
6.3	1.7	9	9	13.5	12.5	14.1	14.5	15.1	15.9	2	◍²	11
7.5	1.3	9	9	11.9	10.7	13.0	14.0	14.6	15.6	1	Ω²	12
2.2	4.7	8	7	11.4	10.1	12.1	13.4	14.5	15.4	1	Ω²	13
0.0	8.7	9	8	11.6	11.1	12.5	13.2	14.3	15.2	2	◍² 9¹ Ω²	14
4.4	5.0	9	9	10.8	10.8	12.6	13.3	14.2	15.2	2	◍²	15
6.9	3.3	9	9	10.7	10.3	11.8	12.9	13.9	15.1	1	Ω⁰	16
0.6	7.3	7	7	10.8	10.5	12.1	12.7	13.8	14.9	1	Ω⁰	17
-	-	-	-	-	-	-	-	-	-	-	Ω⁰	18
-	-	-	-	-	-	-	-	-	-	-		19
-	-	-	-	-	-	-	-	-	-	-		20
-	-	-	-	-	-	-	-	-	-	-		21
-	-	-	-	-	-	-	-	-	-	-		22
-	-	7	7	-	-	-	-	-	-	-	◍¹	23
-	7.0	7	7	8.5	6.9	9.4	10.2	12.1	13.5	1	9¹	24
2.6	5.7	8	7	5.1	4.3	8.9	10.3	11.9	12.8	0		25
6.7	3.0	8	8	5.7	5.3	7.9	9.7	11.3	13.1	0		26
1.4	8.0	7	8	4.7	3.5	8.0	9.4	11.1	13.0	0		27
3.6	7.0	7	8	6.2	5.5	7.5	9.2	10.9	12.9	0		28
0.9	9.3	7	7	5.3	5.3	7.4	9.0	10.6	12.6	0	⌊⁰	29
0.0	9.7	6	6	4.5	4.2	7.2	9.1	10.6	12.6	2	◍⁰	30
-	7.3	8	8	5.1	5.4	7.6	8.9	10.4	12.3	0	Ω²	31
68.1											◍9, 9̸4, ⌊ 1, Ω 7.	
	6.4	7.5	7.6	10.4	9.6	11.5	12.5	13.6	14.8			

YEAR : 1944

Month	Air temperature (°C) Average 24 hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (base 18°C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid.(%) (1)	Average of Vapor pressure (mm) (3)	Sunshine (8) Total	Sunshine (8)
JAN.	8.3	12.4	5.1	18.2	31	-1.2	18	298	6.1	70	5.7	151.2	3
FEB.	10.1	13.9	6.7	18.1	1	2.4	8	227	7.9	72	6.6	148.7	3
MAR.	10.8	14.7	7.3	19.2	9	2.3	29	223	8.3	69	6.7	181.0	3
APR.	15.9	20.7	12.6	26.9	25	4.1	3	74	13.0	70	9.5	188.3	3
MAY	19.0	24.5	14.7	34.0	9	6.2	3	31	14.8	60	9.6	246.3	4
JUNE	25.1	30.6	20.6	34.5	29	17.4	2	0	19.0	54	12.4	272.6	4
JULY	26.9	32.7	22.2	37.2	23	19.4	14	0	20.1	51	13.0	353.0	4
AUG.	25.9	31.7	21.4	36.8	15	16.1	26	0	18.9	51	12.1	333.8	4
SEP.	23.6	29.1	19.5	35.3	11	14.0	20	0	18.1	56	12.0	277.2	3
OCT.	19.5	24.2	15.9	30.8	8	12.9	21	3	16.2	71	11.3	163.4	3
NOV.	14.6	19.1	11.0	22.7	4	6.7	24	99	12.0	72	8.8	168.6	3
DEC.	9.9	13.0	7.7	20.3	6	1.4	29	251	8.4	77	7.3	68.1	2
YEAR	17.5	22.2	13.7	37.2	July 23	-1.2	Jan. 18	1206	13.6	64	9.6	2552.2	44

Month	Avg.Cloudiness (tenths) (3)	Avg.Visibility (11) Toward sea	Avg.Visibility (11) Toward land	Average soil temperature (°C)(3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤0°C (frost days)	Maximum ≤0°C (ice days)	Maximum ≥25.0°C (Summer days)	Maximum ≥30.0°C (Tropical days)	Minimum ≥20.0°C
JAN.	5.2	6.6	7.0	7.4	7.4	8.9	9.8	10.9	12.4	2	0	0	0	0
FEB.	6.5	6.7	6.8	9.7	10.6	10.0	10.4	10.9	11.6	0	0	0	0	0
MAR.	6.5	7.2	6.9	11.2	13.5	11.6	11.8	12.0	12.5	0	0	0	0	0
APR.	6.2	7.0	6.7	17.1	19.4	15.6	14.9	14.5	14.3	0	0	4	0	0
MAY	5.6	7.2	7.0	20.9	25.4	20.7	19.9	19.1	18.2	0	0	18	2	1
JUNE	3.3	7.5	7.5	27.9	33.1	26.3	25.1	23.6	25.1	0	0	30	18	20
JULY	2.1	7.5	7.7	30.8	35.6	28.9	27.9	26.7	25.0	0	0	31	30	30
AUG.	2.5	7.6	7.8	28.6	34.4	28.2	27.9	27.4	26.3	0	0	29	25	26
SEP.	2.2	7.3	7.7	26.2	29.4	25.6	25.7	25.6	25.1	0	0	24	13	14
OCT.	4.2	7.4	7.2	20.3	20.3	20.9	21.3	21.8	22.0	0	0	11	1	1
NOV.	5.3	7.3	7.4	15.1	14.2	15.6	16.3	17.1	18.0	0	0	0	0	0
DEC.	6.4	7.5	7.6	10.4	9.6	11.5	12.3	13.6	14.8	0	0	0	0	0
YEAR	4.7	7.2	7.3	18.8	21.1	18.7	18.6	18.6	18,5	2	0	147	89	92

YEAR : 1944

Month	Average Pressure (mm) at 0°C (1)	Wind (1) (5) Avg. speed (m.p.s.)	Wind (1) (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days: Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipitation (4)	Dew (4)	Hoarfrost (4)	Dry ground (4)
JAN.	754.9	3.0	NNE	40.5	16.5	7	56.9	4	7	2	3	0	11	19	2	5
FEB.	47.4	3.2	S/W	84.5	36.9	15	70.9	12	12	0	0	1	17	17	0	15
MAR.	48.0	3.1	C	24.4	9.7	9	85.1	10	13	0	0	0	16	12	3	18
APR.	51.8	2.9	S	61.9	12.7	12	89.6	11	11	0	0	0	12	7	0	19
MAY	52.7	3.2	NE/SW	0.3	0.2	29	132.8	1	7	0	0	0	8	3	0	29
JUNE	48.8	4.0	SW	0.6	0.4	7	186.9	3	6	0	0	0	6	0	0	30
JULY	48.9	2.8	SSW	9.6	9.5	13	205.4	2	3	0	0	0	4	0	0	31
AUG.	50.6	4.1	NNE	69.4	38.8	26	198.9	3	4	0	0	0	4	0	0	27
SEP.	53.0	4.4	NNE	0.8	0.8	26	160.5	1	3	0	0	0	3	5	0	30
OCT.	50.0	2.0	S	41.0	14.5	28	98.5	8	9	0	0	0	10	7	0	20
NOV.	51.3	2.6	S	9.3	5.4	22	76.0	3	7	0	0	0	8	20	0	27
DEC.	52.1	3.9	NE	91.6	34.7	8	51.1	9	4	0	0	0	11	7	1	10
YEAR	750.9	3.1	NNE	433.9	38.8	Aug. 26	1412.6	67	86	2	3	1	110	97	6	261

Month	Number of days: Moist and wet ground	Snow cover (3)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0 tenths) (3)	Cloudy 8.0-10.0 (tenths) (8)	Sunny (8)	Sunless (4)	Thunderstorm (4)	Lightning (4)	Solar corona (4)	Solar halo (4)	Lunar corona (4)	Lunar halo (4)	Rainbow (4)	Fog (4)
JAN.	23	3	4	22	5	3	1	0	2	1	0	3	0	0	0
FEB.	14	0	2	19	8	3	3	3	3	0	0	2	1	2	0
MAR.	13	0	3	17	11	6	4	2	1	0	0	3	0	0	0
APR.	11	0	3	17	10	5	3	1	0	0	0	1	1	0	0
MAY	2	0	3	21	7	3	1	1	0	1	2	0	0	1	0
JUNE	0	0	14	13	3	14	1	0	1	3	3	0	1	0	0
JULY	0	0	14	17	0	17	0	0	0	2	0	0	1	1	0
AUG.	4	0	18	11	2	20	0	3	0	0	0	1	0	3	0
SEP.	0	0	18	12	0	19	0	1	0	0	0	3	0	0	0
OCT.	11	0	8	20	2	9	1	2	0	0	0	0	0	0	0
NOV.	3	0	3	20	7	6	0	1	0	0	2	0	0	2	0
DEC.	15	0	3	14	8	2	3	0	0	0	0	0	0	0	0
YEAR	96	3	93	203	63	107	17	14	7	7	7	13	4	9	0

YEAR : 1944

Month	Frequency (%) of the wind direction (24 hourly observation) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	
JAN.	9.9	12.6	13.2	3.1	2.2	0.3	0.7	0.4	1.9	3.4	3.1	4.0	6.3	3.8	6.7	8.2	20
FEB.	5.3	5.9	4.6	2.3	2.6	1.4	2.3	3.4	11.2	8.0	7.8	7.0	11.2	4.9	2.9	2.0	17
MAR.	4.6	6.9	2.8	1.3	1.5	0.3	1.2	3.5	18.7	9.1	8.5	3.4	8.2	3.1	5.2	2.7	19
APR.	3.3	4.4	3.3	0.0	5.6	0.0	1.1	1.1	13.4	12.2	7.8	0.0	11.2	0.0	4.4	3.3	28
MAY	7.5	5.4	12.9	1.1	1.1	0.0	0.0	2.2	9.6	8.5	2.9	1.1	0.0	0.0	3.2	6.5	28
JUNE	3.3	9.2	11.7	2.4	1.0	0.1	0.4	0.7	5.0	12.6	3.5	3.2	5.0	0.7	1.5	1.5	28
JULY	5.5	9.3	11.0	2.3	2.6	0.1	0.7	0.3	6.3	12.8	0.3	2.7	3.8	1.2	3.2	1.6	26
AUG.	10.6	28.3	14.2	1.3	2.0	0.6	0.1	0.0	1.4	2.7	4.3	1.3	1.7	1.7	4.3	6.3	19
SEP.	10.1	27.8	11.8	0.6	0.4	0.4	0.4	1.5	6.1	5.6	4.3	0.6	3.6	1.1	2.8	4.3	18
OCT.	3.0	4.7	3.5	1.3	2.0	0.4	1.9	3.4	13.3	9.5	6.3	3.9	5.6	3.8	1.3	0.8	35
NOV.	6.0	7.2	8.1	6.5	2.5	0.8	1.2	1.7	11.2	7.1	6.2	6.0	4.7	2.5	5.8	1.7	20
DEC.	7.1	16.7	18.8	2.9	3.6	1.6	1.8	1.1	8.5	6.5	4.0	1.4	2.9	1.8	7.1	4.0	10
YEAR	6.5	12.4	9.7	2.3	2.0	0.6	1.0	1.7	8.5	7.8	6.8	3.3	5.4	2.8	4.0	3.3	27

REFERENCE NOTES

1) Average of 24 hourly values.
2) Day ending at 24 h.
3) Average of 8,14 and 20 h observations.
4) Day ending at 20 h.
5) From Steffens-Hedde anemograph (mean instaneous readings)
6) Monthly prevailing direction.
7) From Piche evaporimeter.
8) From Campbell - Stokes recorder.
9) Monthly possible sunshine uncorrected for the around topography.
10) According to the International Code 0-9.
11) At 14h observation.

YEAR 1945

Year : 1945 Month : January

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	
1	7.0	11.3	3.3	5.7	11			78	5.8	740.4	NE	4.0	1.5
2	6.6	9.7	4.6	5.2	11	8.2	-	87	6.0	44.8	N	2.0	1.0
3	4.0	8.0	2.3	3.0	14	7.1	-	80	4.8	48.0	N	3.8	1.2
4	4.9	9.2	2.4	3.5	13			78	5.0	46.5	NNW	2.0	1.2
5	7.4	12.7	3.5	6.4	11			78	6.2	49.3	NE	0.5	1.1
6	12.2	14.1	7.6	10.2	6	0.6	0.25	77	7.7	52.8	SSW	7.3	3.1
7	10.3	12.9	7.4	9.0	8	19.6	6.17	89	8.0	49.2	SSW	4.2	2.7
8	9.5	13.4	6.0	7.6	8	3.6	-	75	6.5	46.9	W	1.0	1.7
9	10.5	14.3	6.6	7.8	7			70	6.5	49.4	SW	0.8	2.3
10	12.4	13.9	9.8	9.8	6	0.0	0.17	68	7.3	49.9	SSW	7.9	3.5
11	11.3	14.2	9.1	9.3	7	13.3	3.08	75	7.7	44.4	S	4.3	2.9
12	8.8	12.0	6.4	5.9	9			67	5.3	50.2	WNW	1.5	2.4
13	8.7	14.4	5.6	6.1	9			68	5.4	57.9	E	0.5	2.1
14	7.7	8.8	6.2	6.4	10	0.8	3.22	85	6.6	56.8	NE	3.7	1.0
15	6.6	8.9	4.9	5.3	11	12.5	-	87	6.1	50.8	NE	3.9	0.9
16	6.3	11.2	1.8	5.3	12			81	5.7	51.7	SE	0.0	1.0
17	6.8	7.9	6.0	6.1	11	9.8	8.08	92	6.6	46.4	ENE	2.5	0.8
18	6.7	9.7	5.0	5.8	11	0.2	0.33	88	6.4	46.2	NE	1.6	0.5
19	7.2	9.1	5.8	6.5	11	1.2	3.92	85	6.7	47.1	NE	0.7	0.7
20	8.7	13.6	5.8	7.4	9	0.8	0.55	76	6.6	44.9	NW	2.2	2.2
21	10.3	13.1	5.6	7.3	8			61	5.5	49.9	W	3.2	3.4
22	10.6	15.1	8.0	7.6	7	0.2	0.12	69	5.8	46.0	W	3.3	4.0
23	3.8	8.7	1.7	0.8	14	0.3	1.08	65	3.8	48.8	NNW	3.4	2.2
24	4.4	8.8	-1.4	2.2	14			64	4.1	56.2	S	1.3	2.4
25	11.2	12.9	8.1	9.3	7			76	7.4	52.9	SW	2.4	2.3
26	11.0	16.3	7.6	9.4	7			76	7.6	53.9	W	0.4	2.0
27	11.8	16.1	7.2	10.0	6			78	7.9	51.7	SW	2.0	2.2
28	11.4	14.1	8.6	9.3	7	2.8	-	76	7.4	46.3	SW	3.8	2.4
29	12.5	15.3	9.5	8.3	5	0.8	1.00	59	6.0	43.9	W	6.2	4.0
30	6.5	12.3	2.5	3.8	11			67	4.6	48.2	N	2.9	4.0
31	1.6	5.6	-0.2	-0.3	16			63	3.1	51.2	N	6.1	2.4
Sum					297	81.4	-				NE		65.1
Avg.	8.3	11.9	5.4	6.5				75	6.1	749.1	(6)	2.9	2.1

ar : 194[illegible]

Month : January

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C)(3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
					Surface		In cm. depth as indicated below (in cups)						
			Toward sea	Toward land	Green	Bare	30	60	90	120			
	4.3	6.3	6	7	6.7	5.3	7.5	8.9	10.3	11.6	0	Ω¹	1
2	0.6	9.7	7	6	6.0	5.9	8.1	9.2	10.4	12.0	1	◍²	2
3	3.4	5.3	7	8	4.8	4.7	7.6	8.9	10.3	12.1	1	◍²	3
4	4.7	6.7	7	8	4.6	4.6	6.9	8.2	10.1	11.9	1	⊕¹ ⌊⁰	4
5	3.3	5.3	7	7	6.9	7.0	7.1	8.4	9.9	11.6	0		5
6	0.2	7.0	7	7	11.0	10.4	8.5	9.1	10.2	11.4	1	◍⁰⁻¹	6
7	3.2	9.0	4	4	9.3	8.6	9.5	9.7	10.5	11.8	2	◍¹⁻² ◍¹⁻² ψ⁰	7
8	3.2	5.7	7	7	8.4	8.3	9.0	9.6	10.4	11.6	2	◍¹⁻²	8
9	6.4	4.3	8	7	8.2	7.9	9.0	9.6	10.4	11.5	1		9
0	1.1	8.3	7	7	11.3	10.1	9.7	10.1	10.6	11.7	1	◍⁰⁻¹	10
	3.5	6.7	7	8	9.4	9.2	10.2	10.3	10.7	11.7	2	◍¹⁻² ◪	11
2	8.6	1.3	8	9	6.8	6.3	9.3	9.9	10.6	11.7	1		12
3	5.0	8.0	7	7	7.4	7.4	8.6	9.5	10.3	11.4	1		13
4	0.0	10.0	7	7	6.8	6.8	8.6	9.4	10.2	11.3	1	◍⁰⁻¹	14
5	0.3	7.0	8	8	5.7	6.1	8.4	9.2	10.0	11.2	2	◍¹⁻²	15
6	4.1	7.3	7	7	6.9	6.5	7.6	8.7	9.8	11.1	1	⌊²	16
7	0.2	9.7	7	7	6.6	6.5	7.9	8.9	9.6	11.0	2	◍ ◍	17
8	0.5	8.3	5	6	6.1	6.2	7.9	8.9	9.5	11.0	1	◍ ◍ ≡¹⁻²	18
9	0.0	10.0	5	6	7.6	7.5	8.2	9.0	9.7	11.0	1	◍⁰⁻¹ ◍⁰	19
0	3.4	6.7	7	8	8.0	8.0	8.2	9.0	9.8	11.4	1	◍⁰ ◍¹ ◬⁰ Ω¹	20
	7.2	0.7	8	8	9.3	8.0	8.3	8.9	9.8	11.1	1		21
2	3.1	6.7	7	7	8.2	8.7	8.8	9.3	9.9	11.1	1	◍⁰ ∩¹	22
3	3.8	5.3	7	8	1.7	1.8	7.8	8.7	9.7	11.0	1	◍⁰ ◬⁰ ✳⁰	23
4	1.2	6.0	7	7	4.3	3.5	6.3	7.4	9.1	10.7	1	⌊⁰	24
5	0.1	9.0	8	7	9.9	8.5	7.8	8.4	9.3	10.7	1		25
6	8.0	4.3	7	8	10.5	11.4	8.7	8.9	9.4	10.7	1	Ω⁰	26
7	6.3	8.0	7	7	11.0	11.5	9.1	9.2	9.6	10.6	1	Ω⁰	27
8	3.3	7.7	8	7	9.9	9.5	9.7	9.7	9.9	10.8	1	◍	28
0	6.7	8.0	7	7	10.8	11.4	10.2	10.1	10.2	11.0	1	◍⁰⁻¹ ◍⁰	29
0	1.1	9.0	7	7	6.8	7.4	9.7	9.9	10.1	10.8	1		30
	8.3	3.7	6	7	4.1	5.2	7.8	9.0	9.7	10.8	1		31
n	105.1											◍13, ◍10, ✳1, ◬2, ◪1, ⊕1, ψ1, ∩1, ⌊3, Ω4, ≡1.	
		6.8	6.9	7.1	7.6	7.4	8.5	9.2	10.0	11.3			

Year . 1945 Month : Februar

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)			
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)		Total evaporation (mm) (4)(7)
1	4.0	9.5	0.3	1.7	14			60	3.5	756.2	N	2.8		2.2
2	6.7	12.4	1.5	5.0	11			71	5.2	58.6	NE	0.1		1.7
3	9.0	15.0	5.7	7.9	9			80	6.9	58.6	W	0.1		1.4
4	10.4	15.4	7.9	8.2	8			77	7.1	58.7	E	0.6		1.6
5	10.6	15.7	8.0	9.1	7	0.0	0.45	82	7.5	56.5	W	0.7		1.4
6	9.1	14.8	6.5	6.8	9	4.5	0.92	74	6.0	50.8	NE	2.2		1.4
7	7.7	10.8	5.6	5.5	10			74	5.7	50.3	ENE	7.2		1.8
8	7.7	10.6	5.7	6.0	10	0.1	1.17	75	5.7	52.4	NE	5.7		1.8
9	8.8	12.9	6.7	7.0	9			74	6.3	54.6	ENE	3.9		1.8
10	8.8	12.4	5.5	7.7	9	0.0	1.28	80	6.8	53.5	ENE	2.4		1.3
11	9.4	13.7	6.1	7.2	9			75	6.4	53.5	NE	0.8		1.6
12	10.2	14.6	2.9	8.2	8			77	7.0	51.5	WSW	0.6		1.4
13	11.7	16.7	6.7	9.0	6			69	7.0	54.7	W	0.9		2.3
14	12.5	18.3	8.3	10.2	5			75	7.9	56.6	S	0.8		2.1
15	13.3	18.8	9.9	10.6	5			69	8.1	56.2	SW	1.0		2.3
16	12.1	17.9	8.5	10.4	6			74	8.1	55.2	W	0.3		1.8
17	10.1	14.5	8.1	7.6	8			66	6.1	59.0	NE	5.0		2.2
18	6.9	8.5	5.5	5.1	11	0.1	0.25	77	5.6	59.8	NE	4.3		1.6
19	3.2	5.7	1.1	2.1	15	1.4	9.58	85	5.0	58.6	NE	7.5		0.8
20	1.8	3.7	0.5	0.7	16	0.5	13.83	77	4.1	57.5	NE	12.1		1.5
21	2.9	5.4	0.9	2.0	15	1.5	7.08	81	4.4	52.3	NE	12.8		1.4
22	0.8	2.9	-0.9	-0.7	17	1.1	-	79	3.6	54.8	N	7.8		1.1
23	2.0	5.4	-0.3	0.0	16	0.9	-	73	4.3	58.1	N	3.6		0.9
24	4.6	10.3	1.3	3.4	13			69	4.5	59.9	N	0.8		1.2
25	7.9	14.4	3.3	5.8	10			64	5.5	58.3	N	1.9		2.2
26	8.5	12.7	4.9	5.9	9			67	5.4	60.6	NE	2.2		2.0
27	12.8	18.3	7.3	8.5	5			51	5.3	56.8	N	5.9		4.4
28	11.2	15.7	8.8	7.4	7			59	5.3	63.9	NE	2.8		2.9
Sum					277	10.1	-				NE			50.6
Avg.	8.0	12.4	4.9	6.0				73	5.9	756.3	(6)	3.5		1.8

Year : 1945 Month : February

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
1	-	3.3	7	7	1.9	2.3	6.9	8.3	9.2	10.6	1		1
2	6.9	3.0	7	6	6.5	7.1	6.8	8.0	9.0	10.3	0		2
3	5.9	7.0	6	6	9.2	10.6	8.1	8.5	9.1	10.4	0		3
4	3.6	9.3	7	8	9.0	9.6	8.8	9.0	9.4	10.4	0		4
5	6.2	8.3	7	6	10.1	11.4	9.9	9.6	9.7	10.6	0		5
6	7.5	3.7	7	7	10.3	9.6	10.1	9.9	10.0	10.7	1		6
7	6.4	6.3	7	7	6.5	6.4	9.4	9.7	9.9	10.7	0		7
8	3.2	8.3	8	7	7.8	8.1	9.0	9.5	9.9	10.8	0		8
9	3.2	6.3	8	8	8.5	8.9	9.1	9.5	9.9	10.8	0		9
10	0.3	9.0	6	7	9.0	9.0	9.3	9.7	10.0	10.5	0		10
11	6.1	5.7	6	7	8.0	8.9	9.6	9.6	9.9	10.8	0		11
12	9.4	7.0	8	6	8.3	9.4	9.8	9.8	10.1	11.0	0		12
13	1.7	1.0	7	7	12.3	10.8	10.1	10.1	10.1	11.0	0		13
14	9.4	0.0	8	6	11.8	13.2	10.6	10.4	10.4	11.0	0		14
15	9.4	0.0	7	7	12.5	12.3	11.4	11.0	10.8	11.3	0		15
16	8.6	0.7	8	6	10.7	11.6	11.4	11.1	10.9	11.3	0		16
17	6.4	5.3	7	7	11.3	11.4	11.4	11.4	11.1	11.5	0		17
18	0.0	10.0	6	7	6.5	7.0	10.4	10.8	11.0	11.4	0		18
19	0.0	10.0	6	5	3.3	3.5	8.7	9.9	10.5	11.3	1		19
20	0.0	10.0	6	6	2.2	2.1	7.0	8.6	9.9	11.0	2		20
21	0.0	10.0	7	7	3.6	3.4	6.5	8.0	9.3	10.8	2		21
22	2.0	7.0	3	4	-0.1	0.3	5.8	7.5	9.2	10.9	2		22
23	0.3	8.7	7	8	5.0	5.3	5.5	7.1	8.7	10.6	2		23
24	6.6	3.7	6	6	7.0	5.9	6.5	7.3	8.6	10.3	1		24
25	7.7	2.3	7	7	8.7	9.5	6.7	7.6	8.6	10.1	1		25
26	4.2	3.0	7	8	8.7	8.3	8.1	8.2	9.0	10.2	0		26
27	8.8	1.0	7	8	12.9	13.7	9.3	9.0	9.3	10.4	0		27
28	8.1	5.0	8	9	9.9	12.9	10.5	9.9	9.8	10.5	0		28
Sum	131.9											1, 5, 5, 4, 13, 2, 1.	
Avg.		5.5	6.8	6.8	7.9	8.3	8.8	9.3	9.8	10.8			

Year : 1945 Month : March

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)			Dat
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)	
11	10.7	15.8	6.8	9.0	7			70	6.9	762.7	S	1.3	3.8	
2	11.8	16.5	8.1	9.9	6			75	7.6	55.9	S	2.2	2.5	
3	10.8	14.4	8.8	10.0	7	4.0	1.00	88	8.4	50.6	SE	0.7	1.3	
4	6.0	10.5	3.3	4.4	12	10.4	18.00	85	5.6	45.6	NW	2.1	0.7	
5	4.9	10.9	1.3	3.1	13			71	4.4	52.3	NW	2.2	1.6	
6	7.4	11.7	2.9	4.7	11			64	4.4	54.9	SE	1.2	2.6	
7	9.3	12.7	7.3	8.0	9	0.0	0.05	74	6.8	49.7	W	1.9	2.0	
8	8.2	12.7	4.1	7.3	10	0.0	0.67	72	6.3	50.5	SE	1.2	2.2	
9	5.8	11.4	2.2	3.0	12	6.4	4.83	62	3.9	55.0	W	2.3	1.9	
10	5.9	9.9	2.8	3.0	12			61	4.2	58.7	NW	1.8	1.9	
11	8.9	13.6	3.7	7.0	9			66	5.7	54.6	SW	5.0	3.6	
12	7.9	12.6	5.8	3.8	10			49	3.6	59.7	NNW	5.6	3.8	
13	8.6	15.4	3.2	6.8	9			62	5.7	62.2	SE	0.6	2.4	
14	10.6	15.2	6.6	8.5	7			70	6.7	62.3	SSE	0.8	2.6	
15	11.4	16.2	7.9	10.2	7			76	7.9	60.5	S	0.4	2.0	
16	11.7	16.4	8.2	9.9	6			75	7.4	60.4	SSE	0.8	1.9	
17	12.5	17.2	8.7	10.7	5			72	8.1	58.3	SE	0.9	2.1	
18	13.5	18.8	9.6	10.6	4	3.4	3.33	67	7.3	55.9	WSW	1.4	3.6	
19	11.1	15.0	9.7	9.3	7			77	7.7	58.5	N	1.5	1.7	
20	11.2	17.7	7.4	8.6	7			66	6.2	61.6	NE	2.0	2.7	
21	10.2	15.5	5.1	7.9	8			71	6.6	61.2	SSW	1.3	2.3	
22	12.8	18.1	8.0	10.5	5			70	7.8	57.3	SSW	0.9	2.5	
23	12.5	16.2	10.2	8.7	5	0.2	0.13	61	6.4	59.9	NNE	3.6	2.7	
24	12.6	19.3	7.7	9.2	5			58	6.3	59.1	NNE	2.5	2.9	
25	13.3	21.0	9.0	10.0	5			63	6.9	57.2	NNE	3.7	3.0	
26	11.6	17.7	8.3	8.5	6			61	6.1	61.0	N	4.7	3.5	
27	11.1	15.8	6.3	9.1	7			71	7.1	61.5	SSE	1.1	2.7	
28	12.6	17.7	8.1	11.3	5			82	8.7	60.1	SSE	0.8	2.0	
29	13.1	17.4	10.1	12.3	5			87	9.9	58.0	SE	1.1	1.5	
30	13.1	17.5	11.6	12.1	5			85	9.6	53.1	SE	0.7	1.6	
31	14.8	22.4	10.7	10.4	3			57	6.2	48.8	N	2.8	3.6	
Sum					229	24.4	28.01				N		75.2	
Avg.	10.5	15.6	6.9	8.3				70	6.7	757.0	(6)	1.9	2.4	

Year : 1945 Month : March

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
	9.3	0.3	6	7	10.9	11.2	10.6	10.3	10.1	10.6	0		1
2	9.7	0.7	7	8	11.8	12.6	10.9	10.6	10.4	10.8	0		2
3	0.4	0.0	4	5	11.0	11.6	11.4	10.9	10.7	10.9	0		3
4	0.0	9.0	6	7	6.5	6.6	10.2	10.5	10.6	11.0	2		4
5	8.5	4.7	8	8	7.0	6.8	8.7	9.3	10.2	11.0	2		5
6	7.4	4.3	8	7	7.6	6.1	8.5	9.4	10.1	11.0	1		6
7	1.7	6.7	8	7	8.3	8.7	8.8	9.4	10.0	10.9	1		7
8	3.9	6.0	8	8	9.7	8.8	8.7	9.2	9.9	10.8	1		8
9	5.4	5.7	8	8	7.8	7.8	8.5	9.2	9.8	10.9	2		9
10	4.1	6.3	7	7	4.2	4.9	8.4	9.2	9.7	10.8	1		10
11	6.2	6.7	7	7	11.2	12.7	8.4	9.0	9.8	10.9	1		11
12	8.2	2.0	7	8	9.5	10.1	9.1	9.3	9.8	10.7	0		12
13	8.5	0.3	7	7	9.8	12.2	9.2	9.6	9.9	10.7	0		13
14	9.8	1.7	7	7	11.5	12.7	9.9	9.8	10.0	10.7	0		14
15	8.8	4.7	7	7	13.9	13.5	10.9	10.4	10.4	10.9	0		15
16	7.3	2.7	7	7	12.1	12.6	11.2	10.8	10.6	10.9	0		16
17	9.9	2.3	7	7	15.0	14.8	11.7	11.2	10.9	11.1	0		17
18	10.0	3.3	7	7	10.2	17.7	12.4	11.5	11.1	11.2	0		18
19	2.6	7.7	8	8	11.7	11.6	12.4	12.0	11.4	11.4	2		19
20	6.4	3.0	6	7	14.8	15.4	11.7	11.7	11.6	11.6	0		20
21	9.3	1.7	7	6	12.7	13.6	11.4	11.5	11.5	11.7	0		21
22	9.5	2.3	6	6	13.6	16.0	11.7	11.7	11.7	11.8	0		22
23	4.1	6.0	7	7	12.2	12.7	12.6	12.2	11.9	12.0	0		23
24	9.6	1.3	7	8	15.6	17.2	12.1	12.2	12.0	12.1	0		24
25	8.2	1.3	7	7	14.0	16.9	13.2	12.6	12.3	12.2	0		25
26	9.9	3.0	7	8	14.9	17.0	13.4	13.0	12.5	12.4	0		26
27	9.4	4.3	6	6	12.8	14.6	13.2	13.0	12.7	12.6	0		27
28	9.7	6.0	7	6	15.4	17.0	13.3	13.0	12.8	12.7	0		28
29	7.2	9.0	7	6	14.6	16.6	13.9	13.4	13.1	12.8	0		29
30	3.7	9.3	8	7	14.7	17.1	14.2	13.7	13.3	13.0	0		30
31	8.1	4.0	7	7	17.6	21.3	14.2	14.2	13.4	13.1	0		31
m	216.8											◍ 3, ◍ 6, ⊕ 1, Ψ 1, ∩ 1 ≡ 1, ⌴ 4, Ω 17.	
g.		4.6	7.0	7.0	11.9	12.8	11.1	11.1	11.1	11.5			

Year : 1945 Month : April

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	15.5	20.2	12.7	11.9	2			61	8.1	751.2	WNW	4.8	3.9	
2	15.0	20.7	12.9	10.7	3			56	6.8	53.8	NW	4.4	3.9	
3	14.8	20.5	10.5	10.8	3			53	6.8	52.5	SW	1.3	4.2	
4	15.9	22.5	12.2	13.1	2			64	9.2	51.8	SW	0.6	3.5	
5	15.3	20.6	12.6	13.4	3			77	10.1	55.3	SW	0.7	2.6	
6	14.3	18.7	11.1	13.6	4			86	10.8	54.5	SW	0.7	1.8	
7	16.9	20.6	12.9	13.5	2			69	9.5	49.0	SSW	1.7	3.0	
8	14.1	19.6	11.4	9.9	4			59	6.5	53.5	NE	4.0	3.8	
9	12.6	19.8	8.0	10.0	5			68	7.3	56.4	NNE	1.8	3.3	
10	13.6	18.8	10.9	9.9	4			60	6.5	54.5	NE	3.0	3.4	1
11	13.1	18.6	10.0	9.0	5			52	5.8	54.9	NNE	4.6	4.0	1
12	14.1	19.8	9.0	10.5	4			56	6.7	53.8	SSW	2.4	3.9	1
13	15.9	20.7	11.6	12.3	2	-	-	61	8.2	52.7	S	3.1	4.5	1
14	16.1	21.6	13.6	13.8	2	0.0	0.02	76	10.3	52.9	SSW	1.4	3.5	1
15	14.9	18.6	12.9	13.5	3	2.7	-	89	11.1	54.0	SW	0.9	1.1	1
16	9.2	15.0	6.1	7.1	9	14.0	-	88	6.6	57.9	NNE	7.1	1.3	1
17	10.7	16.7	6.1	8.1	7			61	5.8	59.5	NE	4.7	2.7	1
18	13.0	18.8	8.0	10.2	5			60	7.1	55.5	SW	1.3	3.5	1
19	15.7	22.7	11.0	12.7	2			68	8.8	52.3	W	1.6	3.4	1
20	13.6	21.6	9.7	11.4	4	5.6	5.67	74	8.2	50.6	NE	2.6	2.5	2
21	13.7	20.1	9.3	9.8	4	0.0	0.25	62	6.5	51.7	S	2.7	3.5	2
22	14.7	19.3	10.9	12.4	3			79	9.1	48.0	S	4.1	3.1	2
23	17.2	23.2	14.1	13.4	1			62	9.0	45.2	SSW	3.4	4.1	2
24	15.3	20.5	10.7	11.8	3			58	7.8	48.9	SSW	2.0	5.1	2
25	16.4	22.7	12.3	10.8	2			48	5.7	50.2	N	2.2	4.8	2
26	14.3	19.5	10.2	11.1	4			62	7.4	53.9	SSW	1.8	4.1	2
27	15.0	19.8	11.2	12.8	3			72	9.2	54.0	SW	1.4	2.9	2
28	16.2	20.1	13.2	12.7	2	0.0	0.13	65	8.6	51.7	SW	1.5	3.6	2
29	17.2	21.8	13.1	15.2	1			74	11.4	48.2	SSW	2.2	3.2	2
30	17.6	23.2	13.1	12.9	0			54	7.9	50.2	SW	1.5	4.7	3
Sum					98	22.3	-				SW		102.9	Su
Avg.	14.7	20.2	11.0	11.6				66	8.1	752.6	(6)	2.5	3.4	Av

ar : 1945 Month : April

Date	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)
1	10.8	3.0	7	8	17.0	19.9	15.0	14.3	13.6	13.3	0	
2	6.0	5.3	7	8	16.7	21.0	15.4	14.7	14.0	13.4	0	
3	10.6	0.0	7	7	16.1	19.4	15.4	14.9	14.2	13.7	0	
4	10.9	0.0	8	7	16.2	16.1	15.1	15.1	14.4	14.2	0	
5	10.6	0.3	6	6	17.4	21.4	16.4	15.5	14.7	14.1	0	☽ ☽
6	9.3	4.0	7	6	16.2	20.6	16.4	15.6	14.9	14.2	0	☽
7	10.2	4.3	6	7	18.7	22.5	16.6	15.9	15.1	14.4	0	
8	7.0	6.7	7	7	16.2	18.8	16.5	15.9	15.2	14.6	0	
9	9.8	3.0	8	8	14.9	17.5	15.5	15.6	15.2	14.7	0	
10	9.4	5.3	7	7	14.3	21.5	15.5	15.5	15.3	14.9	0	
11	10.3	3.0	8	8	17.9	20.3	15.9	15.7	15.3	14.9	0	
12	9.9	0.7	7	7	15.9	23.3	16.0	15.7	15.4	15.0	0	
13	9.8	7.0	7	7	16.8	22.0	16.5	16.1	15.6	15.1	0	⊕
14	2.0	9.3	6	6	15.6	18.4	17.0	16.3	15.8	15.2	0	☾
15	0.1	10.0	6	6	14.9	14.7	16.5	16.3	15.9	15.3	2	◍ ☾
16	0.0	10.0	6	6	10.2	8.5	14.6	15.3	15.4	15.3	2	◍ ☾
17	9.7	1.7	7	8	17.3	14.6	13.2	14.3	15.0	15.2	1	
18	10.3	4.3	7	6	13.8	18.1	13.3	14.0	14.7	15.0	0	☽
19	10.0	4.7	6	7	17.2	20.2	14.7	14.5	14.6	15.2	0	
20	6.7	9.0	7	8	16.6	19.4	15.5	15.0	15.0	15.1	0	◍ ☾
21	8.8	2.7	7	7	16.7	19.1	15.1	15.0	15.1	15.1	1	☾
22	7.3	4.0	7	7	15.8	17.3	15.0	15.0	15.1	15.1	0	⊕
23	6.5	7.3	7	7	18.3	19.4	15.9	15.4	15.3	15.1	0	
24	11.4	2.7	8	8	18.1	21.5	16.2	15.7	15.4	15.2	0	☽
25	12.7	1.7	8	8	21.0	23.2	16.9	16.1	15.6	15.3	0	
26	13.0	0.7	7	7	17.2	21.8	17.1	16.6	15.9	15.5	0	
27	12.2	3.0	7	6	17.9	20.9	17.1	16.7	16.1	15.6	0	
28	6.1	7.7	6	7	16.7	20.5	17.6	17.0	16.3	15.7	0	☾
29	11.3	4.0	6	6	19.3	22.3	17.8	17.1	16.5	15.8	0	
30	12.0	2.0	8	8	18.9	24.1	18.2	17.4	16.7	16.0	0	
	264.7											☾ 3, ◍ 6, ☽ 1, ⊕ 2, ☽ 3.
		4.2	6.9	7.0	16.7	19.6	15.9	15.6	15.2	14.9		

Year : 1945 Month : May

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	17.6	22.0	13.5	14.0	0			62	9.2	751.7	SW	1.0	4.1
2	18.4	22.6	14.1	13.8	0			55	8.5	51.6	SW	1.3	5.1
3	18.1	23.3	15.0	15.0	0	0.0	0.30	64	10.2	50.3	SSW	0.6	4.5
4	18.9	25.5	14.4	16.3	0			74	11.9	51.4	W	0.8	3.7
5	19.3	27.2	15.5	15.8	0			70	11.1	51.9	SW	0.7	3.4
6	18.6	22.8	15.9	15.0	0			65	10.2	52.0	SW	0.4	3.7
7	19.8	26.5	16.5	14.7	0			53	9.2	51.4	SW	0.9	4.3
8	23.7	29.7	18.5	15.6	0			37	7.7	49.9	NE	5.3	7.2
9	21.4	25.4	18.9	14.8	0			44	8.5	51.4	NE	7.6	7.6
10	19.0	23.3	16.0	12.7	0			41	6.8	55.9	NE	8.3	7.9
11	18.7	24.1	16.3	12.0	0			41	6.3	58.3	NNE	10.9	9.0
12	21.4	28.4	14.7	14.8	0			40	7.4	55.9	NNE	4.1	8.3
13	24.6	29.6	20.7	17.1	0			39	9.6	52.2	NNE	7.8	10.0
14	25.0	30.6	21.5	17.2	0			42	9.3	51.1	NNE	5.7	9.2
15	24.7	30.4	21.9	17.0	0			43	9.4	51.9	NE	5.4	8.8
16	26.0	32.9	20.5	19.3	0			46	11.8	52.4	NE	2.7	7.3
17	26.2	33.2	20.5	19.2	0			44	11.4	53.0	NE	4.5	7.8
18	25.8	32.5	21.3	18.8	0			44	11.0	51.8	NE	3.9	7.8
19	23.3	28.7	19.7	18.5	0			56	12.3	50.3	SW	1.8	5.7
20	24.2	29.2	20.0	18.9	0			59	12.7	49.1	SSW	2.0	6.3
21	24.3	31.7	20.5	19.7	0			62	13.9	49.2	SSW	1.5	5.1
22	24.3	29.8	20.5	19.7	0			61	13.9	50.9	WSW	1.5	5.6
23	25.0	30.1	19.8	19.9	0			59	13.8	50.0	SW	1.5	6.3
24	28.0	34.3	22.9	19.6	0			42	11.1	50.6	SSW	2.2	8.5
25	28.6	36.2	23.3	19.5	0			38	11.0	51.3	SW	1.1	8.8
26	28.7	35.3	23.6	19.7	0			39	11.0	50.6	ENE	1.5	8.2
27	27.0	32.7	23.5	18.8	0	0.0	0.02	42	10.8	48.6	W	1.4	7.8
28	26.6	32.7	21.5	18.2	0			41	9.9	49.3	SSW	2.6	8.7
29	24.7	30.6	22.2	17.2	0			42	9.8	51.3	NE	7.1	8.0
30	22.9	29.3	19.3	17.4	0			55	11.5	52.5	WSW	3.3	6.7
31	22.8	30.0	18.1	17.3	0			58	10.9	52.2	WSW	2.0	6.1
Sum					0	0.0	0.32				NE		211.5
Avg.	23.1	29.1	19.0	17.0				50	10.4	751.6	(6)	3.3	6.8

r : 1945 Month : May

	Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature Surface Green	Avg. Soil temperature Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
	12.0	0.7	7	7	20.0	25.8	18.6	17.9	16.9	15.5	0	☊°	1
	9.0	6.3	7	7	19.2	23.7	18.8	18.1	17.1	16.3	0		2
	6.8	6.0	7	7	18.6	23.9	19.1	18.3	17.4	16.5	0	◍°	3
	11.1	1.3	7	7	20.6	27.0	19.3	18.4	17.6	16.7	0		4
	9.6	9.0	7	7	19.3	20.8	20.2	19.0	17.8	16.8	0		5
	3.2	10.0	8	7	18.1	22.1	20.2	19.2	18.1	17.0	0		6
	4.7	9.0	8	7	20.4	24.7	20.2	19.3	18.3	17.2	0		7
	10.5	6.0	7	7	23.7	30.1	21.1	19.7	18.5	17.5	0		8
	10.9	4.3	6	7	20.8	24.0	21.8	20.4	18.9	17.7	0	⊕	9
	11.4	0.3	7	8	19.5	29.6	21.1	20.4	19.2	18.2	0		10
	11.4	0.7	7	7	20.3	27.2	21.1	20.4	19.3	18.2	0		11
	11.3	0.0	7	8	24.0	32.9	21.3	20.6	19.7	18.4	0		12
	11.2	1.3	7	8	26.1	30.4	22.7	21.2	20.0	18.6	0		13
	10.5	2.0	7	7	25.3	34.3	23.6	22.0	20.4	18.9	0		14
	11.3	0.7	8	8	27.5	35.0	24.3	22.7	20.9	19.2	0		15
	11.4	0.7	7	8	26.5	36.9	24.7	23.1	21.4	19.5	0		16
	11.5	0.7	7	7	27.4	37.3	25.4	23.8	21.9	19.9	0		17
	11.6	1.0	7	7	31.2	38.1	25.8	24.2	22.3	20.2	0		18
	10.3	3.7	7	6	28.3	36.1	25.8	24.4	22.7	20.4	0		19
	11.5	1.3	7	7	26.2	33.0	25.5	24.4	22.9	20.7	0		20
	10.7	5.3	7	7	27.7	33.2	25.8	24.5	23.0	20.9	0	☈°	21
	11.5	0.7	7	7	27.1	35.1	25.7	24.6	23.2	21.1	0		22
	10.1	5.3	8	8	25.8	33.9	25.7	24.6	23.3	21.2	0		23
	11.4	0.7	8	7	29.5	37.6	26.0	24.7	23.3	21.4	0		24
	11.4	2.7	7	8	29.9	34.7	26.9	25.3	23.7	21.6	0		25
	11.1	0.7	7	7	31.3	34.1	27.4	25.7	23.9	21.8	0		26
	6.6	9.0	7	8	26.9	31.1	27.3	25.9	24.2	22.0	0	◍° ⊕°	27
	10.9	1.0	8	8	29.1	33.4	26.9	25.8	24.3	22.3	0		28
	11.0	3.0	7	8	26.6	36.4	27.1	25.9	24.4	22.6	0	☿°	29
	11.1	4.0	7	8	26.0	33.0	26.7	26.0	24.6	22.5	0		30
	10.2	3.7	7	6	25.5	34.0	26.6	25.7	24.6	22.7	0		31
m	317.2											◍2, ☈1, ⊕2, ☊1, ☿1.	
g.		3.3	7.2	7.3	24.8	31.3	23.6	22.5	21.1	19.5			

Year : 1945 Month : Jur

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	22.6	26.8	20.0	18.3	0	0.0	0.13	64	12.4	751.2	SW	1.0	4.3
2	22.1	30.0	19.7	17.5	0	0.1	2.07	59	11.3	51.4	NE	3.6	4.5
3	21.9	28.2	17.3	17.0	0	0.0	0.17	59	11.2	52.7	E	1.4	4.3
4	22.4	28.6	17.6	17.4	0			59	11.4	53.4	SW	1.3	4.6
5	22.1	27.4	17.0	17.3	0			59	11.0	54.2	SW	1.6	5.1
6	23.1	29.3	19.4	18.3	0			57	12.1	53.9	SW	1.2	5.5
7	24.2	30.6	19.6	19.1	0			56	12.9	52.8	WSW	1.0	5.7
8	25.6	33.5	20.8	20.5	0			56	14.0	52.3	WSW	1.4	6.0
9	24.4	30.8	21.9	18.1	0	0.0	0.05	51	11.2	53.0	NE	4.7	5.1
10	24.7	31.1	19.0	17.2	0			41	9.5	52.3	NE	3.4	7.7
11	24.9	31.0	20.0	18.8	0			48	11.6	50.4	S	1.9	7.3
12	25.3	30.0	21.4	19.1	0			52	12.0	51.1	SW	1.9	6.1
13	24.3	28.0	21.3	19.9	0			62	14.2	51.0	WSW	1.5	6.3
14	24.7	30.7	20.4	20.8	0	0.0	0.03	67	15.7	50.3	SW	1.1	5.1
15	25.6	31.6	21.8	20.8	0			60	14.8	50.2	NE	3.6	5.5
16	23.3	28.9	19.3	17.5	0			54	11.0	54.3	NE	5.9	6.9
17	24.2	32.0	17.8	18.6	0			49	11.3	53.8	NNE	2.4	6.6
18	26.3	33.2	19.5	18.5	0			40	10.3	55.1	NE	5.1	8.7
19	24.9	30.3	21.5	18.1	0			45	10.9	54.0	NE	5.8	8.3
20	27.1	33.5	21.0	19.1	0			40	10.8	51.9	NE	4.6	8.2
21	27.2	33.4	23.5	19.3	0			40	11.3	53.5	NE	5.5	8.9
22	27.7	36.0	21.3	19.3	0			40	11.1	52.9	NE	2.9	8.4
23	26.7	32.1	21.7	20.3	0			49	12.9	50.8	SW	1.8	7.4
24	25.5	30.6	22.7	20.6	0			59	14.8	50.6	N	5.0	7.2
25	25.7	33.0	18.7	19.6	0			53	12.7	53.0	NE	3.8	6.5
26	26.0	32.3	21.4	20.7	0			50	13.9	53.5	WSW	1.4	8.1
27	26.6	33.7	21.5	19.4	0			48	12.3	51.0	NE	2.6	7.5
28	27.8	33.9	22.5	18.9	0			40	10.1	47.7	SW	2.3	9.1
29	29.5	35.7	24.7	21.3	0			43	13.4	46.9	W	3.4	10.4
30	30.7	37.7	25.5	22.1	0			43	14.1	48.0	NW	2.7	9.5
Sum					0	0.1	2.45				NE		204.8
Avg.	25.2	31.5	20.7	19.1				51	12.8	751.9	(6)	2.9	6.8

r : 1945 Month : June

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)						
		Toward sea	Toward land	Green	Bare	30	60	90	120			
8.7	8.0	7	7	26.6	32.5	26.1	25.6	24.6	22.7	0	◍° ⊕°	1
4.4	9.0	8	8	26.3	32.3	26.0	25.3	24.5	23.0	0	◍°-1	2
6.7	2.7	8	9	24.0	31.0	25.6	25.2	24.5	22.9	0	◍°	3
9.5	4.0	8	8	23.8	28.2	25.2	25.0	24.3	22.9	0		4
9.6	3.0	8	7	27.7	30.2	25.3	24.9	24.3	22.9	0		5
10.6	2.3	7	8	27.0	33.0	25.4	24.9	24.2	22.9	0		6
11.0	3.7	8	8	26.3	31.7	25.8	25.2	24.3	22.9	0		7
10.3	5.0	7	8	30.0	36.9	26.3	25.3	24.4	22.9	0		8
7.8	5.7	7	8	29.4	37.9	26.4	25.2	24.4	23.1	0	◍°	9
11.9	1.3	8	9	33.5	33.6	26.5	26.0	24.7	23.1	0		10
11.8	5.0	8	8	28.6	33.5	26.7	25.9	24.9	23.2	0		11
9.4	5.7	8	7	27.3	34.2	26.8	26.0	25.0	23.4	0		12
10.8	1.3	7	7	27.1	34.5	26.9	26.1	25.0	23.4	0	≺°	13
10.0	3.0	8	8	26.6	33.1	26.8	26.2	25.1	23.5	0	◍°	14
9.5	4.3	7	7	30.0	34.8	26.9	26.1	25.0	23.5	0		15
11.9	2.0	7	8	33.3	36.4	26.9	26.1	25.1	23.6	0		16
11.7	0.7	8	8	33.7	39.0	27.0	26.2	25.2	23.7	0		17
9.2	3.0	8	8	33.6	33.4	27.5	26.5	25.4	23.8	0		18
12.1	1.3	8	8	30.3	39.2	27.9	26.9	25.7	24.0	0		19
11.9	0.7	7	7	35.0	37.3	28.0	27.1	25.9	24.1	0		20
11.5	0.7	8	8	31.0	37.3	28.6	27.5	26.1	24.3	0		21
11.3	1.0	8	8	33.0	42.2	28.9	27.8	26.4	24.5	0		22
9.3	3.0	8	7	30.2	38.6	29.3	28.2	26.6	24.6	0		23
10.7	3.7	8	8	29.4	37.9	28.9	28.1	26.8	24.7	0		24
11.9	1.7	8	8	31.3	40.0	28.7	28.0	26.8	24.9	0		25
11.9	1.0	8	8	28.6	38.5	29.0	28.2	26.9	25.0	0		26
11.8	0.7	8	8	31.4	36.2	28.8	28.3	26.8	25.0	0		27
11.5	0.7	8	7	32.6	37.3	29.0	28.0	26.9	25.1	0		28
11.0	0.7	7	7	31.6	39.1	29.4	28.3	27.2	25.0	0		29
11.4	1.3	7	7	33.5	42.9	30.1	28.2	27.1	25.2	0		30
n 311.1											◍5, ≺1, ⊕1.	
g.	2.9	7.7	7.7	29.8	35.8	27.4	26.6	25.5	23.8			

Year : 1945 Month : July

Date	Air temperature (°C)					Precipit.		Average of			Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	Avg.Pressure at 0°C (mm) (1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	26.6	31.7	23.3	19.1	0			47	11.5	749.4	SW	2.3	7.9
2	26.6	31.6	23.0	19.7	0			48	12.7	45.3	SSW	2.3	7.6
3	28.4	34.4	24.4	21.1	0			49	13.6	41.4	WNW	3.9	9.2
4	26.0	32.2	23.7	20.3	0			54	13.7	44.3	N	3.9	7.8
5	23.6	27.5	20.3	19.0	0	0.0	0.17	57	12.8	48.7	SW	3.5	3.2
6	24.1	29.8	19.4	19.6	0			59	13.5	50.5	SW	2.6	4.6
7	25.6	31.2	20.3	18.4	0			47	10.8	50.1	WSW	2.8	5.9
8	27.1	32.6	22.2	17.3	0			34	8.4	48.5	NNE	4.3	8.3
9	28.9	34.7	23.7	19.3	0			32	10.0	47.0	NE	5.0	9.1
10	27.5	32.0	23.2	19.5	0			44	11.1	46.9	SW	2.7	8.3
11	27.5	32.8	23.7	20.6	0			49	13.2	47.7	WSW	1.7	6.2
12	28.2	33.0	23.5	20.0	0			44	11.5	48.2	SW	1.9	7.0
13	29.7	35.0	23.7	20.6	0			38	12.0	47.3	NE	3.9	8.3
14	28.2	34.7	24.3	22.5	0			56	15.4	48.0	NE	3.0	7.9
15	27.8	33.8	23.5	20.6	0			48	12.9	50.4	NE	4.9	6.5
16	27.8	32.0	24.0	19.2	0			43	11.0	52.7	NNE	7.3	8.5
17	27.6	32.5	23.2	20.0	0			45	12.5	51.9	NE	5.8	7.3
18	28.8	34.9	22.6	20.1	0			39	11.6	50.3	NE	4.5	8.7
19	28.4	34.1	24.3	19.8	0			39	11.4	50.9	NE	7.1	9.2
20	27.8	32.5	23.4	19.2	0			41	11.0	52.7	NE	7.9	9.4
21	27.5	31.5	24.7	18.9	0			41	10.8	53.2	NE	8.6	9.3
22	27.8	33.0	22.3	17.8	0			34	8.6	53.2	NE	9.0	10.8
23	30.0	36.8	23.9	18.8	0			28	8.5	50.8	NE	6.3	11.4
24	31.1	36.9	25.2	21.2	0			34	12.4	49.8	NE	4.6	9.8
25	29.7	34.7	26.9	19.9	0			37	11.3	50.4	NE	7.1	10.0
26	28.0	32.0	24.4	20.1	0			43	12.3	50.7	NE	7.4	8.5
27	28.7	34.9	24.0	20.4	0			41	12.5	50.4	NE	6.5	9.8
28	29.1	35.7	23.2	19.5	0			35	10.4	49.9	NE	6.0	10.2
29	30.0	35.4	24.4	20.2	0			36	11.1	50.3	NE	7.1	11.7
30	33.1	40.3	26.2	22.3	0			36	13.1	49.0	NE	2.3	10.4
31	30.9	35.7	27.6	21.9	0			41	13.5	47.0	S	2.4	10.2
Sum					0	0.0	0.17				NE		263.0
Avg.	28.1	33.6	23.6	19.9				43	11.8	749.3	(6)	4.8	8.5

ar : 1945 Month : July

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
11.3	0.7	7	7	32.1	36.9	29.9	28.8	27.4	25.3	0		1
11.9	3.3	8	7	32.1	34.8	29.3	28.3	27.3	25.4	0		2
-	0.7	7	7	32.2	37.5	29.4	28.6	27.4	25.4	0		3
9.8	5.0	9	7	31.6	39.0	29.4	28.4	27.3	25.4	0		4
9.1	2.7	7	8	26.1	34.4	29.1	28.6	27.3	25.5	0	9°	5
11.4	2.3	7	7	28.8	35.5	28.8	27.8	27.1	25.4	0		6
10.9	5.0	8	8	29.9	32.0	28.2	27.7	26.9	25.4	0	4°	7
9.1	5.0	7	8	23.3	36.1	28.4	27.6	26.8	25.3	0		8
-	1.3	7	8	32.1	36.4	29.2	28.1	27.0	25.3	0		9
11.3	1.7	6	6	30.4	37.9	29.4	27.2	25.6	25.6	0		10
11.3	1.7	7	7	29.7	36.0	29.3	28.5	27.3	25.6	0		11
9.2	4.3	7	7	23.3	37.5	29.4	28.5	27.3	25.7	0		12
11.5	1.7	7	8	37.9	38.5	29.6	28.9	27.4	25.7	0		13
8.2	4.7	8	8	31.8	36.5	30.0	28.9	27.6	25.8	0		14
11.5	3.7	8	9	32.5	39.7	29.5	28.3	27.6	26.0	0		15
11.6	1.3	5	5	31.9	35.8	29.7	28.9	27.6	26.0	0		16
11.7	1.0	8	8	37.1	40.4	29.9	29.1	27.8	26.2	0		17
11.6	0.7	8	8	33.9	41.8	30.0	29.4	28.0	26.4	0		18
9.5	2.0	7	8	31.6	39.0	30.5	29.3	28.2	26.3	0		19
11.8	1.0	7	7	32.5	39.8	30.2	29.4	28.4	26.5	0		20
10.6	1.0	6	6	31.0	38.7	30.2	29.5	28.5	26.7	0		21
11.9	0.3	8	9	32.9	39.4	29.8	29.3	28.5	26.7	0		22
12.1	0.3	8	8	34.2	41.4	30.4	29.5	28.3	26.7	0		23
11.4	0.7	7	7	32.1	42.5	30.8	29.9	28.7	26.8	0		24
11.2	1.7	7	8	32.6	39.3	31.1	30.1	29.0	27.0	0		25
11.4	0.3	6	7	23.0	38.6	30.9	30.2	29.1	27.1	0		26
11.5	0.3	7	8	28.2	38.3	30.5	30.0	29.1	27.1	0		27
11.8	0.3	7	8	29.6	39.7	30.7	30.1	29.0	27.3	0		28
11.6	0.0	5	6	35.4	39.8	30.9	30.0	29.1	27.2	0		29
11.4	0.3	7	7	31.6	39.2	31.4	30.4	29.3	27.4	0		30
11.7	0.7	6	6	30.3	38.3	31.8	30.8	29.4	27.7	0		31
319.3											9 1, 4 1.	
	1.8	7.1	7.4	31.5	38.1	29.9	29.1	28.0	26.2			

Year : 1945 Month : Aug

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm) (1)	Wind (1) (5)		Total evaporation (mm) (4)(7)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	
1	32.3	37.5	27.1	22.8	0			40	13.2	744.8	S	2.6	10.7
2	31.2	36.3	27.1	20.9	0			37	12.1	44.0	W	4.5	13.3
3	26.9	32.5	23.9	21.6	0			58	15.6	46.8	SSW	2.5	6.3
4	25.1	30.0	20.5	20.1	0			60	14.1	47.5	S	2.2	6.1
5	25.5	31.2	21.0	19.0	0			56	12.0	47.3	W	1.8	6.1
6	25.9	31.6	21.3	20.1	0			57	13.8	50.1	SSW	2.0	6.1
7	26.5	32.5	21.0	20.9	0			59	14.7	51.1	SSW	1.6	5.7
8	29.5	38.2	22.9	20.8	0			41	11.7	51.4	NE	2.0	7.3
9	31.6	37.7	25.7	20.8	0			33	11.3	50.1	NE	4.4	9.9
10	30.8	37.7	26.1	21.5	0			41	14.4	47.8	SW	1.6	9.3
11	32.5	39.7	27.5	22.1	0			37	13.0	45.5	SSW	2.1	11.6
12	31.3	38.0	24.5	20.9	0			37	12.0	46.0	S	2.9	13.4
13	32.0	39.2	25.1	23.8	0			46	16.0	47.7	W	4.0	13.6
14	33.1	37.8	28.4	22.3	0			36	13.3	48.5	S	2.3	12.2
15	32.6	39.0	28.2	22.8	0			37	14.6	46.0	W	3.4	13.9
16	30.7	37.3	26.5	22.5	0			43	14.9	47.2	ENE	2.7	9.8
17	28.6	36.4	24.7	23.1	0			59	17.2	49.7	SW	1.0	8.0
18	27.6	33.3	22.9	22.1	0			60	15.6	48.8	SW	1.8	6.2
19	28.8	33.9	22.8	23.2	0			58	17.3	47.8	SW	1.6	7.5
20	29.3	34.6	24.6	23.6	0			56	17.7	47.4	SW	0.9	6.6
21	31.2	39.2	25.0	23.3	0			50	16.2	47.0	S	1.3	7.6
22	31.5	38.5	26.7	22.5	0			45	14.5	47.7	SW	1.5	7.2
23	30.9	38.5	25.0	21.4	0			40	12.7	47.2	NE	3.9	4.4
24	29.7	36.5	25.0	21.5	0			45	13.8	46.6	SW	1.3	3.2
25	27.2	31.7	24.7	20.3	0			51	13.4	48.0	NE	7.0	3.5
26	25.5	30.1	21.9	19.7	0	0.5	1.17	55	13.4	48.2	N	4.7	1.9
27	27.8	32.2	24.6	19.9	0	0.0	0.50	44	11.9	48.5	NE	7.2	2.3
28	27.5	31.5	24.5	19.5	0			44	11.9	52.8	NNE	8.0	2.1
29	25.9	31.0	23.3	18.4	0			44	11.0	54.0	NE	7.8	2.9
30	24.9	29.6	22.0	18.1	0			47	11.1	52.8	NE	6.9	2.0
31	25.4	32.0	20.9	17.6	0			43	10.0	51.0	NE	4.1	1.4
Sum					0	0.5	1.67				NE		222.1
Avg.	29.0	35.0	24.4	21.1				47	13.8	748.3	(6)	3.3	7.2

Year : 1945 Month : August

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
11.3	1.3	7	7	31.8	39.8	30.5	29.4	27.5	27.5	0		1
11.3	1.3	6	6	30.4	40.4	31.9	30.9	29.7	27.7	0		2
10.1	3.0	7	7	28.3	35.8	31.2	30.6	29.4	27.6	0		3
11.3	2.7	7	7	27.0	33.3	30.2	30.1	29.2	27.6	0		4
11.1	1.7	8	8	25.9	32.9	29.5	29.5	29.0	27.4	0		5
11.4	2.3	7	7	24.3	33.7	29.4	29.3	28.8	27.4	0		6
11.9	1.0	7	7	27.1	33.9	29.5	29.2	28.5	27.3	0		7
11.4	1.0	7	8	29.7	39.9	29.6	29.1	28.4	27.0	0		8
11.2	0.3	6	8	29.4	39.4	30.7	29.9	28.6	27.0	0		9
11.0	1.0	7	6	30.6	37.6	31.0	30.0	28.8	27.3	0		10
11.2	0.7	6	6	30.4	39.6	31.3	30.2	29.0	27.3	0		11
-	0.7	7	7	30.8	39.8	31.2	30.1	29.0	27.2	0		12
9.7	0.3	5	5	30.8	34.9	31.2	30.3	29.1	27.3	0		13
10.8	0.0	6	6	32.6	36.3	31.7	30.4	29.0	27.3	0		14
11.7	0.3	6	7	32.3	43.0	31.7	30.5	29.2	27.3	0		15
10.8	0.7	7	7	29.1	39.9	31.9	30.6	29.3	27.3	0		16
11.4	1.0	6	7	29.3	36.0	31.2	30.4	29.2	27.5	0		17
11.3	0.7	8	7	28.2	36.2	30.7	30.1	29.1	27.5	0		18
10.9	0.7	8	8	28.7	36.1	30.0	30.0	29.0	27.5	0		19
8.7	8.0	7	6	29.7	34.9	29.9	29.7	29.0	27.5	0		20
6.4	8.0	6	6	29.1	34.6	30.3	29.7	28.9	27.5	0		21
11.5	0.0	6	6	30.2	38.9	30.8	29.8	28.9	27.5	0		22
10.7	0.3	8	8	29.8	39.9	31.0	29.9	28.9	27.3	0		23
11.4	0.7	7	7	28.8	37.8	30.8	30.1	29.0	27.6	0		24
9.9	4.0	8	8	29.0	35.9	30.3	29.7	28.9	27.4	0		25
3.2	8.7	8	8	27.0	26.5	29.0	29.3	28.9	27.7	1	⊜ ⊜ ⊜	26
10.4	4.7	7	8	27.6	35.6	28.9	28.8	28.7	27.7	0		27
10.6	1.3	8	8	27.8	36.6	29.3	29.2	28.7	27.7	0		28
11.5	0.3	7	8	26.8	35.4	29.1	28.9	28.6	27.5	0		29
11.3	1.3	8	8	27.5	35.5	28.8	28.9	28.6	27.6	0		30
10.8	0.3	8	8	26.8	35.7	28.6	28.7	28.5	27.6	0		31
316.2											⊜1, ⊜2, ≤2.	
	1.9	7.0	7.1	28.9	36.6	30.4	29.8	28.9	27.4			

Year : 1945 Month : Septembe

Date	Air temperature (°C)					Precipit.		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)		Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	24.9	30.9	19.5	19.4	0			54	12.9	750.8	SW	1.0	1.1	
2	26.1	32.1	21.2	20.1	0			54	13.6	51.4	WSW	0.7	1.4	
3	29.7	36.8	22.9	18.8	0			31	8.9	51.7	NE	4.3	1.8	
4	29.2	35.3	25.7	19.9	0			37	11.4	51.3	NE	5.2	4.2	
5	27.8	34.1	22.0	19.0	0			39	10.7	50.5	NE	3.6	7.5	
6	24.9	30.3	22.2	19.3	0			50	12.5	49.6	SW	1.5	5.9	
7	26.8	33.2	21.9	20.8	0			56	14.4	47.6	NE	2.8	5.4	
8	22.8	26.9	20.9	18.1	0	0.2	0.25	61	12.6	48.9	NE	7.3	5.6	
9	23.2	29.5	19.2	16.9	0			49	9.9	51.9	ENE	4.8	6.5	
10	23.0	27.7	18.2	18.6	0			58	12.7	51.8	WSW	1.0	5.6	1
11	23.8	27.9	19.1	20.2	0			67	15.1	50.9	SW	1.6	5.1	1
12	22.9	27.8	20.0	20.9	0	0.6	0.75	79	16.8	49.3	W	0.9	3.2	1
13	21.7	27.8	17.7	19.7	0	0.1	0.50	79	15.5	49.7	WSW	1.1	2.8	1
14	19.3	22.7	17.1	16.8	0	1.7	1.42	79	12.7	52.5	NE	6.5	2.9	1
15	20.4	26.3	16.4	16.7	0	0.2	0.75	68	11.5	55.8	NE	4.0	4.2	1
16	22.3	30.5	15.4	17.9	0			59	12.1	55.2	NE	0.9	4.8	1
17	24.6	32.9	17.7	18.8	0			51	11.4	54.1	N	0.5	6.0	1
18	24.6	29.0	21.4	18.9	0			54	12.5	53.7	NE	4.4	6.4	1
19	25.5	32.5	20.0	20.1	0			54	13.7	53.0	NE	2.8	6.0	1
20	25.1	30.7	20.0	20.9	0			61	15.3	52.1	W	0.7	5.7	2
21	25.1	32.1	21.0	19.9	0			59	13.5	51.7	ENE	2.0	4.9	2
22	24.1	30.6	20.0	20.0	0			64	14.5	51.9	NE	1.9	4.8	2
23	23.8	30.5	18.6	19.0	0			61	13.1	51.0	W	0.8	5.0	2
24	22.8	27.9	17.9	18.9	0			66	13.5	49.9	WSW	1.2	4.9	2
25	23.3	29.2	19.3	20.2	0			74	15.3	48.6	SW	2.1	4.1	3
26	24.2	27.6	21.2	20.5	0			73	15.4	46.9	SSW	6.0	5.5	3
27	23.7	28.7	21.1	18.5	0			57	12.9	49.0	W	2.0	6.6	3
28	21.4	26.8	17.6	16.0	0			59	10.7	52.7	ESE	1.2	4.8	3
29	20.3	26.6	16.1	15.6	0			57	10.1	54.4	ESE	0.9	3.8	3
30	21.0	24.7	16.7	17.0	0			63	11.8	52.3	SW	1.9	3.4	3
Sum					0	2.8	3.67				NE		139.9	S
Avg.	23.9	29.7	19.6	18.9				59	12.9	751.3	(6)	2.5	4.7	A

r : 1945 Month : September

Total sushine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Green	Avg. Soil temperature (°C) (3) Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
11.4	0.3	8	8	25.4	32.9	28.5	28.7	28.5	27.5	0		1
11.2	0.0	8	8	26.9	29.8	28.2	28.4	28.3	27.5	0		2
10.7	0.3	7	8	27.3	38.1	28.7	28.4	28.2	27.1	0		3
11.1	0.7	8	8	29.8	32.0	29.5	28.8	28.2	27.2	0		4
10.7	0.7	7	7	29.1	36.6	29.3	28.9	28.4	27.3	0		5
10.4	1.7	8	8	26.1	31.0	29.0	28.9	28.5	27.5	0		6
9.5	5.0	6	5	26.5	32.4	28.5	28.6	28.3	27.4	0		7
3.6	0.3	7	7	22.7	26.4	27.8	28.1	28.1	27.2	0	☽¹	8
12.1	1.3	8	8	24.3	32.6	27.0	27.6	27.7	27.2	0		9
9.7	0.7	7	7	25.5	30.2	27.2	27.5	27.6	27.2	0		10
9.1	3.7	8	8	25.6	29.4	26.8	27.2	27.3	27.0	0		11
6.5	3.7	6	6	25.1	28.0	26.7	27.0	27.3	26.9	0	☽°	12
6.6	7.7	8	8	23.7	24.6	25.9	26.5	26.9	26.6	0	☽° ∧∧² D₁	13
2.7	8.3	8	8	22.7	21.3	24.6	25.6	26.4	26.1	1	● ☽ ∧ C	14
10.5	2.7	8	8	21.1	24.6	24.6	25.2	25.9	26.1	0	☽° D₀	15
10.7	0.3	8	8	24.3	30.3	24.8	25.1	25.9	26.0	0		16
10.9	0.3	8	9	26.1	33.5	25.4	25.4	26.0	25.8	0		17
10.6	1.0	8	8	25.8	31.2	26.3	25.8	26.0	25.7	0		18
10.8	0.3	7	8	27.0	33.6	26.3	26.1	26.2	25.8	0		19
10.9	0.7	8	8	27.3	30.4	26.4	26.3	26.3	25.9	0		20
8.0	5.3	7	8	26.9	32.0	26.5	26.4	26.3	25.9	0		21
10.1	3.0	8	8	25.7	27.4	26.5	26.5	26.3	25.8	0		22
8.1	1.3	7	7	24.2	28.5	26.0	26.2	26.3	25.8	0	⊕°	23
9.9	0.3	7	7	24.9	27.5	25.8	26.0	26.1	25.8	0	∈¹	24
9.2	0.3	8	8	25.1	27.5	25.7	25.8	26.0	25.7	0	D₀¹	25
9.1	6.0	6	7	25.2	27.8	25.9	25.9	25.8	25.4	0		26
8.2	5.3	7	8	22.5	25.5	25.7	25.8	25.9	25.6	0		27
7.3	3.3	8	8	20.4	23.5	25.0	25.0	25.5	25.2	0		28
7.7	4.7	8	8	21.5	25.2	24.4	25.0	25.4	25.1	0		29
8.7	2.7	9	8	22.9	24.7	24.2	24.7	25.1	25.0	0		30
m 276.0											●1, ☽5, ∧2, ⊕1, ∈2, D 3.	
g.	2.6	7.5	7.7	25.1	29.5	26.6	26.7	26.8	26.3			

Year : 1945 Month : Octobe

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure at 0°C (mm).	Wind (1) (5)		Total evaporation (mm)
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid. (%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)
1	18.7	23.0	15.4	13.5	0			60	8.6	753.3	N	4.7	5.3
2	17.2	22.3	15.0	14.4	1	2.4	5.00	73	10.4	54.9	ENE	3.8	3.1
3	17.4	22.1	14.7	15.6	1	3.5	5.00	80	11.8	52.8	NE	0.9	1.9
4	19.4	23.9	16.2	17.0	0	1.6	-	77	12.6	51.9	W	1.0	2.3
5	19.9	23.0	14.7	17.0	0	10.6	2.00	71	12.1	52.9	N	2.2	3.3
6	19.9	23.8	18.6	17.0	0	0.0	2.00	68	12.4	49.5	N	2.9	4.8
7	16.9	21.0	13.7	11.9	1			52	7.1	52.9	W	2.8	6.3
8	16.4	23.4	12.7	13.4	2	1.0	0.50	65	8.8	55.4	NNE	1.5	3.4
9	13.2	17.6	10.8	10.2	5	4.6	6.00	66	7.2	58.5	N	3.7	2.8
10	14.9	22.0	9.5	11.9	3			63	7.8	60.3	N	1.6	2.9
11	15.8	22.8	10.5	12.6	2			63	8.2	59.3	N	1.1	3.1
12	17.3	23.9	11.6	13.4	1			57	8.6	56.2	SW	0.4	3.8
13	19.4	26.7	14.2	13.9	0			49	7.7	56.1	NNE	1.7	4.6
14	18.2	24.9	12.7	14.7	0			66	9.7	56.0	N	1.0	3.3
15	18.4	25.0	14.2	15.5	0			70	11.0	54.9	SSW	1.0	3.1
16	19.1	26.1	14.3	14.6	0			58	9.1	55.5	N	1.0	3.5
17	17.5	23.4	14.3	13.2	0			57	8.3	56.2	NNE	3.7	3.8
18	17.4	23.2	13.5	13.6	1			59	9.0	55.0	NNE	0.8	3.4
19	17.5	21.6	14.4	14.8	0			70	10.5	53.8	S	1.1	3.0
20	16.7	21.7	15.2	14.9	1	8.9	3.28	79	11.2	53.7	N	1.6	1.9
21	16.9	22.2	12.9	14.0	1			68	9.6	55.1	SSW	0.3	3.0
22	17.0	23.6	13.0	13.4	1			66	8.9	55.6	N	1.0	2.9
23	16.8	22.1	12.7	12.6	1			58	8.1	57.6	NNE	4.0	3.7
24	16.8	23.4	11.1	12.5	1			53	7.7	57.8	NE	1.7	4.1
25	16.7	21.5	12.6	13.8	1			67	9.7	55.7	S	0.9	3.5
26	17.9	22.0	14.2	15.2	0			75	11.4	53.4	SSE	1.2	3.2
27	19.3	23.1	15.1	16.9	0			74	12.5	51.9	SSW	1.4	3.5
28	19.6	23.7	16.1	16.2	0			71	11.7	52.4	SSE	0.8	3.3
29	19.5	24.4	15.5	16.9	0			75	12.6	54.8	S	0.3	2.9
30	18.0	23.2	14.5	16.1	0			79	12.2	55.8	SW	0.5	2.3
31	18.2	25.3	13.3	15.3	0			70	10.9	57.5	SW	0.3	2.8
Sum					23	32.6	-				N		104.8
Avg.	17.7	23.1	13.8	14.4				66	9.9	755.1	(6)	1.6	3.4

: 1945 Month : October

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°C) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
9.4	3.3	8	8	21.7	24.9	24.1	24.3	25.0	24.9	0		1
0.0	9.7	8	7	18.0	19.5	23.2	24.1	24.6	24.5	0	$\bigcirc^0$	2
4.1	9.3	7	8	18.3	18.1	21.9	23.1	24.1	24.2	2	$\bigcirc^1$ $\leftarrow^1$	3
5.6	6.7	6	6	21.2	20.7	22.1	22.8	23.8	24.1	1	$\bigcirc^1$ $\nwarrow^{1-2}$	4
6.5	4.7	7	7	20.6	19.9	21.5	22.5	23.3	23.8	1	$\bigcirc$	5
2.5	8.0	9	9	19.3	19.4	21.6	22.4	22.4	23.9	1	$\bigcirc^0$ $\leftarrow^0$	6
10.0	0.7	9	9	18.9	21.4	20.5	21.9	22.9	23.5	0		7
7.4	4.3	7	7	19.1	19.8	20.6	21.3	22.2	22.8	0	$\leftarrow^1$	8
6.5	4.7	8	9	14.8	16.5	19.4	20.6	21.8	22.5	1	$\bigcirc^{1-2}$	9
10.7	1.0	7	7	18.3	20.4	18.3	19.7	21.3	22.1	0	D_1	10
9.4	1.0	7	9	17.4	20.1	18.9	19.8	21.0	22.0	0		11
9.5	0.0	7	7	19.0	21.7	19.1	20.0	21.0	21.9	0		12
9.2	0.7	7	8	20.9	21.5	19.7	20.3	21.1	21.7	0		13
9.1	1.0	7	8	22.6	21.9	20.1	20.5	21.1	21.7	0	D_2	14
9.0	0.3	6	7	19.7	19.8	20.2	20.6	21.2	21.6	0	D_2	15
9.1	1.3	7	7	20.1	22.8	20.8	20.7	21.2	21.6	0	$\oplus^1$ D_1	16
6.5	4.3	6	7	18.4	20.3	20.4	20.7	21.2	21.5	0	$\in^0$	17
6.3	6.0	6	6	17.4	20.1	20.3	20.7	21.2	21.5	0		18
7.4	7.3	6	6	18.8	21.6	20.2	20.6	21.0	21.5	0	$\oplus^0$ $\in$	19
3.2	6.0	8	8	18.1	17.4	19.9	20.4	21.2	21.4	2	$\bigcirc^2$ $\leftarrow^1$ $\nwarrow^1$	20
9.2	1.0	7	7	17.4	16.9	18.9	19.8	21.0	21.3	0	$\in^2$	21
9.0	1.7	6	6	19.0	19.0	18.9	19.6	20.8	21.1	0	D_2	22
9.1	1.7	6	7	18.2	19.1	19.0	19.6	20.3	20.9	0		23
6.2	0.7	7	8	17.1	18.3	18.8	19.3	20.2	20.8	0		24
9.1	0.7	6	6	17.9	17.9	18.9	19.5	20.1	21.1	0		25
7.0	3.0	7	7	17.4	17.0	18.8	19.4	20.1	20.7	0		26
8.9	1.7	7	7	19.3	20.4	19.3	19.6	20.1	20.6	0	D_1	27
7.7	1.7	6	7	18.9	20.7	19.9	19.8	20.1	20.6	0		28
8.3	2.0	6	7	19.6	18.2	19.8	19.9	20.2	20.5	0	D_1	29
8.3	4.3	6	7	18.0	19.9	20.0	20.0	20.2	20.5	0	D_1	30
8.4	0.7	6	6	17.8	19.4	19.4	19.8	20.1	20.4	0	D_0	31
m 232.6											$\bigcirc$ 7, $\bigcirc$ 4, $\nwarrow$ 2, $\leftarrow$ 1, $\cup$ 3, $\oplus$ 2, Ω 9.	
g.	3.2	6.9	7.3	18.8	19.8	20.1	20.8	21.5	22.0			

Year : 1945 Month : November

Date	Air temperature (°C)					Precipit		Average of		Avg. Pressure at 0°C (mm)	Wind (1) (5)		Total evaporation (mm)	Date
	Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Total (mm) (4)	Duration (hrs) (4)	Relative humid.(%) (1)	Vapor pressure (mm) (3)	(1)	Prevailing direction	Avg. speed (met.p.s.)	(4)(7)	
1	18.1	23.9	14.3	15.4	0			71	11.1	757.3	NNW	0.2	3.0	
2	18.2	23.3	13.6	15.4	0			72	10.9	55.5	SSW	0.3	2.8	
3	17.3	22.4	13.7	14.4	1			73	10.4	52.9	N	0.4	2.5	
4	16.2	21.0	12.9	13.2	2			70	9.2	53.8	NNE	3.7	2.8	
5	14.8	19.5	12.2	12.3	3			69	8.8	57.0	NNE	3.8	2.7	
6	14.4	18.4	12.1	11.7	4			68	8.2	57.9	NNE	4.5	2.7	
7	14.1	16.6	12.1	11.5	4			69	8.3	55.5	N	1.7	2.3	
8	13.4	15.2	12.1	12.9	5	12.8	8.42	92	10.6	49.2	NE	1.5	1.2	
9	14.9	19.5	10.1	13.4	3	0.0	0.25	78	9.8	46.4	S	2.4	1.8	
10	19.6	21.8	16.2	17.8	0	0.0	0.17	82	13.9	45.6	S	6.9	4.1	
11	19.0	22.2	17.6	17.0	0	0.0	0.08	78	12.8	47.6	S	2.5	3.2	
12	17.5	20.2	14.3	15.9	0	5.7	2.73	87	12.5	47.1	SE	2.4	1.9	
13	16.6	19.2	14.5	15.0	1	46.9	8.83	92	12.3	47.4	SE	1.3	1.0	
14	16.7	20.4	13.6	15.8	1	20.3	5.50	85	13.2	48.8	SE	6.4	3.5	
15	14.6	17.4	13.5	13.7	3	25.4	5.42	91	11.2	50.4	N	1.8	0.5	
16	14.9	16.7	13.7	13.7	3	10.5	7.33	84	10.5	47.8	N	4.1	1.1	
17	13.8	15.6	13.2	12.4	4	1.0	1.58	84	9.9	49.9	NNE	4.8	1.8	
18	11.7	14.1	11.2	9.5	6			78	7.7	54.7	N	10.1	2.6	
19	9.1	12.0	8.0	7.1	9	2.5	4.33	78	6.5	57.5	N	6.7	1.8	
20	9.7	12.8	7.9	7.2	8			69	6.1	58.2	N	7.0	2.6	
21	10.6	13.7	8.4	8.9	7	1.6	2.67	77	7.3	56.3	N	3.8	1.9	
22	11.8	15.3	8.6	11.3	6	5.8	6.17	88	9.2	54.0	N	1.3	0.6	
23	14.0	19.4	11.9	13.0	4	0.0	0.22	82	10.1	53.9	N	1.7	1.1	
24	12.6	14.7	12.1	10.8	5	0.1	0.50	79	8.4	54.6	NNE	6.8	1.9	
25	12.5	16.7	10.7	11.1	5	0.3	3.50	79	8.7	55.4	NNE	3.0	1.8	
26	12.8	15.2	10.1	12.1	5	1.0	1.08	88	9.8	53.2	S	0.5	1.0	
27	13.9	18.5	11.7	12.4	4	0.3	1.00	83	9.6	47.9	NNE	0.3	1.0	
28	11.1	13.0	10.4	9.8	7	2.6	9.25	82	8.0	4 .1	N	5.5	1.3	
29	8.3	9.9	7.8	5.8	10	0.0	0.02	65	5.4	48.9	N	6.1	2.4	
30	7.9	11.0	6.6	5.4	10	0.0	0.01	64	5.0	52.2	NNW	3.0	2.3	
Sum					120	136.8	69.06				N		61.2	
Avg.	14.0	17.3	11.8	12.2				78	9.5	752.0	(6)	3.5	2.0	

r : 1945 Month : November

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9)		Avg. Soil. temperature (°C) (3)						Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
				Surface		In cm. depth as indicated below (in cups)						
		Toward sea	Toward land	Green	Bare	30	60	90	120			
8.7	1.7	7	5	17.8	19.4	19.5	19.8	20.1	20.4	0	Ω^{1-2}	1
8.8	0.0	7	6	17.9	19.6	19.3	19.7	20.2	20.4	0	Ω^{2}	2
4.2	5.7	7	6	16.0	17.8	19.1	19.5	20.0	20.3	0	Ω	3
6.6	3.0	7	7	15.7	13.9	18.7	19.2	19.8	20.2	0		4
-	4.0	6	8	16.0	17.5	18.3	18.9	19.6	20.0	0		5
5.6	7.0	7	8	14.9	17.1	17.9	18.5	19.4	20.0	0		6
0.0	9.3	7	8	13.7	14.5	17.4	18.3	19.2	19.9	0		7
0.0	9.7	8	7	12.9	13.5	16.8	17.8	18.8	19.7	2	$\bigcirc^{0-1}$ $\bigcirc^{1}$	8
3.9	7.0	8	8	15.8	15.3	16.1	17.2	18.4	19.6	1	$\bigcirc^{0}$	9
2.8	4.0	6	6	20.1	18.8	17.5	17.8	18.6	19.6	1	$\bigcirc^{0}$	10
3.1	5.7	7	8	20.1	19.2	18.2	18.1	18.7	19.4	1	$\bigcirc$ $\in$	11
3.5	7.7	7	8	17.7	16.7	17.9	18.2	18.6	19.1	1	$\bigcirc^{1}$ $\bigcirc^{1-2}$ Θ	12
1.5	9.7	7	6	15.4	15.1	17.7	18.0	18.5	19.1	2	$\bigcirc^{0}$ $\bigcirc^{0}$ $\in^{1-2}$ Θ Ω^{0}	13
2.7	9.7	6	7	16.5	15.4	17.3	17.6	18.4	19.0	2	$\bigcirc^{2}$ $\bigcirc^{1}$ $\in^{0}$	14
0.4	9.7	4	4	13.7	13.5	16.4	17.2	18.0	18.8	2	$\bigcirc$ $\bigcirc$ $\in^{0}$	15
0.0	9.7	8	8	13.9	13.2	16.1	16.9	17.6	18.6	2	$\bigcirc$ $\bigcirc$	16
1.4	8.7	8	6	14.1	13.6	15.8	16.5	17.5	18.4	2	$\bigcirc^{0}$ Ω^{0}	17
3.6	8.3	7	6	13.4	13.5	14.9	15.6	17.0	18.3	1	$\in^{0}$	18
3.5	9.0	7	6	8.5	8.3	13.5	15.0	16.5	17.9	2	$\bigcirc^{0-1}$ $\bigcirc^{0}$ Θ Θ^{0}	19
5.4	6.3	8	8	8.8	8.3	13.1	14.3	16.0	17.7	1	Θ^{1}	20
0.5	9.3	7	7	10.7	10.2	12.5	14.1	15.7	17.4	1	$\bigcirc^{0}$ $\bigcirc^{0-1}$	21
0.0	10.0	6	6	12.0	11.6	13.0	14.0	15.4	17.0	2	$\bigcirc^{0-1}$ $\bigcirc^{0-1}$	22
2.2	9.3	7	7	14.6	13.9	14.0	14.5	15.5	16.9	1	$\bigcirc^{0}$	23
1.0	9.3	6	6	12.4	12.1	14.2	14.6	15.5	16.7	1	$\bigcirc^{0}$	24
1.6	8.7	7	7	12.6	12.4	13.9	14.6	15.5	16.7	1	$\bigcirc^{0}$ $\bigcirc^{2}$	25
0.4	8.3	7	6	12.1	12.0	13.8	14.6	15.5	16.6	2	$\bigcirc^{1}$ $\bigcirc^{1}$ Ω^{0-1}	26
1.8	8.3	5	5	14.2	13.5	14.0	14.6	15.4	16.6	1	$\bigcirc^{0-1}$ Ω^{0}	27
0.0	9.0	7	7	11.0	10.8	13.6	14.4	15.1	16.4	2	$\bigcirc$ $\bigcirc^{1}$ $\in^{0}$	28
1.5	8.0	7	7	7.7	7.5	12.1	13.6	14.7	16.3	2	$\bigcirc^{0}$	29
4.4	5.3	6	7	9.3	9.1	11.1	12.8	14.3	16.1	1	$\bigcirc^{0}$	30
79.1											$\bigcirc$2, $\bigcirc$21, $\in$3, Ψ4,	
	7.4	6.8	6.7	14.0	13.9	15.8	16.5	17.4	18.4		Θ3, Ω2, Ω5.	

Year : 1945 Month : December

Date	Air temperature (°C) Average (1)	Maximum (4)	Minimum (4)	Wet-bulb (3)	Degree days (base 18°) (1)	Precipit. Total (mm) (4)	Duration (hrs) (4)	Average of Relative humid. (%) (1)	Vapor pressure (mm) (3)	Avg. Pressure at 0°C (mm) (1)	Wind (1) (5) Prevailing direction	Avg. speed (met.p.s.)	Total evaporation (mm) (4)(7)
1	10.6	17.0	5.8	6.8	7			50	5.0	755.4	N	1.1	3.3
2	10.0	15.2	6.5	7.7	8			70	7.4	59.5	N	2.6	2.1
3	9.7	13.6	7.2	7.7	8			72	6.5	58.3	NE	1.4	1.3
4	10.6	12.5	7.8	8.6	7			76	7.1	53.9	SE	0.7	1.3
5	12.4	15.3	10.5	11.1	6	34.6	6.22	81	8.3	46.2	SSE	4.6	3.6
6	12.0	16.7	8.8	10.0	6			72	7.5	45.9	W	0.7	2.3
7	12.9	14.9	10.1	11.0	5	19.0	4.92	84	8.7	43.0	SE	5.1	1.9
8	13.5	15.2	11.3	11.2	4	1.6	0.50	76	8.4	41.7	SSE	4.9	3.4
9	10.9	14.7	8.3	8.4	7	1.7	1.12	79	7.2	44.4	W	0.2	1.4
10	11.0	13.4	7.7	9.8	7	5.8	4.50	84	8.0	48.8	NE	3.1	1.4
11	11.9	14.1	8.8	9.5	6	8.7	3.17	76	7.5	47.1	SW	0.3	1.8
12	10.6	15.3	8.7	10.3	7	1.8	3.50	80	7.7	47.3	NNE	2.6	1.8
13	4.8	7.5	1.9	2.2	13	4.6	3.47	67	3.9	51.6	N	7.7	1.9
14	6.1	13.2	0.4	4.2	12			67	4.8	52.9	NE	1.4	1.5
15	7.5	10.5	4.8	5.0	10			59	4.7	58.1	NE	2.4	1.8
16	8.7	13.4	5.1	6.9	9			70	6.3	58.2	NE	1.3	1.9
17	10.0	14.4	6.6	8.0	8			79	6.9	57.0	S	0.6	1.4
18	11.4	16.4	8.0	9.9	7	0.3	0.42	80	8.0	56.9	S	0.3	1.3
19	11.9	17.1	8.4	11.7	6			79	7.9	57.7	SSW	0.5	1.4
20	13.2	17.5	9.0	13.7	5			78	8.7	56.8	S	2.6	1.9
21	13.1	15.0	11.2	12.8	5	8.8	5.17	83	9.2	52.8	S	4.1	2.2
22	12.9	16.9	10.0	13.0	5			79	8.7	55.2	S	1.3	2.0
23	13.8	15.7	11.5	14.1	4			80	9.4	53.3	SSE	3.1	2.6
24	15.0	16.7	13.4	15.2	3	0.4	0.07	77	9.5	46.2	SE	5.1	4.3
25	12.8	17.5	10.5	10.9	5	2.8	4.33	82	8.7	45.0	NNE	1.5	1.8
26	11.7	14.7	10.1	10.5	6	15.6	5.17	85	8.8	41.3	E	3.0	1.1
27	10.8	11.8	9.2	9.4	7	5.0	5.33	84	7.9	47.3	WNW	3.1	1.4
28	11.3	16.5	9.2	9.6	7			82	7.9	53.4	WNW	1.0	1.5
29	11.4	15.4	8.3	10.3	7			85	8.3	49.9	S	0.3	1.3
30	11.9	16.6	9.6	10.2	6	0.0	0.67	78	8.1	44.3	WSW	1.0	1.6
31	10.3	15.0	8.0	8.0	8	0.0	0.33	72	6.6	49.3	WNW	0.8	2.1
Sum					211	11.07	48.89				S		60.6
Avg.	11.1	14.8	8.3	9.6				76	7.6	750.9	(6)	2.2	2.0

r : 1945 Month : December

Total sunshine (hrs) (8)	Avg. Cloudiness (tenths) (3)	Visibility at 14h (0-9) Toward sea	Visibility at 14h (0-9) Toward land	Avg. Soil temperature (°0) (3) Surface Green	Surface Bare	In cm. depth as indicated below (in cups) 30	60	90	120	Ground condition at 14h (10)	Miscellaneous phenomena (4)	Date
7.9	0.3	8	8	10.5	9.6	10.5	12.3	13.8	15.6	0		1
7.7	1.0	7	8	10.3	8.2	10.8	12.1	13.5	15.4	1		2
1.0	9.0	6	5	9.3	9.0	11.1	12.2	13.5	15.2	0		3
0.1	10.0	8	6	9.6	9.6	11.3	12.3	13.4	15.1	0		4
6.5	6.7	6	7	13.2	11.4	12.2	12.5	13.5	15.0	2	◍¹ ◎⁰⁻¹ ≪ ∩	5
6.7	2.0	8	9	12.3	11.1	11.9	12.6	13.5	15.1	1		6
0.0	8.0	5	5	11.6	11.1	12.1	12.8	13.6	14.8	2	◍² ◎¹⁻² △° ∠	7
1.6	7.3	8	8	12.1	11.0	12.4	12.9	13.6	14.8	2	◍¹⁻² ◎¹	8
3.8	4.0	8	8	9.4	8.9	11.9	12.7	13.4	14.7	1	◍⁰⁻¹ ◎⁰⁻¹	9
0.0	9.7	5	3	9.8	9.1	11.4	12.4	13.4	14.2	2	◍¹ ◎¹	10
0.8	8.7	7	6	10.4	10.0	11.7	12.3	13.1	14.4	1	◍¹ ◎¹ ⊖°	11
0.6	9.3	5	6	10.8	10.0	11.6	12.3	13.0	14.3	1	◍⁰⁻¹ ◎¹	12
0.8	7.3	7	7	4.1	3.0	10.0	11.4	12.4	14.0	1	◎⁰⁻¹	13
7.6	1.0	6	7	5.7	4.5	8.4	10.3	11.9	13.9	1	⌊₀⁻¹	14
0.1	9.3	6	7	7.4	7.5	8.7	10.2	11.6	13.5	1		15
6.1	7.7	7	7	9.1	7.5	9.1	10.3	11.5	13.3	1	∈°	16
6.9	3.7	6	6	9.6	7.9	9.8	10.5	11.5	13.2	1	▯₀²	17
7.3	1.7	5	5	10.6	8.7	10.3	10.9	11.7	13.2	1	◎⁰⁻¹ ▯₀²	18
6.4	2.7	6	6	11.0	9.9	10.6	11.1	11.8	13.2	1	▯₀²	19
6.9	6.3	7	7	13.2	10.7	10.9	11.3	12.0	13.2	1	▯₀⁻¹	20
1.6	6.7	7	6	11.5	11.2	11.8	11.9	12.3	13.4	2	◍ ◎	21
6.9	4.7	6	6	11.1	10.7	11.5	11.9	12.3	13.3	1	▯₀⁻¹	22
0.2	10.0	7	7	13.0	11.8	11.9	12.1	12.5	13.3	1	▯₀⁻¹	23
2.2	7.3	7	7	14.2	12.9	12.4	12.4	12.6	13.3	1	◍° ∠⁰⁻¹	24
5.2	6.7	7	8	11.4	11.8	12.5	12.8	12.8	13.4	2	◍	25
1.5	9.3	6	6	10.6	10.3	12.2	12.5	12.8	13.5	2	◍¹⁻² ◎° ∠	26
0.0	9.3	7	7	10.4	10.2	11.7	12.3	12.8	13.7	2	◍¹ ◎⁰⁻¹	27
5.2	3.0	7	7	9.5	12.3	11.6	12.1	12.7	13.5	1	▯₀⁻¹	28
3.3	5.7	7	7	10.7	10.5	11.5	12.4	12.6	13.5	1	▯₀²	29
3.4	6.7	7	6	10.4	10.7	11.5	12.1	12.6	13.5	1	◎° ▯₀	30
3.5	8.0	7	8	9.9	9.7	11.2	11.9	12.5	13.4	1	◎° ∠	31
111.8											◍12, ◎14, △1, ≪1, ∠4,	
3.	6.3	6.6	6.6	10.4	9.7	11.2	11.9	12.7	14.0		⊖1, ⊎1, ∩1, ⌊1, ▯9.	

YEAR : 1945

Month	Air temperature (°C) Average 24 Hours	Average Maximum (4)	Average Minimum (4)	Absolute Maximum (4)	Absolute Date	Absolute Minimum (4)	Absolute Date	Degree days (Base 18 °C) (1)	Average of Wet bulb tempr. (3)	Average of Relative humid (%) (1)	Average of Vapor pressure (mm) (3)	Sunshine hrs(Total	Sunshine hrs(Pos-sible (9)
JAN.	8.3	11.9	5.4	16.3	26	-1.4	24	297	6.5	75	6.1	105.1	303.8
FEB.	8.0	12.4	4.9	18.8	15	-0.9	22	277	6.0	73	5.9	131.9	300.4
MAR.	10.5	15.6	6.9	22.4	31	1.3	5	229	8.3	70	6.7	216.3	368.9
APR.	14.7	20.2	11.0	23.2	23	6.1	16/17	98	11.6	66	8.1	264.7	393.4
MAY	23.1	29.1	19.0	36.2	25	13.5	1	0	17.0	50	10.4	317.2	438.1
JUNE	25.2	31.5	20.7	37.7	30	17.0	5	0	19.1	51	12.2	311.1	439.6
JULY	28.1	33.6	23.6	40.3	30	19.4	6	0	19.9	43	11.8	319.3	446.
AUG.	29.0	35.0	24.4	39.7	11	20.5	4	0	21.1	47	13.8	316.2	418.8
SEP.	23.9	29.7	19.6	36.8	3	15.4	16	0	18.9	59	12.9	276.0	370.
OCT.	17.7	23.1	13.8	26.7	13	9.5	10	23	14.4	66	9.9	232.6	344.
NOV.	14.0	17.3	11.8	23.9	1	6.6	30	120	12.2	78	9.5	79.1	301.
DEC.	11.1	14.8	8.3	17.5	20/25	0.4	14	211	9.6	76	7.6	111.8	294.
YEAR	17.8	22.8	14.1	40.3	July 30	-1.4	Jan. 24	1255	13.7	63	9.6	2681.8	4421.

Month	Avg. cloudiness (tenths) (3)	Avg. Visibility (11) Toward sea	Avg. Visibility (11) Toward land	Average soil tempareture (°C) (3) Surgace Green	Surgace Bare	In cm depth as indicated below (in cups) 30	60	90	120	Number of days (4) Minimum ≤ 0°C (frost days)	Maximum ≤ 0°C (ice days)	Maximum ≥ 25.0°C (Summ r days)	Maximum ≥ 30.0°C (Tropical days	Minimum ≥ 20.0°C
JAN.	6.8	6.9	7.1	7.6	7.4	8.5	9.2	10.0	11.3	2	0	0	0	0
FEB.	5.5	6.8	6.8	7.9	8.3	8.8	9.3	9.8	10.8	2	0	0	0	0
MAR.	4.6	7.0	7.0	11.9	12.8	11.1	11.1	11.1	11.5	0	0	0	0	0
APR.	4.2	6.9	7.0	16.7	19.6	15.9	15.6	15.2	14.9	0	0	0	0	0
MAY	3.3	7.2	7.3	24.8	31.3	23.6	22.5	21.1	19.5	0	0	25	14	15
JUNE	2.9	7.7	7.7	29.8	35.8	27.4	26.6	25.5	23.8	0	0	30	23	19
JULY	1.8	7.1	7.4	31.5	38.1	29.9	29.1	28.0	26.2	0	0	31	29	30
AUG.	1.9	7.0	7.1	28.9	36.6	30.4	29.8	28.9	27.4	0	0	31	30	31
SEP.	2.6	7.5	7.7	25.1	29.5	26.6	26.7	26.8	26.3	0	0	28	14	15
OCT.	3.2	6.9	7.3	18.8	19.8	20.1	20.8	21.5	22.0	0	0	4	0	0
NOV.	7.4	6.8	6.7	14.0	13.9	15.8	16.5	17.4	18.4	0	0	0	0	0
DEC.	6.3	6.6	6.6	10.4	9.7	11.2	11.9	12.7	14.0	0	0	0	0	0
YEAR	4.2	7.0	7.1	19.0	21.9	19.1	19.1	19.0	18.8	4	0	149	110	110

YEAR : '945

	Average Pressure at 0°C (mm) (1)	Wind (1) Avg. Speed (m.p.s.)	Wind (5) Prevailing direction	Precipitation Total (mm) (4)	Precipitation Maximum in 24 hrs	Precipitation Date	Total evaporation (mm) (4)(7)	Number of days Rain (4)	Drizzle (4)	Snow (4)	Sleet (4)	Hail (4)	Precipital (4)	Dew (4)	Hoarfrost (4)	Dry ground (10)
.	749.1	2.9	NE	81.4	19.2	7	65.1	13	10	1	0	2	17	4	3	2
.	56.3	3.5	NE	10.1	4.5	6	50.6	1	5	5	4	0	10	13	2	19
.	57.0	1.9	N	24.4	10.4	4	75.2	3	6	0	0	0	7	17	4	22
.	52.6	2.5	SW	24.3	14.0	16	102.9	3	6	0	0	0	6	3	0	26
	51.6	3.3	NE	0.0	0.0	3/27	211.5	0	2	0	0	0	2	1	0	31
E	51.9	2.9	NE	0.1	0.1	2	204.8	0	5	0	0	0	5	0	0	30
Y	49.3	4.8	NE	0.0	0.0	5	263.0	0	1	0	0	0	1	0	0	31
.	48.3	3.3	NE	0.5	0.5	26	222.1	1	2	0	0	0	2	0	0	30
.	51.3	2.5	NE	2.8	1.7	14	139.9	1	5	0	0	0	5	3	0	29
.	55.1	1.6	N	32.6	10.6	5	104.8	7	4	0	0	0	8	9	0	25
.	52.0	3.5	N	136.8	46.9	13	61.2	12	21	0	0	0	21	5	0	7
.	50.9	2.2	S	110.7	34.6	5	60.6	12	14	0	0	1	16	9	1	2
R	752.1	2.9	NE	421.7	46.9	Nov. 13	1561.7	53	81	6	4	3	100	64	10	254

	Number of days: Moist and wet ground (10)	Show cover (10)	Clear (0.0-1.9 tenths) (3)	Partly cloudy (2.0-8.0tenths) (3)	Cloudy (8.1-10.0 tenths) (3)	Sunny (8)	Sunless (8)	Thunderstorm (4)	Ligthning (4)	Solar corona (4)	Solar halo (4)	Lunar corola (4)	Lunar hano (4)	Rainbow (4)	Fog (4)	
.	29	0	2	20	9	1	0	1	0	0	1	1	0	1	1	
.	8	1	5	15	8	4	4	0	0	0	0	0	0	0	0	
.	9	0	7	19	5	10	1	0	0	0	1	1	0	1	1	
.	4	0	7	19	4	11	1	0	0	0	2	0	1	0	0	
	0	0	15	12	4	19	0	1	0	0	2	0	1	0	0	
E	0	0	13	16	1	16	0	0	1	0	1	0	0	0	0	
Y	0	0	21	10	0	20	0	0	1	0	0	0	0	0	0	
.	1	0	23	7	1	23	0	0	2	0	0	0	0	0	0	
.	1	0	17	12	1	16	0	0	2	0	1	2	0	0	0	
.	6	0	16	13	2	13	1	2	1	0	2	3	0	0	0	
.	23	0	2	11	17	2	5	3	0	0	0	4	3	2	0	
.	29	0	4	18	9	5	3	1	4	0	0	1	1	1	0	
R	110	1	32	172	81	140	15	8	11	0	10	12	6	5	2	

YEAR : 1945

Month	Frequency (%) of the wind direction (24 hourly observations) (5)															
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW
JAN.	5.2	1.6	8.9	4.6	1.9	0.7	0.9	0.8	5.1	5.5	7.7	4.3	7.0	3.1	4.6	5.0
FEB.	8.6	6.8	22.9	11.9	3.6	0.6	0.1	0.1	2.5	1.2	2.7	1.9	2.4	0.1	1.2	1.8
MAR.	7.4	5.1	3.1	0.5	1.9	1.5	5.9	5.8	5.0	2.8	3.2	2.7	4.0	2.7	4.3	3.6
APR.	3.5	8.5	7.9	1.5	1.4	0.4	1.0	1.7	7.8	9.4	12.5	1.9	4.2	2.2	3.8	1.8
MAY	3.4	14.7	17.2	2.3	0.9	0.3	0.4	0.4	3.6	5.9	9.8	6.2	3.0	1.1	0.5	0.7
JUNE	5.0	7.8	20.1	5.8	2.9	0.3	0.3	0.4	1.8	3.5	9.7	7.2	3.8	0.7	2.1	0.4
JULY	8.9	14.2	34.1	7.4	2.2	0.5	0.7	0.3	1.7	3.0	5.9	4.0	3.4	2.0	1.3	1.3
AUG.	4.4	7.9	13.7	3.6	3.0	0.1	0.5	1.6	7.3	5.4	8.9	6.0	6.3	2.0	2.3	0.7
SEP.	5.8	4.7	14.3	8.8	3.2	0.3	0.3	0.1	0.8	2.4	7.5	6.5	4.0	0.8	1.8	1.0
OCT.	13.7	8.3	4.4	2.3	1.3	0.4	0.9	2.2	2.7	3.4	3.4	2.0	3.2	2.3	2.6	2.2
NOV.	27.9	16.9	4.3	1.0	0.6	0.7	4.6	2.6	6.3	1.4	0.4	0.4	0.3	0.1	1.3	3.1
DEC.	6.6	5.9	7.1	1.3	1.7	2.0	7.0	6.4	8.3	2.4	3.4	2.0	2.7	2.0	1.9	0.4
YEAR	8.3	8.5	13.1	4.2	2.0	0.7	1.9	1.9	4.4	3.9	6.3	3.8	3.7	1.6	2.3	1.8

REFERENCE NOTES

1) Average of 24 hourly values

2) Day ending at 24 h.

3) Average of 8,14 and 20 h. observation.

4) Day ending at 20 h.

5) From Steffens - Hedde anemograph (mean instantaneous readings).

6) Monthly prevailing direction.

7) From Piche evaporimeter.

8) From Campbell- Stokes recorder.

9) Monthly possible sunshine uncorrected for the around topography.

10) According to the International Code 0-9.

11) At 14h observation.